

WEDNESDAY, JULY 25, 2018

***** 9:00 A.M. PDT *****

**WELCOME TO THE
AUCTION SALE OF**

**PHARMACEUTICAL EQUIPMENT WEBCAST SALE
LOS ANGELES, CALIFORNIA**

TERMS & CONDITIONS

- THIS SALE WILL BE CONDUCTED IN US FUNDS
- FINAL PAYMENT IN FULL IMMEDIATELY AFTER THE AUCTION
- A BUYER'S PREMIUM OF 18.0% FOR ALL WEBCAST (REMOTE) BIDDERS WILL APPLY AT THIS SALE
- **NO PAYMENTS WILL BE ACCEPTED BY OUR SITE SUPERVISOR**

REMOVAL DETAILS:

- ALL ITEMS: BY APPOINTMENT ONLY. PLEASE EMAIL PICKUP@CORPASSETS.COM TO ARRANGE A DATE AND TIME.
- **"CI" DESIGNATES THAT A PROPER CERTIFICATE OF INSURANCE, ADDING CORPORATE ASSETS INC. AS AN ADDITIONAL INSURED AND A WORKERS' COMPENSATION CLEARANCE CERTIFICATE, IS REQUIRED BEFORE ANY ITEM MARKED "CI" CAN BE MECHANICALLY REMOVED.**
- **FURTHERMORE, PROPERLY AUTHORIZED RIGGER RELEASE INSTRUCTIONS, IN WRITING, ARE REQUIRED BEFORE A RIGGER CAN COMMENCE REMOVAL OF THESE ITEMS**
- NO ITEMS MAY BE REMOVED WHILE AUCTION IS IN PROGRESS

NO EXCEPTIONS!

THANK YOU



373 Munster Avenue, Toronto, ON, Canada M8Z 3C8

Tel. 416.962.9600 Fax: 416.962.9601

NOW ACCEPTING:



Visit www.corpassets.com for specific terms and conditions.

PHARMACEUTICAL EQUIPMENT WEBCAST SALE

LOT #	QTY.	DESCRIPTION	\$	LOT #	QTY.	DESCRIPTION	\$
7A	1	WESTFALIA PORTABLE CENTRIFUGE SETUP CART WITH TILT BOWL HOLDER AND CONTENTS		92C	1	BOSCH (2010) KIV 1010 ROTARY TYPE INKJET CODING AND VIDEO INSPECTION MACHINE WITH ALLEN BRADLEY PANEL VIEW 1500 PLUS TOUCH SCREEN PLC CONTROL, LINX 7300, HIGH SPEED DIGITAL INKJET CODER, COGNEX HIGH SPEED CCD INSPECTION CAMERA, S/N 8100711627	
8	1	WESTFALIA BKA35-86-076 STAINLESS STEEL CENTRIFUGAL SEPARATOR WITH 1MM 2 INNER BOWL DIA, 1.1 KG/DM3 MAX PERMISSIBLE HEAVY LIQUID DENSITY, 1.2 KG/DM3 MAX PERMISSIBLE SOLIDS DENSITY, SPEEDS TO 5000 RPM, 25 HP DRIVE MOTOR, 230/460V-3PH-60HZ, S/N 1669.460		102	1	LYO 6 HULL MODEL 120 FXS200 LYOPHILIZER WITH 11 SHELVES (10 USABLE); 3' W X 4' D, 120 SQ/ FT TOTAL AVAILABLE SHELF AREA, 200 LITER CAPACITY EXTERNAL CONDENSER, FULL STAINLESS STEEL CONSTRUCTION WITH STEAM STERILIZATION,(3) EDWARDS 80 CFM SKID MOUNTED VACUUM PUMPS WITH MIST FILTERS, SKID MOUNTED REFRIGERATION UNIT WITH (4) CARLYLE C3 COMPRESSORS, R-507 REFRIGERANT, S/N DRYER # 6	
8A	1	LOT/ (3) CENTRIFUGE TOOL CARTS		138	1	STAINLESS STEEL ROLLING BOX CART S/N N/A	
15	1	MILLIPORE (2005) MILLIPORE II UF SYSTEM M II EP042318154 FOUR BANK ULTRA 2 FILTRATION SYSTEM WITH ALLEN BRADLEY PLC CONTROL, OPTEX 4000 CONTROL, (4) BANK MILLIPORE D300445 MODULES, WRIGHT S4S STAINLESS STEEL 15 BAR PUMP, 15 HP DRIVE MOTOR, ROSEMOUNT SOLUCOMP ANALYTIC CONTROL, FLOWMOTION FLOW METER, ROSEMOUNT AND FISHER SANITARY VALVES, METERS AND INTEGRATION, 460V-3PH-60HZ, S/N M05049 (418.2006)		139	1	FLUID LINE TECHNOLOGIES PROCESS HQ PHQ-SS-CUNO-2-BAX-BELL CUNO STAINLESS STEEL PORTABLE FILTRATION UNITS WITH 150 PSIG MAWP @ 250 DEG F, S/N N/A-(416.2250)	
16	1	STATCO (2012) FILTRON III STAINLESS STEEL SKID MOUNTED MICRO FILTRATION SYSTEM WITH PLC CONTROL, MAX 3000 PSI, 15 HP DRIVE MOTOR, 2.5" INLET PIPE, DUAL 1" OUTLETS, ROSEMOUNT INSTRUMENTATION, S/N N/A (418.2007)		140	1	FLUID LINE TECHNOLOGIES PROCESS HQ PHQ-SS-CUNO--BAX-BELL CUNO STAINLESS STEEL PORTABLE FILTRATION UNITS WITH 150 PSIG MAWP @ 250 DEG F, S/N N/A (416.2249)	
17	1	ALPHA STAINLESS FILTRON STAINLESS STEEL SKID MOUNTED MICRO FILTRATION SYSTEM WITH 7.5 HP DRIVE MOTOR, STAINLESS STEEL PUMP, ROSEMOUNT INSTRUMENTATION, S/N N/A (418.2004)		198	1	WAUKESHA (2012) SPX 015 U1 CART MOUNTED STAINLESS STEEL PUMP WITH 2 HP, STAINLESS STEEL DRIVE MOTOR, STAINLESS STEEL PLANETARY GEAR REDUCER, 230/460V-3PH-60HZ, S/N 1000002820864 (416.3014)	
53	1	CUNO STAINLESS STEEL PORTABLE FILTRATION UNIT S/N N/A (416.2240)		231	1	NEEDERMAN STAINLESS STEEL ARTICULATED ARM SNORKEL FUME EXTRACTOR, S/N N/A (HAG-3044596)	
54	1	CUNO STAINLESS STEEL PORTABLE FILTRATION UNIT S/N N/A (416.2240)		290	1	48" (5) STEP PORTABLE STAINLESS STEEL STEP LADDER (RM 402)	

PHARMACEUTICAL EQUIPMENT WEBCAST SALE

LOT #	QTY.	DESCRIPTION	\$	LOT #	QTY.	DESCRIPTION	\$
426	1	YALE MT W600LAN24T ELECTRIC WALKIE TYPE TRACTOR TUG WITH 24 V ON-BOARD CHARGER, S/N N521931		691	1	DCI T#15 STAINLESS STEEL MIXING TANK WITH 50 PSIG @ 300 DEG F VESSEL MAWP, LIGHTNIN TOP OFFSET MOUNTED SINGLE ACTION AGITATOR, 23" DIAMETER TOP HINGED LID, (5) TOP PORTS, SINGLE BOTTOM PORT, 23" DIAMETER X 28" HEIGHT APPROX. TANK DIMENSIONS, SQUARE SKID MOUNTED WITH LOAD CELLS, S/N 87PH35877D (420.1015)	
563	1	MASTERFLEX EASY LOAD II CART MOUNTED PERISTALTIC PUMP WITH DIGITAL CONTROL, S/N N/A		692	1	LOT/ (2) DCI T#19 & 18A STAINLESS STEEL MIXING TANKS WITH 50 PSIG @ 300 DEG F VESSEL MAWP, LIGHTNIN TOP OFFSET MOUNTED SINGLE ACTION AGITATORS, 21" DIAMETER TOP HINGED LID, (3) TOP PORTS, SINGLE BOTTOM PORT, 21" DIAMETER X 22" HEIGHT APPROX. TANK DIMENSIONS, SQUARE SKID MOUNTED WITH LOAD CELLS, S/N N/A (420.1018 & 420.1019)	
638	1	CSM (2015) STAINLESS STEEL JACKETED BUFFER TANK WITH 1000 LITER CAPACITY, 15 2-PSIG @ 300 DEG F VESSEL MAWP, 50 PSIG @ 300 DEG F JACKET MAWP, 18" HINGED LID, 37" DIAMETER X 65" HEIGHT APPROX. TANK DIMENSIONS, (7) TOP PORTS, SIDE PORT, BOTTOM PORT, S/N N/A		693	1	DCI T#20 STAINLESS STEEL MIXING TANK WITH 200 LITER CAPACITY, 50 PSIG @ 300 DEG F VESSEL MAWP, LIGHTNIN TOP OFFSET MOUNTED SINGLE ACTION AGITATOR, 24" DIAMETER TOP HINGED LID, (5) TOP PORTS, SINGLE BOTTOM PORT, 24" DIAMETER X 28" HEIGHT APPROX. TANK DIMENSIONS, SQUARE SKID MOUNTED WITH LOAD CELLS, S/N N/A (420.1020)	
639	1	STAINLESS STEEL CENTRIFUGAL PUMP WITH 5 HP DRIVE MOTOR, 208/230/460V-3PH-60 HZ		694	1	LOT/ (2) DCI T#17 & 16 STAINLESS STEEL TANKS WITH 50 PSIG @ 300 DEG F VESSEL MAWP, 13" DIAMETER TOP HINGED LID, (3) TOP PORTS, SINGLE BOTTOM PORT, 13" DIAMETER X 25" HEIGHT APPROX. TANK DIMENSIONS, SQUARE SKID MOUNTED WITH LOAD CELLS, S/N N/A (420.1017)	
640	1	STAINLESS STEEL CENTRIFUGAL PUMP WITH 5 HP DRIVE MOTOR, 208/230/460V-3PH-60 HZ		724	1	DCI T#12 STAINLESS STEEL MIXING TANK WITH 50 PSIG @ 300 DEG F VESSEL MAWP, LIGHTNIN TOP OFFSET MOUNTED SINGLE ACTION AGITATOR, 20" DIAMETER TOP OFFSET MOUNTED HINGED LID WITH SPRING LIFT ASSIST, (4) TOP PORTS, SINGLE BOTTOM PORT, 36" DIAMETER X 60" HEIGHT APPROX. TANK DIMENSIONS, S/N 87PH35788 (420.1012) (RM 509)	
682	1	PRECISION STAINLESS SINGLE WALL PORTABLE TANK WITH 50 LITER CAPACITY, 18" DIAMETER X 22" HEIGHT APPROX. TANK DIMENSIONS, HINGED LID, (3) THROUGH LID TOP PORTS, SINGLE BOTTON DISCHARGE PORT, (4) 4" COMPOSITE SWIVEL CASTERS, S/N 1825 (420.1125)					
689	1	DCI T#13 STAINLESS STEEL MIXING TANK WITH 200 LITER CAPACITY, 50 PSIG @ 300 DEG F VESSEL MAWP, LIGHTNIN TOP OFFSET MOUNTED SINGLE ACTION AGITATOR, 24" DIAMETER TOP HINGED LID, (5) TOP PORTS, SINGLE BOTTOM PORT, 24" DIAMETER X 28" HEIGHT APPROX. TANK DIMENSIONS, SQUARE SKID MOUNTED WITH LOAD CELLS, S/N 87PH35787E (420.1013)					
690	1	DCI T#14 STAINLESS STEEL MIXING TANK WITH, 50 PSIG @ 300 DEG F VESSEL MAWP, LIGHTNIN TOP OFFSET MOUNTED SINGLE ACTION AGITATOR, 22" DIAMETER TOP HINGED LID, (4) TOP PORTS, SINGLE BOTTOM PORT, 22" DIAMETER X 21" HEIGHT APPROX. TANK DIMENSIONS, SQUARE SKID MOUNTED WITH LOAD CELLS, S/N 87PH35789C (420.1014)					

PHARMACEUTICAL EQUIPMENT WEBCAST SALE

LOT #	QTY.	DESCRIPTION	\$	LOT #	QTY.	DESCRIPTION	\$
726	1	FRISTAM CENTRIFUGAL SERVICE PUMP WITH 7.5 HP DRIVE MOTOR, 208/230/460V-3PH-60HZ, S/N N/A (N/A)		760	1	3M FILTRATION (2015) STAINLESS STEEL CART MOUNTED CUNO FILTRATION UNIT WITH 45 PSIG @ 150 DEG F MAWP, S/N S10868-10-2 (420.2269)	
734	1	DCI (2009) AHF-M NANO PORTABLE JACKETED STAINLESS STEEL REACTOR VESSEL WITH 50 LITER CAPACITY, 45 PSI @ 346 DEG F VESSEL MAWP, 150 PSI @ 346 DEG F JACKET MAWP, 2.8 LITER JACKET VOLUME, 25" HINGED LID WITH GAS ASSIST STRUT, (9) TOP FILL & INSTRUMENT PORTS FROM 1" TO 8" DIAMETER, 2" & 1" DIAMETER BOTTOM DISCHARGE PORTS, (2) SIDE MOUNTED GLASS VIEW AND PROBE PORTS, STERIDOSE STAINLESS STEEL 1/4 HP SINGLE ACTION BOTTOM OFFSET MOUNT AGITATOR, (4) 6" COMPOSITE SWIVEL CASTERS, MAGNETROL DIGITAL TP PROBE, 230/460V-3PH-60HZ, S/N JS4530 (420.1150)		761	1	3M FILTRATION (2015) STAINLESS STEEL CART MOUNTED CUNO FILTRATION UNIT WITH 45 PSIG @ 150 DEG F MAWP, S/N S10860-10-4 (420.2271)	
735	1	DCI (2009) AHF-M NANO PORTABLE JACKETED STAINLESS STEEL REACTOR VESSEL WITH 50 LITER CAPACITY, 45 PSI @ 346 DEG F VESSEL MAWP, 150 PSI @ 346 DEG F JACKET MAWP, 2.8 LITER JACKET VOLUME, 25" HINGED LID WITH GAS ASSIST STRUT, (9) TOP FILL & INSTRUMENT PORTS FROM 1" TO 8" DIAMETER, 2" & 1" DIAMETER BOTTOM DISCHARGE PORTS, (2) SIDE MOUNTED GLASS VIEW AND PROBE PORTS, STERIDOSE STAINLESS STEEL 1/4 HP SINGLE ACTION BOTTOM OFFSET MOUNT AGITATOR, (4) 6" COMPOSITE SWIVEL CASTERS, MAGNETROL DIGITAL TP PROBE, 230/460V-3PH-60HZ, S/N JS4529 (420.1145)		803	1	ENDRESS HAUSER TRANSMITTER FLOW METER	
745	1	SOMMER & STRASSBURGER (2013) RAUM/CHAMBER STAINLESS STEEL CART MOUNTED PORTABLE REACTOR VESSEL WITH 125 LITER CAPACITY, 75 PSIG @ 285 DEG F(6) TOP PORTS WITH GLASS VIEWING PORT, (12) BOTTOM PORTS, 25" DIAMETER X 15" HEIGHT APPROX. TANK DIMENSIONS, GLASS BOWL, STAINLESS STEEL MANIFOLDS, (4) 2" COMPOSITE SWIVEL LOCKING CASTERS, S/N N/A		804	1	CAMPBELL REFRIGERATION COMPRESSOR	
				810	1	LOT/ (10) DCI PHARMASSIST TANK LID LIFT ASSIT STRUTS	
				811	1	LOT/ (10) DCI PHARMASSIST TANK LID LIFT ASSIT STRUTS	
				812	1	LOT/ (10) DCI PHARMASSIST TANK LID LIFT ASSIT STRUTS	
				819	1	LOT/ HEAT EXCHANGER CORES	
				821	1	ELMO RIETSCHLE GARDNER DENVER VACUUM PUMP	
				851	1	HEAT EXCHANGER CORE	
				852	1	LOT/ CONTENTS OF SKID SURPLUS EQUIPMENT	
				855	1	LOT/ CONTENTS OF SKID USED REFRIGERATION COMPRESSORS	
				870	1	WIEGMANN VERTICAL CONTROL PANEL ENCLOSURE	
				874	1	GEAR REDUCER	
				890	1	FELDMEIER (2012) STAINLESS STEEL BUFFER TANK WITH 2000 LITER CAPACITY, 50 PSIG @ 300 DEG F MAWP, -20 DEG F @ 50/ FV PSI MDMT, 20" HINGED LID OFFSET TOP MOUNTED WITH SPRING ASSIST, (8) TOP PORTS, (3) BOTTOM PORTS, S/N S080612 (416.1098) (DELAY DELIVERY)	

PHARMACEUTICAL EQUIPMENT WEBCAST SALE

LOT #	QTY.	DESCRIPTION	\$	LOT #	QTY.	DESCRIPTION	\$
891	1	MUELLER (1982) TANK# P-6 STAINLESS STEEL JACKETED MIXING TANK WITH 2000 LITER CAPACITY, 50 PSIG @ 300 DEG F VESSEL MAWP, 100 PSIG @ 300 DEG F JACKET MAWP, 18" HINGED LID OFFSET TOP MOUNTED WITH SPRING ASSIST, LIGHTNIN OFFSET TOP MOUNTED SINGLE ACTION ELECTRIC MIXER AGITATOR, (6) TOP PORTS, (2) BOTTOM PORTS, SINGLE SIDE PORT, S/N P5712-1 (418.1006)		895	1	PRECISION STAINLESS (R&R 2012) TANK# P-32 STAINLESS STEEL JACKETED MIXING TANK WITH 3500 LITER CAPACITY, 50 PSIG @ 300 DEG F VESSEL MAWP, 100 PSIG @ 300 DEG F JACKET MAWP, 18" HINGED LID OFFSET TOP MOUNTED WITH SPRING ASSIST, LIGHTNIN OFFSET TOP MOUNTED SINGLE ACTION ELECTRIC MIXER AGITATOR, (6) TOP PORTS, (2) BOTTOM PORTS, SINGLE SIDE PORT, S/N 9820-1 (418.1032)	
892	1	INOX (2015) TANK# P-33 STAINLESS STEEL JACKETED MIXING TANK WITH 2500 LITER CAPACITY, 50 PSIG @ 300 DEG F VESSEL MAWP, 150 PSIG @ 300 DEG F JACKET MAWP, 18" HINGED LID OFFSET TOP MOUNTED WITH SPRING ASSIST, LIGHTNIN OFFSET TOP MOUNTED SINGLE ACTION ELECTRIC MIXER AGITATOR, (8) TOP PORTS, (2) BOTTOM PORTS, S/N P15-012 (418.1033)		896	1	MUELLER (R&R 2004) TANK# P-4 STAINLESS STEEL JACKETED MIXING TANK WITH 4000 LITER CAPACITY, 50 PSIG @ 300 DEG F VESSEL MAWP, 100 PSIG @ 300 DEG F JACKET MAWP, 18" HINGED LID OFFSET TOP MOUNTED WITH SPRING ASSIST, LIGHTNIN OFFSET TOP MOUNTED SINGLE ACTION ELECTRIC MIXER AGITATOR, (6) TOP PORTS, (2) BOTTOM PORTS, SINGLE SIDE PORT, S/N P5370-2 (418.1004)	
893	1	DCI (R&R 2001) TANK# P-9 STAINLESS STEEL JACKETED MIXING TANK WITH 4000 LITER CAPACITY, 50 PSIG @ 300 DEG F VESSEL MAWP, 100 PSIG @ 300 DEG F JACKET MAWP, 18" HINGED LID OFFSET TOP MOUNTED WITH SPRING ASSIST, LIGHTNIN OFFSET TOP MOUNTED SINGLE ACTION ELECTRIC MIXER AGITATOR, (8) TOP PORTS, (2) BOTTOM PORTS, S/N 85PH32085 (418.1009)		897	1	MUELLER TANK# P-3 STAINLESS STEEL JACKETED MIXING TANK WITH 4000 LITER CAPACITY, 50 PSIG @ 300 DEG F VESSEL MAWP, 100 PSIG @ 300 DEG F JACKET MAWP, 18" HINGED LID OFFSET TOP MOUNTED WITH SPRING ASSIST, LIGHTNIN OFFSET TOP MOUNTED SINGLE ACTION ELECTRIC MIXER AGITATOR, (6) TOP PORTS, (2) BOTTOM PORTS, SINGLE SIDE PORT, S/N P5370-4 (418.1003)	
894	1	MUELLER (R&R 2014) TANK# P-10 STAINLESS STEEL JACKETED MIXING TANK WITH 4000 LITER CAPACITY, 50 PSIG @ 300 DEG F VESSEL MAWP, 100 PSIG @ 300 DEG F JACKET MAWP, 18" HINGED LID OFFSET TOP MOUNTED WITH SPRING ASSIST, LIGHTNIN OFFSET TOP MOUNTED SINGLE ACTION ELECTRIC MIXER AGITATOR, (6) TOP PORTS, (2) BOTTOM PORTS, SINGLE SIDE PORT, S/N P5370-1 (418.1010)		898	1	PRECISION STAINLESS (R&R 2010) TANK# P-2 STAINLESS STEEL JACKETED MIXING TANK WITH 4000 LITER CAPACITY, 50 PSIG @ 300 DEG F VESSEL MAWP, 100 PSIG @ 300 DEG F JACKET MAWP, 18" HINGED LID OFFSET TOP MOUNTED WITH SPRING ASSIST, LIGHTNIN OFFSET TOP MOUNTED SINGLE ACTION ELECTRIC MIXER AGITATOR, (6) TOP PORTS, (2) BOTTOM PORTS, SINGLE SIDE PORT, S/N 8944-1 (418.1002)	

PHARMACEUTICAL EQUIPMENT WEBCAST SALE

LOT #	QTY.	DESCRIPTION	\$	LOT #	QTY.	DESCRIPTION	\$
899	1	MUELLER (R&R 2006) TANK# P-1 STAINLESS STEEL JACKETED MIXING TANK WITH 4000 LITER CAPACITY, 50 PSIG @ 300 DEG F VESSEL MAWP, 100 PSIG @ 300 DEG F JACKET MAWP, 18" HINGED LID OFFSET TOP MOUNTED WITH SPRING ASSIST, LIGHTNIN OFFSET TOP MOUNTED SINGLE ACTION ELECTRIC MIXER AGITATOR, (6) TOP PORTS, (2) BOTTOM PORTS, SINGLE SIDE PORT, S/N P5370-4 (418.1001)		903	1	FELDMIEIER (2009) TANK# P-20 STAINLESS STEEL JACKETED MIXING TANK WITH 4500 LITER CAPACITY, 30 PSIG @ 275 DEG F VESSEL MAWP, 100 PSIG @ 275 DEG F JACKET MAWP, 18" HINGED LID OFFSET TOP MOUNTED WITH SPRING ASSIST, LIGHTNIN OFFSET TOP MOUNTED SINGLE ACTION ELECTRIC MIXER AGITATOR, (8) TOP PORTS, (2) BOTTOM PORTS, SINGLE SIDE PORT, S/N S73708 (418.1018) (DELAY DELIVERY)	
900	1	FELDMIEIER (R&R 2012) TANK# P-12 STAINLESS STEEL JACKETED MIXING TANK WITH 4500 LITER CAPACITY, 30 PSIG @ 275 DEG F VESSEL MAWP, 100 PSIG @ 275 DEG F JACKET MAWP, 18" HINGED LID OFFSET TOP MOUNTED WITH SPRING ASSIST, LIGHTNIN OFFSET TOP MOUNTED SINGLE ACTION ELECTRIC MIXER AGITATOR, (8) TOP PORTS, (2) BOTTOM PORTS, SINGLE SIDE PORT, S/N S35900 (418.1013)		904	1	DCI (2009) TANK# STAINLESS STEEL JACKETED MIXING TANK WITH 2500 LITER CAPACITY, 50 PSIG @ 300 DEG F VESSEL MAWP, 150 PSIG @ 300 DEG F JACKET MAWP, 20" HINGED LID OFFSET TOP MOUNTED WITH SPRING ASSIST, LIGHTNIN OFFSET TOP MOUNTED SINGLE ACTION ELECTRIC MIXER AGITATOR, (8) TOP PORTS, (2) BOTTOM PORTS, SINGLE SIDE PORT, S/N JS4130 (418.1021)	
901	1	FELDMIEIER (2009) TANK# P-20 STAINLESS STEEL JACKETED MIXING TANK WITH 4500 LITER CAPACITY, 30 PSIG @ 275 DEG F VESSEL MAWP, 100 PSIG @ 275 DEG F JACKET MAWP, 18" HINGED LID OFFSET TOP MOUNTED WITH SPRING ASSIST, LIGHTNIN OFFSET TOP MOUNTED SINGLE ACTION ELECTRIC MIXER AGITATOR, (8) TOP PORTS, (2) BOTTOM PORTS, SINGLE SIDE PORT, S/N S73908 (418.1020)		905	1	DCI (2009) TANK# STAINLESS STEEL JACKETED MIXING TANK WITH 2500 LITER CAPACITY, 50 PSIG @ 300 DEG F VESSEL MAWP, 150 PSIG @ 300 DEG F JACKET MAWP, 20" HINGED LID OFFSET TOP MOUNTED WITH SPRING ASSIST, LIGHTNIN OFFSET TOP MOUNTED SINGLE ACTION ELECTRIC MIXER AGITATOR, (8) TOP PORTS, (2) BOTTOM PORTS, SINGLE SIDE PORT, S/N JS4129 (418.1022)	
902	1	FELDMIEIER (2009) TANK# P-20 STAINLESS STEEL JACKETED MIXING TANK WITH 4500 LITER CAPACITY, 30 PSIG @ 275 DEG F VESSEL MAWP, 100 PSIG @ 275 DEG F JACKET MAWP, 18" HINGED LID OFFSET TOP MOUNTED WITH SPRING ASSIST, LIGHTNIN OFFSET TOP MOUNTED SINGLE ACTION ELECTRIC MIXER AGITATOR, (8) TOP PORTS, (2) BOTTOM PORTS, SINGLE SIDE PORT, S/N S73808 (418.1019)		906	1	DCI (2010) TANK# STAINLESS STEEL JACKETED MIXING TANK WITH 2500 LITER CAPACITY, 50 PSIG @ 300 DEG F VESSEL MAWP, 150 PSIG @ 300 DEG F JACKET MAWP, 20 " HINGED LID OFFSET TOP MOUNTED WITH SPRING ASSIST, LIGHTNIN OFFSET TOP MOUNTED SINGLE ACTION ELECTRIC MIXER AGITATOR, (8) TOP PORTS, (2) BOTTOM PORTS, SINGLE SIDE PORT, S/N JS4673 (418.1023)	

PHARMACEUTICAL EQUIPMENT WEBCAST SALE

LOT #	QTY.	DESCRIPTION	\$	LOT #	QTY.	DESCRIPTION	\$
907	1	DCI (2010) TANK# STAINLESS STEEL JACKETED MIXING TANK WITH 2500 LITER CAPACITY, 50 PSIG @ 300 DEG F VESSEL MAWP, 150 PSIG @ 300 DEG F JACKET MAWP, 20" HINGED LID OFFSET TOP MOUNTED WITH SPRING ASSIST, LIGHTNIN OFFSET TOP MOUNTED SINGLE ACTION ELECTRIC MIXER AGITATOR, (8) TOP PORTS, (2) BOTTOM PORTS, SINGLE SIDE PORT, S/N JS4674 (418.1024)		911	1	FELDMEIER (2001) TANK# P14 STAINLESS STEEL JACKETED MIXING TANK WITH 1000 LITER CAPACITY, 40 PSIG @ 300 DEG F VESSEL MAWP, 100 PSIG @ 300 DEG F JACKET MAWP, 18" HINGED LID OFFSET TOP MOUNTED WITH SPRING ASSIST, OFFSET BOTTOM MOUNTED ELECTRIC SINGLE ACTION AGITATOR, (6) TOP PORTS, (2) BOTTOM PORTS, SINGLE SIDE PORT, S/N S24401 (418.1014)	
908	1	MUELLER TANK# P8 STAINLESS STEEL JACKETED MIXING TANK WITH 2000 LITER CAPACITY, 50 PSIG @ 300 DEG F VESSEL MAWP, 150 PSIG @ 300 DEG F JACKET MAWP, 18" HINGED LID OFFSET TOP MOUNTED WITH SPRING ASSIST, LIGHTNIN OFFSET TOP MOUNTED SINGLE ACTION ELECTRIC MIXER AGITATOR, (8) TOP PORTS, (2) BOTTOM PORTS, SINGLE SIDE PORT, S/N P5712-3 (418.1008)		953	1	LABCONCO STEAM SCRUBBER DISHWASHER (RM 416)	
909	1	MUELLER TANK# P5 STAINLESS STEEL JACKETED MIXING TANK WITH 2000 LITER CAPACITY, 50 PSIG @ 300 DEG F VESSEL MAWP, 150 PSIG @ 300 DEG F JACKET MAWP, 18" HINGED LID OFFSET TOP MOUNTED WITH SPRING ASSIST, LIGHTNIN OFFSET TOP MOUNTED SINGLE ACTION ELECTRIC MIXER AGITATOR, (8) TOP PORTS, (2) BOTTOM PORTS, SINGLE SIDE PORT, S/N P5712-2 (418.1005)		954	1	HANSON LABORATORY EXHAUST HOOD WITH FLAMMABLE CABINET WORK BENCH S/N: 4 4199	
910	1	FELDMEIER (2002) TANK# P16 STAINLESS STEEL JACKETED MIXING TANK WITH 4000 LITER CAPACITY, 50 PSIG @ 300 DEG F VESSEL MAWP, 150 PSIG @ 300 DEG F JACKET MAWP, 20" HINGED LID OFFSET TOP MOUNTED WITH SPRING ASSIST, LIGHTNIN OFFSET TOP MOUNTED SINGLE ACTION ELECTRIC MIXER AGITATOR, (8) TOP PORTS, (2) BOTTOM PORTS, SINGLE SIDE PORT, S/N S30102 (418.1016)		955	1	CSM STAINLESS STEEL 200 GAL. CAP. WASH TANK S/N: B-21360 (420.1700-03)	
				956	1	ROYAL WELDING AND FABRICATING (2013) JACK STAINLESS STEEL 200 GAL. CAP. WASH TANK S/N: 10978	
				957	1	MFG UNKNOWN STAINLESS STEEL 200 GAL. CAP. PRE RINSE TANK S/N: N/A (420.1700-01)	
				959	1	MUP GMBH (2000) D-78315 FOUR STATION STERILITY TEST ISOLATOR WITH SIEMENS SIMATIC PLC CONTROL, (4) OPERATOR STERILITY TEST ENCLOSURES, STERIS (RECENT UPGRADE) VHP M100-SX OPEN LOOP BIODECONTAMINATION SYSTEM WITH SIEMENS SIMATIC TOUCH SCREEN PLC CONTROL, DRAGER POLITRON DIGITAL GAS MONITOR, MICRO FILTRATION SYSTEM, S/N 10/358-10	