

MAJOR 2000 LOT EVENT!

PUBLIC AUCTION

CORPORATE ASSETS INC













WORLD CLASS & MULTI-MILLION DOLLAR HEAVY MACHINE TOOL EVENT!

DATE

TIME

LOCATION

Tuesday, November 17, 2015

9:30 A.M. EST

795 Rue George V Lachine, QC, Canada, H8S 2S8

This auction is

ONSITE & ONLINE

CORPORATE ASSETS INC

"Let Our Experience Be Your #1 Asset"

www.corpassets.com • 416.962.9600 • info@corpassets.com



LARGE & HEAVY CAPACITY HORIZONTAL BORING MILLS AVAILABLE




INNOCENTI CWD floor type horizontal boring mill




View of 216.53" x 216.53" **INNOCENTI** B-axis infeeding rotary table



View of head attachments available



2-axis CNC milling head



View of facing head



View of spindle and ram

CNC HORIZONTAL BORING MILLS – FLOOR TYPE

INNOCENTI CWD 6-Axis CNC Floor Type Horizontal Boring Mill, 7.87" Boring Spindle Dia., 12" Milling Spindle Dia., Travels: X-425.5" Column, Y-196.85" Vertical, Z-62.99" Spindle, Z-2 41.9" Headstock, 104.89" Total Z-Axis Travel (Spindle + Head), Spindle Speeds: 3-500 RPM, #50 Taper, Power Tool Lock, Chip Vibrator, 216.53" x 216.53" Innocenti B-Axis Infeeding Rotary Table with Milling Capability, 250 Ton Table Weight Capacity, 187.5" W-Axis Table Travel, 360,000 Positions, 2-Axis CNC Nutating Milling Head Attachment, A-Axis +/- 91.0 Degrees, C-Axis 360 Degrees Continuous, 2:1 Spindle Speed, Assorted Attachments Available Including: Facing Heads, Universal Head, Right Angle Head, Spindle Attachments, etc., 100 HP Spindle Motor, Fanuc 12M CNC Control, S/N: 70524 (Machine Rebuilt and Controls Upgraded in 1985)


THIS MACHINE SETUP HAS HEAVY MILLING & TURNING CAPABILITIES



INNOCENTI CWD floor type horizontal boring mill



View of head attachments available



View of spindle and ram



View of 216.53" x 216.53" INNOCENTI B-axis infeeding rotary table with milling & turning capability

63" X 153" T-slotted floor plate

View of facing head attachment

CNC HORIZONTAL BORING MILLS – FLOOR TYPE

INNOCENTI CWD 4-Axis CNC Floor Type Horizontal Boring Mill, 7.875" Boring Spindle Dia., 12" Milling Spindle Dia., Travels: X- 700" Column, Y-196.85" Vertical, Z-62.99" Spindle, Z-2 41.9" Headstock, 104.89" Total Z-Axis Travel (Spindle + Head), Spindle Speeds: 3-500 RPM, #50 Taper, Power Tool Lock, Chip Vibrator, (18) 63" X 153" T-Slotted Floor Plates (378" x 461") 216.53" x 216.53" Innocenti B-Axis Infeeding Rotary Table with Milling & Turning Capability, 250 Toon Table Weight Capacity, 187.5" W-Axis Table Travel, 360,000 Positions, Turning Speeds to 27 RPM, Assorted Attachments Available Including: Turning Tool Attachment, Facing Heads, Universal Head, Right Angle Heads, Spindle Attachments, etc., 100 HP Spindle Motor, Fanuc 15M CNC Control, S/N: 70104 (Machine Rebuilt and Controls Upgraded in 1985)

ASSORTMENT OF CNC FLOOR & TABLE TYPE BORING MILLS AVAILABLE



View of FANUC 15M CNC control



View of head attachments available





TOSHIBA BTD 110R16 CNC table type horizontal boring mill



TOSHIBA BTD 200QE CNC table type horizontal boring mill



View of HAAS C-axis rotary table with tailstock with independent control

CNC HORIZONTAL BORING MILLS – FLOOR TYPE

MITSUBISHI MAF 210/150A-FS 4-Axis CNC Floor Type Horizontal Boring Mill, 5.9" Spindle Dia., Travels: X-236.22" Column, Y-118.11" Vertical, Z-35" Spindle, S-2 27.5" Headstock, Spindle Speeds: 4-800 RPM, #50 Taper, Power Tool Lock, Chip Conveyor, Coolant, 98.42" x 98.42" Mitsubishi B-Axis Infeeding Rotary Table, 50 Ton Weight Capacity, 98.42" W-Axis Table Travel, 360,000 Positions, Rotary Table Speeds: 0.006-0.5 RPM, Rotary Table Feed Rates: 0.03-189 IPM, 176" x 180" T-Slotted Floor Plate, Assorted Right Angle Heads, Spindle Support, Facing Head, 50 HP Spindle Motor, Fanuc 15M CNC Control, S/N: G51020

*NOTE: ROTARY TABLES, FLOOR PLATES & ATTACHMENTS MAY BE SOLD SEPARATELY

CONTACT 416.962.9600 TO CONSIGN EQUIPMENT AT AN UPCOMING AUCTION

LARGE CAPACITY 5 AXIS CNC MACHINING EQUIPMENT AVAILABLE



TOSHIBA (SHIBAURA) MGF 5090 gantry type vertical milling & boring machine



View of **FANUC** CNC control



View of 2-axis CNC milling head attachment View of head attachments available




CNC 5-AXIS TRAVELLING GANTRY MILL

TOSHIBA (SHIBAURA) MGF 5090 5-Axis CNC Gantry Type Vertical Milling & Boring Machine, 354.33" X-Axis Gantry Travel, 231" Y-Axis Head Travel, 78.74" Z-Axis Vertical Ram Travel, 205" Between Columns, 140" Maximum Height Under Rail, 2-Axis CNC Milling Head Attachment, A-Axis +/- 91 Degrees, C-Axis +/- 181 Degrees, 126" x 378" T-Slotted Work Table, 100 Ton Table Weight Capacity, #50 Taper, Spindle Speeds: 16-630 RPM, Right Angle Head, Universal Head, 100 mm Extension Head, Dual Full Length Chip Conveyors, Coolant, 100 HP Spindle Motor, Fanuc 12M CNC Control, S/N: 91049

THIS MACHINE HAS BEEN **EXCEPTIONALLY WELL MAINTAINED** BY THE CORPORATION.

FACTORY REBUILT & CNC RETROFIT IN 2014 FOR OVER \$1,000,000 USD!



FARREL 313"/ 519" 5-axis CNC vertical boring mill



View of control and live spindle

FACTORY REBUILT & CNC RETROFIT IN
OCTOBER 2014 BY MACHINE TOOL RESEARCH (OEM)
AT A COST OF OVER \$1,000,000 USD.



View of 313" diameter table

CNC VERTICAL BORING MILLS

FARREL 313"/ 519" 5-Axis CNC Vertical Boring Mill with Live Spindle, 2-CNC Vertical Ram Heads, 313" Table Diameter, 519" Maximum Swing, 215" Maximum Height Under Rail, Left Hand Ram with Live Spindle: 16" x 16" Ram Cross Section, 50" Vertical Travel, 30 HP Milling Spindle Motor , 0.01-120 IPM Saddle Feed Rate, #50 Spindle Taper For Milling with Power Draw Bar, 4-Way Tool Block For Turning Operations, 10-450 RPM Live Spindle Speeds, Right Hand Ram For Turning: 13" x 13" Ram Cross Section, 108" Vertical Travel, 0.001-120 IPM Saddle Feed Rate, Table Load Capacity 500 Tons, , Table Turning Speeds: 0.15-19.8 RPM, Table Milling Speed: 0.00065-1 RPM, Table Indexing Accuracy +/- 0.003 Degrees, Table Indexing Repeatability +/- 0.001 Degrees, Table Feed Rate: Low Range 0.001-10 IPM, High Range 0.01-120 IPM, 3-Position Rail Adjustment With Riser Blocks, Hydrostatic Table Drive, 300 HP Table Drive Motor, Siemens 840D CNC Controls operated from Right and Left Side of Machine, S/N: 77R2350/77R2352 Note: Table Splits Into 4-Sections and Base Into 2-Sections for Shipping. Mfg. Date 1979.

YANCY Portable Combination Horizontal/Vertical CNC Boring Mill, Equipped With: 144" Dia. & 48" Dia. Hydraulic Rotary Tables, Fanuc CNC Control, Built 1997 (Disassembled)

This brochure is only a partial listing. PLEASE VISIT OUR WEBSITE

ASSORTMENT OF LARGE CAPACITY VERTICAL BORING MILLS AVAILABLE!



DOMINION 300"/ 504" vertical boring mill



CRAVEN portable horizontal boring attachment



FARREL 192"/ 202" CNC vertical boring mill



BETTS 144"/ 151" vertical boring mill





GIDDINGS & LEWIS 84" vertical boring mill YANCY portable combination horizontal/vertical CNC boring mill

VERTICAL BORING

DOMINION 300"/ 504" Vertical Boring Mill, 2-Swiveling Vertical Ram Heads, 300" Table Diameter, 504" Swing, 187" Maximum Height Under Cross Rail, 108" Vertical Ram Travel, Additional Swing to 576" & 548" With Columns Set Back, 300 Ton Table Weight Capacity, 3-Position Rail Adjustment With Riser Blocks, Table Speeds: 0.25-6 RPM, Dual Pendant Controls, (2) 125 HP Table Drive Motors, Rebuild Completed in 2014 with New Drive System, New Electrics, All New Wiring, New Lubrication System, New Non-Metallic Bearing Surfaces, New Heidenhain ND 780 Digital Readout System, S/N: E6919 9/902 Note: Table Splits Into 4-Sections and Base Into 2-Sections for Shipping

LARGE & HEAVY CAPACITY FABRICATING MACHINERY AVAILABLE!




HUGH SMITH 3000 TON x 13' vertical plate bender with PLC control



WHEELABRATOR COMMANDER combo shot blast/paint booth



Partial view of acorn tables available



VERSON horizontal gun drilling machine



ALLTRA bevel head plasma/oxy head CNC cutting system

FABRICATING EQUIPMENT

HUGH SMITH (DEC 2009 REBUILT) 3000 TON X 13' vertical plate bender with GE FANUC QUICK PANEL VIEW PLC control, 7.4" max plate thickness cap, 45" to 216" inside diameter range, (2) Interchangeable Rolls, 952.5 mm Diameter and 629 mm Diameter, 200 H.P. Motor, upgraded hydraulic power pack, s/n C27120 (NEW ELECTRICAL; NEW HYDRAULICS; GE FANUC PLC CONTROL)

ALLTRA (2008) MG4500 bridge type twin head CNC PLASMA-OXY/FUEL cutting system with BURNY 10NS CNC TOUCHSCREEN control, HYPERTHERM HT4001 plasma power supply, HYPERTHERM chiller, 19'x50' table, CNC controlled tilt & bevel plasma station, manual push button control tilt & bevel oxyfuel station, rack & pinion drives, s/n 5643

VERSON 2" x 120" Horizontal Gun Drilling Machine, Approx Max Drill Diameter 2", Speeds: 840 to 1600 RPM, 120" Horizontal Drill Stroke, V-Type Work Rests, Operators Station, Assorted Gun Drills

CONTACT 416.962.9600 TO CONSIGN EQUIPMENT AT AN UPCOMING AUCTION

CNC MACHINING, FABRICATING AND GENERAL PLANT EQUIPMENT AVAILABLE



MORI SEIKI SL- 25MC CNC turning center



TAKUMI V15A CNC vertical machining center



OKK MCV 820 CNC vertical machining center



OKK MCH 800 II 4-axis CNC horizontal machining center



SAFOP LEONARD 40-510 engine lathe



MARVEL 81A11PC automatic vertical band saw



PANDJIRIS 150 ton tank turning rolls



Partial view of large capacity tank turning rolls available

LARGE OFFERING OF FACTORY SUPPORT EQUIPMENT AVAILABLE!



CLARK CY250 outdoor LPG forklift



CLARK C500-Y70 LP outdoor LPG forklifts



LINDEBERG furnace



BELFAB dust collector



LIFT SYSTEMS self propelled hydraulic lift system



ALLSTEEL 600-14 hydraulic press brake



PEARSON hydraulic shear



DETROIT DIESEL ALLISON DDACE-100 diesel generator



MFG UNKNOWN manual brake




PEXTO rolls



MFG UNKNOWN 4.5" angle bending rolls

HUGE OFFERING OF ROTARY TABLES, ANGLE PLATES & FLOOR PLATES!



10' dia. variable speed power rotary table



7' dia. variable speed power rotary table



60" x 60" G&L air lift rotary table



16' x 32' x 12" steel portage layout table



48" x 48" hydraulic lift sine tables



16' x 5' steel angle plates



14' x 20" steel angle plates



20' x 5' steel angle plates (de-stacked)



48" x 66" steel angle plates



Partial view of electro-magnetic chucks & angle plates available



54" x 36" steel angle plates



30" x 50" steel box tables



Partial view of steel setup blocks and angle plates available



View of machine stands



View of setup blocks

VARIOUS ASSORTMENTS FROM SMALL TO LARGE CAPACITIES AVAILABLE

FOR FURTHER INFORMATION OF SALE, PLEASE VISIT WWW.CORPASSETS.COM



METSO electric transfer cart with scale



MFG UNKNOWN spreader beam



ACA USA digital crane scale



Partial view of self dumping hoppers available



Partial view of LISTA cabinets available



CHALLENGER digital crane scale



crane lifting magnet



WALKER BUX BM-25PB Partial view of medium duty pallet racking



AUCTION DETAILS

INSPECTION

Monday, November 16 from 9:00 A.M. to 5:00 P.M. and morning of auction to start of auction.

REMOVAL

Small items: Wednesday, November 18 by 5:00 P.M.

Remaining items: Tuesday, December 8 by 5:00 P.M.

PAYMENT

Please visit our website for details at www.corpassets.com

A Buyer's Premium will apply at this sale.







We

Accept

Please visit our website as specific terms and conditions may apply.

TERMS

Corporate Assets Inc. assumes no liability for errors or omissions in this brochure. Corporate Assets Inc. expressly reserves the right to determine the manner of conducting the auction as it may deem appropriate. All subject to prior sale.

AUCTION CONDUCTED BY:



CORPORATE **ASSETS INC**

74 Berkeley Street, Toronto, ON M5A 2W7 Tel: (416) 962-9600 • Fax: (416) 962-9601 info@corpassets.com

www.corpassets.com



































