


**CORPORATE
ASSETS INC**

PUBLIC AUCTION

DIE-METRIC TOOL INC.



**LARGE CAPACITY HIGH PRECISION MULTI-AXIS
AEROSPACE MANUFACTURING FACILITY**

DATE

TIME

LOCATION

Tuesday, January 25, 2011

10:00 A.M. EST

10 & 11 Brockley Drive,
Hamilton, ON, Canada
L8E 3P1

"Let Our Experience Be Your #1 Asset"™

**BID, BUY & GO!™
LIVE WEBCAST**

CNC 5 AXIS UNIVERSAL MACHINING CENTER

5 AXIS - 18,000 RPM

2007




DECKEL MAHO DMU80 monoBLOCK CNC 5 axis vertical machining center



HEIDENHAIN iTNC530 CNC control with 3D software



View of B-AXIS planetary milling head



View of 27.6" x 49.2" table with integrated rotary table

CNC 5 AXIS UNIVERSAL MACHINING CENTER

DECKEL MAHO (2007) DMU80 monoBLOCK CNC 5 axis vertical machining center with **HEIDENHAIN iTNC530** CNC control with 3D software, 27.6" x 49.2" table, integrated rotary table, travels: X-38.6", Y-24.8", Z-24.8", B-axis swivel range 150°, 32 ATC, CAT 40, 18,000 RPM, 20.1 HP, 1984lb table capacity, chip conveyor, 3488 running hrs., s/n 11590002523 (located in Newmarket, ON)

3 WAYS TO BID!

1. ATTEND! 2. BID ONLINE! 3. BID BY PROXY!

ONLINE WEBCAST BIDDING

powered by

BID, BUY & GO!
LIVE WEBCAST

Register early for this and other
online webcast auctions!

This brochure is only a partial listing. PLEASE VISIT OUR WEBSITE FOR

CNC 5 AXIS UNIVERSAL MACHINING CENTER

5 AXIS - 12,000 RPM

2007



DECKEL MAHO DMC60T CNC 5 axis twin pallet vertical machining center



HEIDENHAIN iTNC530 CNC control with 3D software



View of pallet changer



60 station ATC



View of B-AXIS planetary milling head



View of 19.7" x 24.8" pallet and rotary table

**AUCTION
CONDUCTED
BY CORPORATE
ASSETS INC.**

CNC 5 AXIS UNIVERSAL MACHINING CENTER

DECKEL MAHO (2007) DMC60T CNC 5 axis twin pallet vertical machining center with HEIDENHAIN iTNC530 CNC control with 3D software, (2) 19.7" x 24.8" pallets, travels: X-30.7", Y-22.1", Z-22.1", B-axis swivel range 150°, 60 ATC, CAT 40, 12,000 RPM, 37.6 HP, chip conveyor, 4439 running hrs., s/n 11430002093 (located in Newmarket, ON)

MORE DETAILED LISTINGS AND PHOTOS www.corpassets.com

CNC 5 AXIS UNIVERSAL MACHINING CENTER

5 AXIS - 18,000 RPM

2007



DECKEL MAHO DMU 50eVo LINEAR CNC 5 axis vertical machining center



HEIDENHAIN iTNC530 CNC control with 3D software



View of DYNAMIC 15" x 19.7" NC-swivel rotary table



32 station ATC

CNC 5 AXIS UNIVERSAL MACHINING CENTER

DECKEL MAHO (2007) DMU 50eVo LINEAR CNC 5 axis vertical machining center with HEIDENHAIN iTNC530 CNC control with 3D software, travels: X-19.7", Y-17.7", Z-15.7", 32 ATC, 18,000 RPM, CAT 40, dynamic 15" x 19.7" NC-swivel rotary table with high rapid traverse, B-axis up to negative 18 deg., 5 sided and up to 5-axis simultaneous machining, linear drive X axis, touch off laser, 440.9lb table capacity, 46.9 HP, chip conveyor, 3240 running hrs., s/n 10915558714 (located in Newmarket, ON)

CONTACT 416.962.9600 TO CONSIGN EQUIPMENT AT AN UPCOMING AUCTION

CNC 5 AXIS UNIVERSAL MACHINING CENTER

5 AXIS - 18,000 RPM

2006



DECKEL MAHO DMU 50eVo LINEAR CNC 5 axis vertical machining center



HEIDENHAIN iTNC530 CNC control with 3D software



View of DYNAMIC 15" x 19.7" NC-swivel rotary table



View of coolant filtration system

AUCTION
CONDUCTED BY
CORPORATE
ASSETS INC.

CNC 5 AXIS UNIVERSAL MACHINING CENTER

DECKEL MAHO (2006) DMU 50eVo LINEAR CNC 5 axis vertical machining center with HEIDENHAIN iTNC530 CNC control with 3D software, travels: X-19.7", Y-17.7", Z-15.7", 32 ATC, 18,000 RPM, CAT 40, dynamic 15" x 19.7" NC-swivel rotary table with high rapid traverse, B-axis up to negative 18 deg., 5 sided and up to 5-axis simultaneous machining, linear drive X axis, touch off laser, 440.9lb table capacity, 46.9 HP, chip conveyor, 4184 running hrs., s/n 10915549054 (located in Newmarket, ON)

TO SCHEDULE AN AUCTION CONTACT 416.962.9600

CNC 5 AXIS UNIVERSAL MACHINING CENTER

5 AXIS - 10,000 RPM

2005



DMG DECKEL MAHO DMU 50 CNC 5 axis vertical machining center



HEIDENHAIN iTNC530 CNC control



View of DYNAMIC 19.68" x 24.8" NC-swivel rotary table



16 station ATC

CNC 5 AXIS UNIVERSAL MACHINING CENTER

DMG DECKEL MAHO (2005) DMU 50 CNC 5 axis vertical machining center with HEIDENHAIN iTNC 530 CNC control, 19.68" x 24.8" integrated swivel rotary table, travels: X-19.68", Y-17.71", Z-15.74", -5° / +110° table swivel range, 10,000 RPM, CAT 40, 16 ATC, 6 KG max tool weight, 300 KG table capacity, chip conveyor, coolant, s/n 11415549954

This brochure is only a partial listing. VISIT OUR WEBSITE FOR

CNC 7 AXIS TWIN SPINDLE TURNING/MILLING CENTER

7 AXIS - 12,000 RPM MILLING

2008



1400 CUTTING HOURS


DMG GILDEMEISTER CTX Beta 1250 TC 7-Axis CNC turning and live milling center



DMG ERGOLINE SIEMENS CNC control



View of B/Y-AXIS turning and milling spindle, and counter spindle



View of main spindle



24-position disk-type tool magazine

CNC 7 AXIS TWIN SPINDLE TURNING/MILLING CENTER

DMG GILDEMEISTER (2008) CTX Beta 1250 TC 7-Axis CNC turning and live milling center with DMG ERGOLINE SIEMENS CNC control, B/Y-axis turning/milling spindle with 225 degree swivel range, 15.5" max. machining diameter, 49.2" max. machining length, 24-position disk-type tool magazine, (2) SMW AUTOBLOK 8.25" 3 jaw hydraulic chucks on main and counter spindles, HSK A63, 37.5 HP (spindle), 12,000 RPM turning/milling speeds, s/n 0041000069C (1400 cutting hrs)

MORE DETAILED LISTINGS AND PHOTOS www.corpassets.com

CNC 12 AXIS SWISS-TYPE TURNING CENTER

2004

12 AXIS



LIVE MILLING TOOLS

CITIZEN CINCOM M32 III CNC 12-axis swiss-type turning center



WINDOWS based CNC control



View of spindles and tools



180" MAXIMUM BAR LENGTH

2005

CITIZEN CINCOM CAV32IS electric bar feeder

CNC 12 AXIS SWISS-TYPE TURNING CENTER

CITIZEN CINCOM (2004) M32 III CNC 12-axis swiss-type turning center with WINDOWS CNC control, 1.25" max. machining diameter (main & sub-spindle), 12.59" max. turning length, 1.41" thru-hole diameter, C-axis main & sub-spindle, 10 HP (main spindle), 5 HP (sub-spindle), 8,000 RPM (main spindle), 7000 RPM (sub-spindle), 10-station vertical tool holder with 5 turning/4 rotary tools, 10-station turret with power driven stations, 5-station back working holder, parts catcher, chip conveyor, coolant, COOL BLASTER high pressure coolant system, s/n P14472

CONTACT 416.962.9600 TO CONSIGN EQUIPMENT AT AN UPCOMING AUCTION

CNC SWISS-TYPE TURNING CENTER

2004



LIVE MILLING TOOLS

CITIZEN CINCOM L-20 Type VII CNC swiss type screw machine



WINDOWS based CNC control

2004



CITIZEN CINCOM TP1000 precision tool setter



165" MAXIMUM BAR LENGTH

2004

CITIZEN CINCOM CAV20L-IS electric bar feeder



View of spindles and tools

CNC SWISS-TYPE TURNING CENTER

CITIZEN CINCOM (2004) L-20 Type VII CNC swiss type screw machine with CINCOM MELDAS/WINDOWS CNC control, 0.812" max. machining dia., 8.1" max. machining length in one chucking, main spindle speeds to 10,000 RPM, subspindle speeds to 8,000 rpm, 6-position live tools (3-front, 3-back), backworking spindle with C-axis indexing, long workpiece attachment, S/n Q13118; **CITIZEN CINCOM** (2004) CAV20L-IS electric bar feeder, s/n CAV0361B; **CITIZEN CINCOM** (2005) CAV32IS electric bar feeder, s/n CAV05928; **CITIZEN CINCOM** (2004) TP1000 precision tool setter, s/n 40804

MORE DETAILED LISTINGS AND PHOTOS www.corpassets.com

CNC TURNING CENTER WITH LIVE MILLING

2000


LIVE MILLING



DAEWOO PUMA 230 MSB CNC turning and live milling center



FANUC 18i-T CNC control



View of spindle, sub-spindle, 12 station turret, and RENISHAW tool presetting arm

CNC TURNING CENTER WITH LIVE MILLING

DAEWOO (2000) PUMA 230 MSB CNC turning and live milling center with sub-spindle, FANUC 18i-T CNC control, 21.65" swing, travels: X-8.07", Z-22.83", C-Axis .001°, 6,000 RPM (main spindle), 6,000 RPM (live tools), collet chuck, 12 station turret, 11.42" max machining diameter, 19.37" max work length, parts catcher, RENISHAW high precision motorized tool presetting arm, parts exit conveyor, chip conveyor, coolant, s/n 23MS0156

3 WAYS TO BID!

1. ATTEND! 2. BID ONLINE! 3. BID BY PROXY!

ONLINE WEBCAST BIDDING

powered by



Register early for this and other online webcast auctions!

CONTACT 416.962.9600 TO CONSIGN EQUIPMENT AT AN UPCOMING AUCTION

CNC TURNING CENTER WITH LIVE MILLING

LIVE MILLING


2000



DAEWOO PUMA 230 MB CNC turning and live milling center



FANUC 18i-T CNC control



View of spindle, 12 station turret, and RENISHAW tool presetting arm

CNC TURNING CENTER WITH LIVE MILLING

DAEWOO (2000) PUMA 230 MB CNC turning and live milling center with FANUC 18i-T CNC control, 21.65" swing, travels: X-8.07", Z-22.83", C-Axis .001°, 10" KITAGAWA 3 jaw hydraulic chuck, 6,000 RPM (spindle), 6,000 RPM (live tools), 12 station turret, 11.42" max machining diameter, 19.37" max work length, hydraulic tailstock, parts catcher, RENISHAW high precision motorized tool presetting arm, chip conveyor, coolant, s/n P23M0187

**AUCTION
CONDUCTED BY
CORPORATE
ASSETS INC.**

TO SCHEDULE AN AUCTION CONTACT 416.962.9600

CNC TURNING CENTER WITH LIVE MILLING

2005




LIVE MILLING

DMG GILDEMEISTER CTX 310BA CNC turning and live milling center



DMG 3D FANUC 32i CNC control



View of spindle, 12 station turret, and tailstock

CNC
TURNING
CENTER WITH
LIVE MILLING

DMG GILDEMEISTER
(2005) CTX 310BA
CNC turning and live
milling center with
DMG 3D FANUC 32i
CNC control, 9.7" max
turning diameter, 23.6"
between centers, 17.5"
max turning length,
travels: X-8", Z-17.7",
C-Axis .001", collet
chuck, 6,000 RPM (main
spindle), 5,000 RPM
(live milling tools), 12
station turret, 2" bar
capacity, live tooling,
parts catcher, tailstock,
coolant, chip conveyor,
s/n 8043942115C

This brochure is only a partial listing. VISIT OUR WEBSITE FOR

CNC TURNING CENTER WITH LIVE MILLING

2002

LIVE MILLING



FORTUNE V-TURN II-26 CNC turning and live milling center



FANUC Oi-TB CNC control



View of spindle, 12 station turret, tailstock, and RENISHAW tool presetting arm

PROXY BIDDING

If you are unable to attend this auction, we would be pleased to act as your proxy.

Please contact our office at (416) 962-9600 or visit our website for a proxy bid form, terms and additional information.

www.corpassets.com

CNC TURNING CENTER WITH LIVE MILLING

FORTUNE (2002) V-TURN II-26 CNC turning and live milling center with FANUC Oi-TB CNC control, 26.4" swing, travels: X-7.67", Z-38.58", C-Axis .001°, KITAGAWA 10" 3 jaw hydraulic chuck, 12 station turret, 3.4" spindle bore, 3,500 RPM (main spindle), 3,000 RPM (live milling tools), 6 live tool stations, hydraulic tailstock, 40.2 HP, RENISHAW high precision motorized tool presetting arm, chip conveyor, coolant, s/n MY-1200

TO SCHEDULE AN AUCTION CONTACT 416.962.9600

CNC TURNING CENTER WITH LIVE MILLING

1999



LIVE MILLING

MIYANO BND-42S5 CNC turning and live milling center



MIYANO FANUC 21 CNC control



View of opposed spindles, parts catcher, and 12 station bi-directional live milling turret

CNC TWIN SPINDLE TURNING/MILLING CENTER

MIYANO (1999) BND-42S5 CNC turning and live milling center with sub-spindle, MIYANO FANUC 21TB CNC control, travels: X-5.51", Z-11.02", C-Axis .001°, (2) collet chucks, 12 station turret with bi-directional and double-plain tool holders, 1.65" bar capacity (main spindle), 1.25" bar capacity (sub-spindle), 4.92" max turning length, 30 HP, 5,000 RPM (main spindle), 6 live tool stations, parts catcher, parts exit conveyor, coolant, s/n BD60286S

This brochure is only a partial listing. VISIT OUR WEBSITE FOR

CNC GANG TOOL LATHES & BAR FEEDERS

LIVE MILLING



MIYANO LE-22 CNC turning and live milling center



CYCLEMATIC CT-606-CNC high precision CNC gang tool lathe



1997 YANG SML12 CNC gang tool lathe

PROXY BIDDING

If you are unable to attend this auction, we would be pleased to act as your proxy. Please contact our office at (416) 962-9600 or visit our website for a proxy bid form, terms and additional information.

www.corpassets.com



2005 SMW SPACESAVER 2100 100% electric bar feeder



2006 SMW SPACESAVER 2200 100% electric bar feeder



2006 SMW SPACESAVER 2200 100% electric bar feeder



Partial view of live tool holders



1999 LEXAIR RHINOBAR MRB12-1.62 hydraulic bar feeder



1996 LEXAIR RHINOBAR RB12-1.06 hydraulic bar feeder

CNC TWIN SPINDLE TURNING/MILLING CENTER

MIYANO LE-22 CNC turning and live milling center with FANUC 18-T CNC control, 13.8" swing over bed, 2" bar dia. capacity, 8" max. turning diameter, 11.8" max work length for bar work, travels: X-6.5", Z-13.8", C-Axis .001° (main and sub-spindles), 10 station turret, 4000 RPM (main spindle), 3000 RPM (live milling tools), collet chuck, 5 live tool stations, hydraulic tailstock, 15 HP, parts catcher, coolant, s/n L220385

CNC GANG TOOL LATHES

YANG (1997) SML12 CNC gang tool lathe with FANUC O-TD CNC control, 13" swing, travels: X-9", Z-9", 8" max turning diameter, 8" max turning length, 4500 RPM, 10.04" bed to spindle centre height, collet chuck, coolant, s/n C00306; CYCLEMATIC CT-606-CNC high precision CNC gang tool lathe with ANILAM 4200T CNC control, 11" swing over bed, travels: X-8", Z-6", 6" max turning diameter, 6" max turning length, 1.25" spindle bore, 4,000 RPM, 5 HP, drawbar, collet chuck, coolant, s/n NA

ELECTRIC & HYDRAULIC BAR FEEDERS

(2) SMW (2006) SPACESAVER 2200 100% electric bar feeders with PLC control, s/n 18-537, 18-568; SMW (2005) SPACESAVER 2100 MUS 2000 100% electric bar feeder with PLC control, s/n 286; LEXAIR (1996) RHINOBAR RB12-1.06 hydraulic bar feeder, s/n 61448; LEXAIR (1999) RHINOBAR MRB12-1.62 hydraulic bar feeder, s/n 5106

MORE DETAILED LISTINGS AND PHOTOS www.corpassets.com

CNC VERTICAL MACHINING CENTERS

2007



22" x 47.2" TABLE - THRU SPINDLE COOLANT

DMG DECKEL MAHO DMC 1035V CNC vertical machining center


2005



(2) 14" x 22" PALLETS - 20,000 RPM

KITAMURA MYCENTER-2XiF CNC twin pallet vertical machining center

2006



DMG MICROSET 1 ECO 210 tool pre-setter

CNC VERTICAL MACHINING CENTERS

DMG DECKEL MAHO (2007) DMC 1035V CNC vertical machining center with DMG 3D FANUC 32i CNC control, 22" x 47.2" t-slot table, travels: X-40.74", Y-22.04", Z-20.07", CAT 40, 20 ATC, 8,000 RPM, 5.1" max tool diameter, 6KG max tool weight, 1,000KG table capacity, thru spindle coolant, chip conveyor, s/n 15425021774

KITAMURA (2005) MYCENTER-2XiF CNC twin pallet vertical machining center with FANUC 16i-MB CNC control, travels: X-20.1", Y-14", Z-18.1", KITAMURA SPARK CHANGER pallet changer with (2) 14" x 22" t-slot pallets, 15 HP, 20,000 RPM, CAT 40, 24 ATC, 220 lb. work weight capacity, rapid feeds: 1969 IPM (X,Y), 1417 IPM (Z), chip auger and conveyor, flood and shower coolant, s/n 07736

DMG (2006) MICROSET 1 ECO 210 tool pre-setter, S/n 99510005828



View of KITAMURA spindle and table

CONTACT 416.962.9600 TO CONSIGN EQUIPMENT AT AN UPCOMING AUCTION

CNC VERTICAL MACHINING CENTERS & CNC SAW

2005

10,000 RPM



FADAL VMC 4020HT CNC vertical machining center



16,000 RPM

MIYANO MTV-C310 CNC twin pallet vertical machining center

2007



HYDRAULIC CLAMPING & FEED

HYD-MECH H-10A CNC way type dual column horizontal saw



Partial view of tool holders available



Partial view of tool holders available

CNC VERTICAL MACHINING CENTERS

FADAL (2005) VMC 4020HT CNC vertical machining center with FADAL MULTI-PROCESSOR CNC control, 20" x 44" table, travels: X-40", Y-20", Z-20", CAT 40, 24 ATC, 10,000 RPM, 22.5 HP, 3,641lb table capacity, 15lb max tool weight, coolant, s/n 012005057746; **MIYANO** MTV-C310 CNC twin pallet vertical machining center with YASNAC M-100 CNC control, (2) 14.2" x 18.9" pallets, travels: X-15.7", Y-11.8", Z-9.8", 16,000 RPM, BT 35, 15 ATC, 7.4 HP, 220lb table capacity, coolant, s/n MTVC3100152

CNC HORIZONTAL SAW

HYD-MECH (2007) H-10A CNC way type dual column horizontal saw with 10.5" x 12" capacity, hydraulic clamping, hydraulic in feed, HYD-MECH CNC control, 5 + 1 HP, 400 FPM, coolant, conveyor, s/n HSA0107100

TO SCHEDULE AN AUCTION CONTACT 416.962.9600

HIGH PRECISION INSPECTION EQUIPMENT



RENISHAW PH9 PROBE

STARRETT RAPID CHECK 2 MGDS2424-18 CMM



MITUTOYO PH-3500 optical comparator



BROWN & SHARPE MICRO-VAL CMM



QM DATA 200 2D PROCESSOR

MITUTOYO PH-A14 optical comparator



CARL ZEISS camshaft measuring machine



MITUTOYO CONTRACER CP-200 contour measuring device



Partial view of inspection equipment

PROXY BIDDING

If you are unable to attend this auction, we would be pleased to act as your proxy. Please contact our office at (416) 962-9600 or visit our website for a proxy bid form, terms and additional information.

www.corpassets.com

INSPECTION DEPARTMENT

STARRETT RAPID CHECK 2 MGDS2424-18 CMM with 31.5" x 32 1/4" granite table, **RENISHAW PH9** probe, 31" between the housings, 23.5" under the rail, pendant control, computer, s/n MD0141; **BROWN & SHARPE MICRO-VAL CMM** with 18" x 24" granite table, **RENISHAW TP-ES** probe, 20.5" between the housings, 16" under the rail, computer, s/n 0296-1075; **CARL ZEISS** camshaft measuring machine with powered headstock, tailstock, **SUPERIOR ELECTRIC SLO-SYN PRESET INDEXER** control, hardened ways, s/n 2280QA; **MITUTOYO PH-A14** optical comparator with 16" screen, **QM DATA 200 2D** processing unit, dro, s/n 406009; **MITUTOYO PH-3500** optical comparator with 15" screen, 2 axis dro, 5 3/4" x 17 3/4" table, s/n 000106; **MITUTOYO CONTRACER CP-200** contour measuring device with 25.5" x 23 3/4" table, computer and control, s/n NA

This brochure is only a partial listing. VISIT OUR WEBSITE FOR

MATERIAL HANDLING & MACHINE SHOP EQUIPMENT

SIDE SHIFT



MASTER LIFT CPQD25N 5,000lb capacity outdoor LPG forklift

2005



APPROX 110,000 KM

FORD F150XL pickup truck



DARBERT gap bed engine lathe



DEAN SMITH 1609 gap bed engine lathe



CHEVALIER FSG-618M surface grinder



Partial view of lifting accessories



POWER STROKE

SUNNEN MBB-1800R horizontal hone



2004

KING KC-1022ML tool room precision lathe



2 AVAILABLE

FIRST LC-1 1/2 VS vertical milling machine

MATERIAL HANDLING

FORD (2005) F150XL pickup truck with bed enclosure, 4.2L V6 engine, approx 110,000 km, vin# 1FTRF12236NA74759; **MASTER LIFT** CPQD25N 5,000lb capacity outdoor LPG forklift with 3 stage mast, side shift, enclosed cab with heating, sun roof, s/n 070306736; **DAEWOO** GL20S-2 4,000lb capacity indoor lpg forklift with side shift, s/n 06-05257

MORE DETAILED LISTINGS AND PHOTOS www.corpassets.com

LARGE QTY OF RAW MATERIAL & FACTORY EQUIPMENT



2004 **25 HP**
KAESER ASD-25 air compressor



2004
DEVAIR SERIES A-ASP 150 air dryer



KING shot blast cabinet



OBRIEN 1 ton jib arm

18' ARM



View of aluminum, stainless, and brass bar stock



View of **DAREX** precision tool & cutter grinders



View of aluminum, stainless, and brass bar stock



View of **CHICK** aluminum machine vises



2004
KING KC-40HS geared head drill



View of aluminum plate



View of finished parts inventory



Partial view of machine vises



Partial view of carbide inserts



View of raw material



View of aluminum plate

MACHINE SHOP EQUIPMENT

CYCLEMATIC CTS-27 high accuracy tool room lathe with collet chuck, 6 station tool post, 20" maximum part length, 1 1/4 HP, 3500 RPM, drawbar, s/n 9911202; **DEAN SMITH** 1609 gap bed engine lathe with 18"/22" swing, 50" between centers, s/n 37081; **SUNNEN** MBB-1800R horizontal mandrel type honing machine with power stroke, s/n 17035; (2) **FIRST** LC-1 1/2 VS vertical milling machines with 9" x 42" table, 2 axis dro, power drawbar, s/n 91026507, 30119327; **CHEVALIER** FSG-618M hand feed surface grinder with 6" x 18" magnetic chuck, 6" wheel diameter, s/n A3845002; **KING** (2004) KC-1022ML tool room precision lathe with 10" swing, 22" between centers, s/n 4416A6; **KING** (2004) KC-40HS geared head drill, s/n 531393; **MAHOG** BS-A precision tool and cutter grinder, s/n NA; **DAREX** (2006) E90B precision tool and cutter grinder, s/n 96175F; **DAREX** (2006) XT 3000 expandable tool and cutter sharpener with adapters, s/n 55858; **KING** shot blast cabinet, s/n NA; **RUSH** 132A tool and cutter grinder, s/n 2086; **OBRIEN** 1 ton jib arm with 18' jib arm, **DEMAG** 1 ton hoist, s/n NA

FACTORY EQUIPMENT

KAESER (2004) ASD-25 25HP rotary screw air compressor with SIGMA PLC control, approx 4000 load hours, s/n 1002; **DEVAIR** (2004) SERIES A-ASP 150 air dryer, s/n NA; (2) **Q-AIR** fume extractors, s/n NA
ALSO: LISTA tool cabinets and workbenches, rolling shop carts, HUGE quantity of high precision inspection tooling and equipment, grinders, saws, parts bins, power and hand tools, perishable tooling, carbide inserts, machine tool accessories, live tool holders and lathe tooling, chuck jaws, high precision CAT 40 tool holders, precision tool cabinets, dumping hoppers, shop fans, huge inventory of finished parts and accessories, huge quantity of usable raw material consisting of aluminum and brass bar stock, flat stock, plate, and off cuts, office furniture and equipment, and much more!

All auctions are

ONSITE

&

BID, BUY & GO!
LIVE WEBCAST

UPCOMING AUCTIONS

New auctions added to our website regularly!

LIVE WEBCAST powered by

BID, BUY & GO!
LIVE WEBCAST

HEBEL SHEET METAL INC
Complete Sheet Metal Fabricating Facility
Kitchener, Ontario N2K 3C5
Tuesday, January 18, 2011
Time: 10:30 AM EST

JEUNE METAL PRODUCTS LTD
High Precision Hydroforming & CNC Spinning Facility
Markham, Ontario L3R 5J6
Thursday, January 20, 2011
10:30 AM EST

BOUCHERIE JEAN-GUY SOUCY INC.
State of the Art Late Model Meat Processing Facility
Saint-Jean-sur-Richelieu, Ontario J3B 1L7
Late January, 2011
Time: TBD

MEMBER IN
GOOD STANDING



Printed in Canada. ©2010 CORPORATE ASSETS INC. ALL RIGHTS RESERVED.



We offer the convenience of
3 Ways To Bid!

- Bid in Person
- Bid via Webcast
- Bid by Proxy

Discover the ease of
 bidding with our
LIVE WEBCAST!

This feature gives you the ability
 to bid live by webcast from the
 convenience of your telephone
 from anywhere in the world!
 Visit our website for details.

*Please register a minimum of 24 hours
 in advance to qualify to bid.*



www.corpassets.com

Live Webcast bidding powered by



AUCTION DETAILS

INSPECTION

Monday, January 24, 2011 from 9:00 A.M. to 5:00 P.M. and morning of auction to start of auction.

REMOVAL

Small items: Wednesday, January 26, 2011 by 5:00 P.M.

Remaining items: Friday, February 11, 2011 by 5:00 P.M.

DIRECTIONS

Visit our website at www.corpassets.com, click on Upcoming Auctions: Die-Metric Tool Inc. button, click on Map tab and get directions by accessing the pop up address info box.

ACCOMMODATIONS & CAR RENTALS

Please visit our website for details at
www.corpassets.com

PAYMENT

Please visit our website for details at
www.corpassets.com

A Buyer's Premium will apply at this sale.



Visit our website as specific terms and conditions may apply.

TERMS

Corporate Assets Inc. assumes no liability for errors or omissions in this brochure. Corporate Assets Inc. expressly reserves the right to determine the manner of conducting the auction as it may deem appropriate. All subject to prior sale.

APPRAISAL SERVICES

What's the real value of your equipment? If you require a detailed appraisal for banking, insurance, or internal purposes, consult with the certified experts at Corporate Assets Valuations. We provide appraisal services anywhere in the world for all types of industrial manufacturing and processing equipment.

- We will appraise one machine or your complete plant
- Going Concern, Fair Market or Liquidation Values

Call us in complete confidence today with your requirements.

Phone: (416) 962-9600

Fax: (416) 962-9601

Email: appraisals@corpassets.com

AUCTION CONDUCTED BY CORPORATE ASSETS INC.

For further information contact us at:

2 St. Clair Ave. W., Suite 1002
 Toronto, Ontario, Canada M4V 1L5
 Tel: (416) 962-9600 • Fax: (416) 962-9601
 Email: info@corpassets.com
 Web: www.corpassets.com

Toronto • Montreal • Chicago