

PUBLIC AUCTION

HARRINGTON TOOL & DIE INC. / OUTIL & MATRICE HARRINGTON INC.









LARGE CAPACITY CNC BORING, MACHINING, TURNING AND COLD FORMING FACILITY
MAJOR 2000 LOT SALE

DATE

TIME

LOCATION

Thursday, May 12, 2011

10:00 A.M. EDT

2555 Boulevard Matte, Brossard (Montreal), Quebec J4Y 2H1

LARGE CAPACITY CNC HORIZONTAL BORING MILL



TOSHIBA/SHIBAURA BTD 110 R16 CNC table type horizontal boring mill

CNC TABLE TYPE HORIZONTAL BORING MILL

TOSHIBA/SHIBAURA (1998) BTD 110 R16 CNC table type horizontal boring mill with TOSNUC 888 CNC controls, 4.33" spindle, 55.12" x 63" rotary table, travels: table cross travel X-78.7", headstock vertical travel Y-59.1", table longitudinal travel, Z-57.1", spindle travel W-19.7", table rotation B-360,000 positions .001° increments, 13860 lbs. max. table load, # 50 taper, speeds to 2500 rpm, 40/30 HP main motor, 38 ATC, flood coolant, telescopic way covers s/n 144093

PROXY BIDDING:

If you are unable to attend this auction, we would be pleased to act as your proxy.

Please contact our office at (416) 962-9600 or visit our website
for a proxy bid form, terms and additional information.

www.corpassets.com



View of tool magazine




TOSNUC 888 CNC control

HIGH PRECISION CNC TURNING CENTER



NAKAMURA TOME SC450 CNC turning center



View of 15" chuck, 12 station turret and tailstock

FANUC 21T CNC control

PARTS AVAILABLE!

HUNDRED'S
OF LOTS
OF
LATHE
TOOLING,
PERISHABLE
TOOLING
AND
SPARE

HIGH PRECISION CNC TURNING CENTER

NAKAMURA TOME (2008) SC450 CNC turning center with FANUC 21T CNC control, 15" chuck, 18.32" max. turning diameter, 41.33" between centers, 30.9" max turning length, 3.93" spindle bore, 3.15"bar capacity, 12 station turret, speeds to 2500 RPM, 40/30 HP spindle motor, tailstock, coolant, chip conveyor s/n 5453302


HIGH PRECISION CNC TURNING CENTER



NAKAMURA TOME SC450 CNC turning center



FANUC 21T CNC control



View of 15" chuck, 12 station turret and tailstock

HIGH PRECISION CNC TURNING CENTER

NAKAMURA TOME (2005) SC450 CNC turning center with FANUC 21T CNC control, 15" chuck, 18.32" max. turning diameter, 41.33" between centers, 30.9" max turning length, 3.93" spindle bore, 3.15" bar capacity, 12 station turret, speeds to 2500 RPM, 40/30 HP spindle motor, tailstock, coolant, chip conveyor s/n 5452304

HUNDREDS OF LOTS
OF TOOL HOLDERS, PERISHABLE TOOLING
AND MACHINE ACCESSORIES AVAILABLE

LARGE CAPACITY PRECISION CNC TURNING CENTER



MAZAK SLANT TURN 5 X 1500 CNC turning center

HIGH PRECISION CNC TURNING CENTER

MAZAK (1990) SLANT TURN 50N X 1500 CNC turning center with MAZATROL T32-2 CNC control, 15" chuck, 31.7" max. swing, 26" max. turning diameter, 61" between centers, 60" max turning length, 4.1" spindle bore, 15 station turret, speeds to 1600 RPM, 50 HP spindle motor, tailstock, coolant, chip conveyor s/n 90904

AUCTION
CONDUCTED BY
CORPORATE ASSETS INC.



MAZATROL T32-2 CNC control



View of 15" chuck, 15 station turret and tailstock

HIGH PRECISION CNC TURNING CENTERS



NAKAMURA TOME SC450 CNC turning center



MAZAK QUICKTURN 15N CNC turning center

CNC TURNING CENTERS

NAKAMURA TOME (1998) SC450 CNC turning center with FANUC 21T CNC control, 15" chuck, 18.32" max. turning diameter, 41.33" between centers, 30.9" max turning length, 3.93" spindle bore, 3.15" bar capacity, 12 station turret, speeds to 2500 RPM, 40/30 HP spindle motor, tailstock, coolant, chip conveyor s/n 5451103

MAZAK (1993) QUICKTURN 15N CNC turning center with MAZATROL T32-2 CNC control, 9" chuck, 11.81" max. turning diameter, 20" max turning length, 3.1" spindle bore, 10 station turret, speeds to 4500 RPM, 20 HP spindle motor, tailstock, coolant, chip conveyor, LNS bar feed (may be sold separately) s/n 106135

DAEWOO (1999) PUMA 200 LA CNC turning center with FANUC 18T CNC control, 6" chuck, 13.78" max. turning diameter, 15.75" max turning length, 2.56" spindle bore, 12 station turret, speeds to 4500 RPM, tailstock, coolant, chip conveyor s/n 20S0132

LNS (1998) QUICKLOAD servo bar feed s/n 150784

APPRAISAL SERVICES

What's the real value of your equipment? If you require a detailed appraisal for banking, insurance, or internal purposes, consult with the certified experts at Corporate Assets Valuations. We provide appraisal services anywhere in the world for all types of industrial manufacturing and processing equipment.

- We will appraise one machine or your complete plant
- Going Concern, Fair Market or Liquidation Values

Call us in complete confidence today with your requirements.

Phone: (416) 962-9600 Fax: (416) 962-9601 Email:appraisals@corpassets.com

LARGE CAPACITY 4 AXIS VERTICAL MACHINING CENTER



TOYODA BM 1200 CNC 4 axis vertical machining center



View of spindle and table



TSUDAKOMA RB400 15" rotary table with tail stock

CNC VERTICAL MACHINING CENTER

TOYODA (2007) BM 1200 CNC 4-axis VMC with FANUC 18i-MB CNC control, 53" X 25.6" table, travels: X-47", Y-23", Z-23",32" maximum distance spindle nose to table top, speeds to 8000 RPM, CAT 50 taper, 30 ATC, 25 HP,4th axis drive card, coolant, chip conveyor, TSUDAKOMA RB400 15" rotary table with tailstock (may be sold separately) s/n 7141

LARGE CAPACITY 4 AXIS VERTICAL MACHINING CENTERS



G-TECH CNC control



MATSUURA
G-TECH CNC

Interior view of MATSUURA
ES800 w/ 4th axis



Interior view of MAZAK MTV-550 w/ 4th axis



MAZAK MTV-550 CNC 4 axis vertical machining center

MATSUURA ES800 CNC vertical machining center

CNC VERTICAL MACHINING CENTERS

MATSUURA (2005) ES800 4-Axis CNC VMC with MATSUURA G-Tech CNC control, 45.27"X 21.65" table, travels: X-31.49",Y-21.65",Z-19.68", 25.59" maximum distance spindle nose to table top, spindle speeds to 12000 RPM, BT 40 taper, 30 ATC, 30/20HP, 4th axis drive card, TSUDOKOMA rotary table (may be sold separately), coolant, chip conveyor s/n 16113

MAZAK MTV-550 CNC 4-Axis VMC with MAZATROL M32 CNC control, (2) 55" X 22" tables, travels: X – 41.34", Y – 22.05", Z – 24.8", 29.53" maximum distance spindle nose to table top, spindle speeds to 3500 RPM, CAT 50 taper, 30 ATC, 35 HP, 4th axis drive card, pallet changer, 14" TSUDOKOMA rotary table (may be sold separately), coolant, chip conveyor s/n 75253

CNC AND CONVENTIONAL JIG BORERS



SIP SIP600 CNC jig borer



SIP PI-5C 17.75" 2 axis rotary table



HEIDENHAIN CNC control



MOORE #3 jig grinder



BURKHARDT HYOP 51 jig borer

JIG BORERS

SIP (retrofit 2006) SIP600 CNC jig borer with HEIDENHAIN TNC 532448 CNC control (retrofit MOORE #3 jig grinder with 24" X 11" 2006), 43.5" X 33" table, travels; X- 40", Y-30", 40" spindle to table, speeds to 2000 RPM, 44" table, travels longitudinal-17.7", cross-2006), 43.5" X 33" table, travels; X- 40", Y-30", 40" spindle to table, speeds to 2000 RPM, 44" table, travels; table, travels; X- 40", Y-30", 40" spindle to table, speeds to 2000 RPM, 44" table, travels; table, travels; X- 40", Y-30", 40" spindle to table, speeds to 1000 RPM, 40" table, travels; X- 40", Y-30", 40" spindle to table, speeds to 1000 RPM, 40" table, travels; X- 40", Y-30", 40" spindle to table, speeds to 2000 RPM, 40" table, travels; X- 40", Y-30", 40" spindle to table, speeds to 2000 RPM, 40" table, travels; X- 40", Y-30", 40" spindle to table, speeds to 2000 RPM, 40" table, travels; X- 40", Y-30", 40" spindle to table, speeds to 2000 RPM, 40" table, travels; X- 40", Y-30", 40" spindle to table, speeds to 2000 RPM, 40" table, travels; X- 40", Y-30", 40" spindle to table, speeds to 2000 RPM, 40" table, travels; X- 40", Y-30", 40" spindle to table, speeds to 2000 RPM, 40" table, travels; X- 40", Y-30", 40" spindle to table, speeds to 2000 RPM, 40" table, travels; X- 40", Y-30", 40" spindle to table, speeds to 2000 RPM, 40" table, travels; X- 40", Y-30", 40" spindle to table, speeds to 2000 RPM, 40" table, travels; X- 40", Y-30", 40" spindle to table, speeds to 2000 RPM, 40" table, travels; X- 40", Y-30", 40" spindle to table, speeds to 2000 RPM, 40" table, travels; X- 40", Y-30", 40" spindle to table, speeds to 2000 RPM, 40" table, travels; X- 40", Y-30", 40" spindle to table, speeds to 2000 RPM, 40" table, travels; X- 40", Y-30", 40" spindle to table, speeds to 2000 RPM, 40" table, travels; X- 40", Y-30", 40" spindle to table, speeds to 2000 RPM, 40" table, table,

JIG GRINDER

11", vertical-12.6", ANILAM 2 axis DRO

LARGE QUANTITY OF COLD FORMING EQUIPMENT AVAILABLE

TORRINGTON integrated cold forming line

Typical cold formed parts



View of **TORRINGTON** rotary swagers



VAILL 7S hydraulic tube end former



View of TORRINGTON rotary swagers

TORRINGTON 40 ton push pull hydraulic cold forming machine

INTEGRATED COLD FORMING LINE

TORRINGTON (2002) integrated cold forming line with capacities of .7486" to 1.2608" diameter and 1.97" to 14.972" length and consisting of: TORRINGTON blank feeder, TORRINGTON 60 ton push pull hydraulic cold forming machine, manipulator feed arm, parts transfer conveyor, TORRINGTON 60 ton push pull hydraulic cold forming machine, manipulator feed arm, parts transfer conveyor, (2) TORRINGTON 80 ton push pull hydraulic cold forming machines, manipulator feed arm, parts transfer conveyor, (2) TORRINGTON 60 ton push pull hydraulic cold forming machines, manipulator feed arm, (2) TORRINGTON 60 ton push pull hydraulic cold forming machines, manipulator feed arm, TORRINGTON deburring station, ALLEN BRADLEY PANELVIEW 1000 PLC and system integration, HENLEX dust collector. This high speed integrated system for tube and bar forming is made up of a series of modular stations joined by an automated part feeding and transfer system. Simultaneous operation produces one completely finished part per cycle. A typical application can include beading, flaring, flanging, expansion, reduction, coining, pointing, sizing, curling and trimming operations. Similar lines have been used to produce parts for: fuel injection, air conditioning, anti pollution systems, transmission shafts, shift levers, axel tubes, and fuel filters.

SWAGERS & TUBE END FORMERS

TORRINGTON 40 ton push pull hydraulic cold forming machine s/n n/a **VAILL** 7S hydraulic tube end former with .25"-3.25" cap. s/n n/a **TORRINGTON** demo rotary swager with ALLEN BRADLEY PLC control **TORRINGTON** 323SS rotary swager with 2.25" tube cap. s/n n/a **TORRINGTON** 433 rotary swager with 2.25" tube cap. s/n 9858 **TORRINGTON** 434DC rotary swager swager with 1.75" tube cap. s/n **TORRINGTON** VAILL 360 tube end former with 1" tube cap. s/n 1049 **TORRINGTON** 312 rotary swager with .875" tube cap. s/n n/a **TORRINGTON** #2 rotary swager with .5" tube cap. s/n n/a **TORRINGTON** #1 rotary swager with .312" tube cap. s/n n/a (4)**TORRINGTON** rotary swagers

THINKING OF HAVING A SALE?
CONTACT CORPORATE ASSETS INC.



TORRINGTON rotary swager

CNC EDM'S AND PRECISION INSPECTION DEPARTMENT



2007 BROWN & SHARPE GLOBAL CLASSIC 9-12-8 bridge type CMM

AGIE AGIECUT CLASSIC S CNC wire cut EDM



DYNETICS DYNAFLOW HL20 CHARMILLES ROBOFILL abrasive flow deburring & polishing machine



300 CNC wire cut EDM



CHARMILLES ROBOFORM 400 CNC sinker type EDM



MITUTOYO QVX-302 MITUTOYO BN706 gantry type non contact bridge type CMM 3-D measuring system



CNC EDMS

AGIE (2000) AGIECUT CLASSIC S CNC wire cut EDM with AGIEVIŚION CNC control, 29.5" X 21.67" X 9.85" max. work piece dimensions, travels; X-13.97", Y-9.85", Z-9.85, table load 992 lbs. s/n C32101

EDM with CHARMILLES CNC control, 34" X 20" X 15.75" max. work piece dimensions, travels; X-15.75", Y-9.85", Z-15.75", U & V 30° @ 16", max. table load 1100 lbs. s/n 52266

CHARMILLES ROBOFORM 400 CNC sinker type EDM with CHARMILLES CNC control, 47.04" X 31.5" X 16.14" tank, travels X 17.7", Y 12.6", Z 16.14", 5 ATC s/n 75369

SPARCATRON MK3 electrode type drilling machine s/n C1367

INSPECTION EQUIPMENT

BROWN & SHARPE (2007) GLOBAL CLASSIC 9-12-8 bridge type CMM with granite table, travels; X-35.46", Y-47.28", Z-31.52", RENISHAW PH9A probe, PC & printer s/n 1107-6140

MITUTOYO BN706 bridge type CMM with 52" X 60" granite CHARMILLES (1995) ROBOFILL 300 CNC wire cut table, travels; X-31.5", Y-35.46", Z-19.7", RENISHAW PH9A probe, PC & printer s/n 8906133

> MITUTOYO (2004) QVX-302 gantry type non contact 3-D measuring system with 12" X axis, 8" Y axis, 8" Z axis s/n

> VPMS (2001) CL20 optical comparator with 20" screen, QUADRA-CHEK 100 DRO s/n E55204

> JONES & LAMPSON CLASSIC 120 optical comparator with 20" screen, 2 axis DRO s/n n/a 72" X 48" X 10" granite surface plate with stand

DEBURRING & POLISHING MACHINE

DYNETICS (1994) DYNAFLOW HL20 abrasive flow deburring & polishing machine with 10" max. fixture height, 15" max. fixture diameter s/n H2515

ALL MACHINES **VERY WELL** MAINTAINED.

LARGE CAPACITY MACHINE TOOLS AND GRINDING EQUIPMENT



DALIAN 25/38" X 120" gap bed engine lathe



Partial view of surface grinders available



FAVRETTO TC 250 hydraulic way grinder



BLANCHARD #11 rotary surface grinder



MATTISON 42" rotary surface grinder



.EBLOND 25" X 84" engine lathe

HUNDREDS OF LOTS OF TOOL HOLDERS, PERISHABLE TOOLING AND MACHINE ACCESSORIES AVAILABLE

LEBLOND 16" X 36" tool room lathe

GRINDING DEPARTMENT

MATTISON 42" Model 24, rotary surface grinder with 14" under the wheel, 40 HP spindle drive, coolant & filter s/n 24-353

BLANCHARD #11 rotary surface grinder with 16" magnetic chuck, 11" grinding wheel, 12" under wheel s/n n/a

NORTON 10" X 24" hydraulic surface grinder s/n H6330

- (3) **NORTON** 8" X 24" hydraulic surface grinders s/n n/a
- (2) **BROWN & SHARPE** MICROMATIC 618 hydraulic surface grinders with DIAFORM wheel dressers s/n 523-6181-5266, 523-6182-6583
- (2) BROWN & SHARPE MICROMATIC 618 hydraulic surface grinders s/n 523-6182-6584, n/a

FAVRETTO (1981) TC 250 hydraulic way grinder with 114" X 19.5" bed, (2) 48" X 17" chucks, (2) 24" X 8" chucks, horizontal surface grinding spindle with 18" wheel, (2) adjustable vertical spindle dovetail grinding spindles, coolant & filter system s/n 3644

NORTON 16" X 96" plain cylindrical grinder with 26" wheel, motorized work head s/n n/a

(6) CYLINDRICAL GRINDERS to 16" X 40" cap

LATHES

DALIAN 25/38" X 120" gap bed engine lathe with 5.125" bore, speeds to 1000 RPM, threading, coolant, chucks steadies, tool post, coolant & chip pan s/n F6789

LEBLOND 25" X 84" engine lathe with 2.125" bore, speeds to 720 RPM, threading s/n n/a

(2) **LEBLOND** 16" X 36" tool room lathes with 1.5" bores, speeds to 1800 RPM, threading s/n 12C271-X-3289, 7C-2231

HARDINGE HLV 8" X 16" tool room lathe s/n n/a

HERBERT 2D turret lathe with 22" swing, 1.5" bore, 6 position turret s/n n/a

LARGE AND WELL MAINTAINED GRINDING DEPARTMENT



OVERBECK 400IR internal radius form grinder



VOUMARD 5A hydraulic internal grinder



BRYANT internal diameter grinder



DOALL C70 horizontal band saw



IMET TR7 chop saw



Partial view of cylindrical grinders

AUCTION CONDUCTED BY CORPORATE ASSETS INC.

MILLING MACHINES

MILWAUKEE 430-TF20 vertical milling machine with 88" X 19" table, speeds to 1500 RPM, ANRAM 3 axis DRO s/n n/a BROWN & SHARPE #13 8" X 24" universal

CINCINNATI #4 vertical milling machine with 62.5" X 15" tool & cutter grinder s/n n/a table, speeds to 1300 RPM s/n 4A3V2T-6

CINCINNATI #2 vertical milling machine with 52" X 10" COVEL 44 drill point grinder s/n 1161 table, speeds to 1500 RPM s/n 2U2V1V-11

CINCINNATI #2 horizontal milling machine with 53" X 9.5" table, speeds to 1500 RPM s/n n/a

(4) BRIDGEPORT milling machines

GRINDING DEPARTMENT

OVERBECK (1981) 400IR internal radius form grinder with 7.88" max. work piece dia., 9.85" max. work piece length, 5.5" max. internal grinding dia., 6.3" max. internal grinding length s/n 36478

VOUMARD 5A hydraulic internal grinder with 7.88" max. internal grinding dia., 9.85" max. internal grinding length s/n 052307

BRYANT internal grinder with 16" dia. magnetic chuck, 12" stroke, coolant s/n n/a

POPE P34TCL tool grinder s/n G1-1220

CINCINNATI #2 infeed centerless grinder with 6" wide wheels, (2) dressers, coolant s/n 2M2H1K-739

SUNNEN MBB 1800 honing machine s/n 17018 **DOALL** 26-3 vertical band saw



LARGE QUANTITY OF FACTORY SUPPORT EQUIPMENT



INGERSOLL RAND 100 HP rotary screw air compressor



INGERSOLL RAND 50 HP rotary screw air compressor



PHOENIX PHP 2100 C pallet wrapper



OSTER 784 pipe & bolt threader



COL MET 30' X 15' X 12' paint booth



KOHLER 30ROZ91 25 KVA back up generator



LNS QUICKLOAD servo bar feed



PARKER fluid connector crimper



BLAST IT ALL 4426-7 shot blast



JONES & LAMPSON optical comparator



BURTON hardness tester



ERCOLINA 060 SUPER BENDER tube bender

2002

INGERSOLL RAND TMS 0280 air dryer



FRIULAIR ACT500U-5 air dryer

PAINT BOOTH & EQUIPMENT

COL MET 30' X 15' X 12' paint booth with 9' X 10' opening, 3 HP exhaust system, lights, fire suppression system s/n n/a

TRINCO #36 shot blast cabinet with dust collector s/n 5451-2

BLAST IT ALL 4426-7 shot blast cabinet with dust collector s/n 941104546

DCE VOKES sand blast cabinet s/n n/a

HUGE QUANTITY OF MACHINE TOOL ACCESSORIES



Partial view of forklifts & scissorlifts available



Partial view of welders available



SUNNEN MBB 1800 honing machine



Partial view of tooling



Partial view of tooling available



Partial view of tool holders



Partial view of tooling available





80" X 60" power rotary table

Partial view of tooling available

Partial view of machine accessories



Partial view of machine accessories

FACTORY EQUIPMENT

INGERSOLL RAND SSR-EP100 100 HP rotary screw air compressor s/n CK3895U00322

(2) INGERSOLL RAND SSR-EPE50 50 HP rotary screw air compressor s/n CA2512U02341

INGERSOLL RAND TMS 0280 air dryer s/n n/a

FRIULAIR (2008) ACT500U-5 air dryer s/n 080010462

KOHLER 30ROZ91 25 KVA, natural gas fired back up generator s/n 010011

REMCOR CH2000 chiller s/n 62A0032LC019

PHOENIX PHP 2100 C pallet wrapper s/n 07041650

ADF #19 water evaporator s/n 304-4573

MANLEY 40 ton H frame hydraulic press s/n 4115126

RODGERS KD H frame hydraulic press s/n 1470679

MATERIAL HANDLING

TRANSCRANE 5 ton, 22' single girder underslung bridge crane s/n n/a

BUDGIT 2 ton electric hoist with traveling gantry

YALE ERCO 55FAN36SS072 5500 lbs. electric forklift with 108" vertical lift, battery & charger s/n N348861

TOYOTA 7FBCU 4400 lbs. electric forklift with 137" vertical lift, battery & charger s/n 60689

TOYOTA 7FB25 3600 lbs. electric forklift with 137" vertical lift, battery & charger s/n 25612

TOYOTA electric pallet lift

SKYJACK SJ4626 electric scissor lift with 850 lbs. max cap., 26' vertical lift s/n 71860

3 ways to bid!

1. ATTEND! 2. BID ONLINE! 3. BID BY PROXY! ONLINE WEBCAST BIDDING powered by



Register early for this and other online webcast auctions!

RAW MATERIAL AND OFFICE FURNITURE AVAILABLE



View of mezzannines

View of mezzannines





Partial view of steel inventory

View of tool cabinets





View of office

Large quantity of office furniture available



BUILDING FOR SALE - 2555 Matte Blvd., Brossard. Total area: 113,734 sq. ft; Offices area: 16,200 sq. ft; Warehouse area: 97,534 sq. ft; Land area: 295,949 sq. ft; Clearance 28'; Easy access to Highways 30 and 132.

OFFICE FURNITURE & BUSINESS MACHINES

Including; NORTEL NORSTAR telephone system with M12XO module, (3) MOX16 modules, voicemail, public address system, (34) handsets, desktop computers, DELL POWEREDGE servers, battery backups, laptop computers, printers, photocopier, file cabinets, storage shelves, tables, lunchroom & kitchen furniture, MOSLER safe, desks, chairs, modular work stations

AUCTION DETAILS

HARRINGTON TOOL & DIE INC. / **OUTIL & MATRICE HARRINGTON INC.**

INSPECTION

Wednesday, May 11, 2011 from 9:00 A.M. to 5:00 P.M. and morning of auction to start of auction.

REMOVAL

Small items: Friday, May 13, 2011 by 5:00 P.M. Remaining items: Tuesday, May 31, 2011 by 5:00 P.M.

DIRECTIONS

Visit our website at www.corpassets.com, click on Upcoming Auctions: Harrington Tool & Die Inc. / Outil & Matrice Harrington Inc. button, click on Map tab and get directions by accessing the pop up address info box.

ACCOMMODATIONS & CAR RENTALS

Please visit our website for details at www.corpassets.com

Please visit our website for details at www.corpassets.com A Buyer's Premium will apply at this sale.

Accept







Visit our website as specific terms and conditions may apply.

TERMS

Corporate Assets Inc. assumes no liability for errors or omissions in this brochure. Corporate Assets Inc. expressly reserves the right to determine the manner of conducting the auction as it may deem appropriate. All subject to prior sale.

APPRAISAL SERVICES

What's the real value of your equipment? If you require a detailed appraisal for banking, insurance, or internal purposes, consult with the certified experts at Corporate Assets Valuations. We provide appraisal services anywhere in the world for all types of industrial manufacturing and processing equipment.

- We will appraise one machine or your complete plant
- Going Concern, Fair Market or Liquidation Values

Call us in complete confidence today with your requirements.

Phone: (416) 962-9600 Fax: (416) 962-9601

Email: appraisals@corpassets.com

AUCTION CONDUCTED BY CORPORATE ASSETS INC.

For further information contact us at: 2 St. Clair Ave. W., Suite 1002 Toronto, Ontario, Canada M4V 1L5 Tel: (416) 962-9600 • Fax: (416) 962-9601 Email: info@corpassets.com

Web: www.corpassets.com

Toronto • Montreal • Chicago

All auctions are

ONSITE

Surplus to the Ongoing Operations of JOE'S WOODCRAFT OF WINDSOR LTD.

Late Model Kitchen Cabinet Manufacturer Windsor, Ontario N9H 1K9 Thursday

April 21, 2011

& BID, BUY & GO!™ LIVE WEBCAST **UPCOMING AUCTIONS**New auctions added to our website regularly!

WESTPORT MACHINING LIMITED

High Precision 5 Axis Machining Port Colborne, Ontario L3K 6A5 Thursday, April 28, 2011 10:00 AM EDT

MAJOR 1500 LOT SALE!

WHIRLPOOL CORPORATION

Metalworking and Plant Support Equipment Benton Harbor, Michigan 49022-3619 Thursday, May 12, 2011 10:00 A.M. EDT

MAJOR 1500 LOT SALE!

LIVE WEBCAST powered by

BID, BUY & GO!" LIVE WEBCAST

and CNC Turning Facility

Large Offering of a PLASTIC SUPPORT, MACHINE TOOLS AND FACTORY EQUIPMENT MANUFACTURER Plastic Equipment, Factory Equipment & Machine Tor Toronto, Ontario M3C 2J9 Tuesday, May 17, 2011

OVER 600 LOTS!

MEMBER IN GOOD STANDING

10:30 AM EDT



OVER 500 LOTS!

































