

**CORPORATE  
ASSETS INC**

# PUBLIC AUCTION

**MICRO-TECH MACHINE INC.**

**2003**

**LIVE MILLING**



**TAKISAWA TMM-250 CNC opposed twin-spindle twin-turret turning and live milling center**

**2007**

**14" X 39.4" CAPACITY**



**STUDER S33CNC CNC universal cylindrical grinder**

**2 AVAILABLE**

**2002**



**TOSHIBA NX76B CNC twin pallet horizontal machining center**

**2003**

**LIVE MILLING**



**TAKISAWA TT-200 CNC twin-spindle twin-turret left and right hand turning and live milling center**

**HIGH PRECISION CNC TURNING & LIVE MILLING,  
MACHINING, AND PRECISION GRINDING FACILITY**

**DATE**

**TIME**

**LOCATION**

**Tuesday, December 14, 2010**

**10:00 A.M. EST**

**40 Hannant Court,  
Milton (Toronto), Ontario,  
L9T 5C1**

**"Let Our Experience Be Your #1 Asset"™**

**BID, BUY & GO!™  
LIVE WEBCAST**

## CNC HORIZONTAL MACHINING CENTERS


FULL B AXIS

2002




2 AVAILABLE

TOSHIBA NX76B CNC twin pallet horizontal machining center, shown with TOSHIBA pallet shuttle system



2 AVAILABLE

View of 60 station ATC



2 AVAILABLE

View of TOSNUC 888-2 CNC control



View of 24.7" x 29.7" table and horizontal milling head



PRO FACE PLC TOUCH SCREEN

TOSHIBA (6) pallet shuttle system

## CNC HORIZONTAL MACHINING CENTERS

(2) **TOSHIBA** (2002) NX76B CNC twin pallet horizontal machining centers with TOSNUC 888-2 CNC controls, travels: X-33.4", Y-29.9", Z-30.7", B-axis 360,000 positions at .001° increments, (2) 24.7" x 29.7" t-slot pallets, 2860 lb. weight capacity, 60 ATC, CAT 50, thru spindle and flood coolant, chip conveyor, s/n 213000, 213044. These two machines are integrated with a TOSHIBA pallet shuttle system consisting of (6) 24.75" x 29.5" t-slot pallets, PRO FACE touch screen control, and full safety enclosure.

**TOSHIBA** (1997) BMC-500 CNC twin pallet horizontal machining center with TOSNUC 800 CNC control, travels: X-31.4", Y-24.8", Z-27.9", B-axis 360,000 positions at .001° increments, (2) 19.7" x 19.7" t-slot pallets, 1760 lb. table capacity, 25-5000 RPM, thru spindle coolant, 60 ATC, CAT 50 taper, 20 HP motor, chip conveyor, s/n 212732

(2) **TOSHIBA** (1996) BMC-50E CNC twin pallet horizontal machining centers with TOSNUC 800 CNC control, travels: X-28", Y-23.6", Z-23.6", B-axis 360,000 positions at .001° increments, (2) 19.7" x 19.7" t-slot pallets, 1760 lb. table capacity, 25-5000 RPM, thru spindle coolant, 40 ATC, CAT 50 taper, chip conveyor, s/n 212672, 212605

**AUCTION CONDUCTED  
BY CORPORATE  
ASSETS INC.**

**This brochure is only a partial listing. VISIT OUR WEBSITE FOR**



## CNC HORIZONTAL MACHINING CENTERS

1997

THRU SPINDLE COOLANT




FULL B AXIS

TOSHIBA BMC-500 CNC twin pallet horizontal machining center



View of TOSNUC 800 CNC control



60 station ATC (BMC-500)

1996

2 AVAILABLE



FULL B AXIS

TOSHIBA BMC-50E CNC twin pallet horizontal machining center



40 station ATC (BMC-50E)

### PROXY BIDDING

If you are unable to attend this auction, we would be pleased to act as your proxy. Please contact our office at (416) 962-9600 or visit our website for a proxy bid form, terms and additional information.

[www.corpassets.com](http://www.corpassets.com)

### 3 WAYS TO BID!

1. ATTEND! 2. BID ONLINE! 3. BID BY PROXY!

ONLINE WEBCAST BIDDING

powered by

BID, BUY & GO!  
LIVE WEBCAST

Register early for this and other online webcast auctions!

**MORE DETAILED LISTINGS AND PHOTOS [www.corpassets.com](http://www.corpassets.com)**


## CNC UNIVERSAL CYLINDRICAL GRINDER



**DITTEL SENSITRON 6 GAUGING SYSTEM**

**2007**

**STUDER S33CNC** CNC universal cylindrical grinder



View of angle head and headstock with tailstock



View of **GE FANUC 21i-TB** CNC control

**VERY WELL  
MAINTAINED &  
HIGH PRECISION  
CNC GRINDER**

## CNC UNIVERSAL CYLINDRICAL GRINDERS

**STUDER** (2007) S33CNC CNC universal cylindrical grinder with **GE FANUC 21i-TB** CNC control, 14" swing, 39.4" between centers, 6.9" center height, 16" wheel diameter, 1720 wheel RPM, wheel head swivel, 264 lb max workpiece weight, **DITTEL SENSITRON 6** gauging system, touch probe, pendant control, **WELLS 27"** paper filtration system, s/n 027.0489

**CONTACT 416.962.9600 TO CONSIGN EQUIPMENT AT AN UPCOMING AUCTION**



# CNC UNIVERSAL ANGLE HEAD CYLINDRICAL GRINDERS

**2001**



**11.81" X 23.6" CAPACITY**

SHIGIYA GAE-30.60 CNC universal angle head cylindrical grinder

**2000**



**GANTRY ROBOTIC LOAD/UNLOAD SYSTEM**

SHIGIYA GAE-30.60 CNC universal angle head cylindrical grinder

## CNC UNIVERSAL CYLINDRICAL GRINDERS

**SHIGIYA (2001) GAE-30.60 CNC** universal angle head cylindrical grinder with FANUC 21i-T CNC control, 11.81" swing over table, 8.66" max. grinding dia., 23.6" between centers, 17.91" angle head wheel diameter, 5" wheel I.D., 330 lb max workpiece weight, taper grinding, MARPOSS E9 automatic gauging system, OHTSUKA magnetic and paper filtration system, coolant, s/n 110210-6-47

**SHIGIYA (2000) GAE-30.60 CNC** universal angle head cylindrical grinder with FANUC 21i-T CNC control, 11.81" swing over table, 8.66" max. grinding dia., 23.6" between centers, 17.91" angle head wheel dia., 5" wheel I.D., 330 lb max workpiece weight, taper grinding, MARPOSS E9 automatic gauging system, wheel head swivel, OHTSUKA magnetic and paper filtration system, coolant, Equipped with SHIGIYA CNC robotic gantry parts load/unload system, OHTSUKA magnetic and paper filtration system, coolant, s/n 100119-4-49



View of **FANUC 21i-T CNC control**

### APPRAISAL SERVICES

What's the real value of your equipment? If you require a detailed appraisal for banking, insurance, or internal purposes, consult with the certified experts at Corporate Assets Valuations. We provide appraisal services anywhere in the world for all types of industrial manufacturing and processing equipment.

- We will appraise one machine or your complete plant
- Going Concern, Fair Market or Liquidation Values

Call us in complete confidence today with your requirements.

Phone: (416) 962-9600

Fax: (416) 962-9601

Email: [appraisals@corpassets.com](mailto:appraisals@corpassets.com)

**TO SCHEDULE AN AUCTION CONTACT 416.962.9600**



# CNC TURNING AND LIVE MILLING CENTER

2003




LIVE MILLING

**TAKISAWA TMM-250** CNC opposed twin-spindle twin-turret turning and live milling center



View of **FANUC 180is-TB** CNC control



Right hand chuck and turret



Left hand chuck and turret

AUCTION  
CONDUCTED  
BY  
CORPORATE  
ASSETS INC.

## CNC TURNING AND LIVE MILLING CENTER

**TAKISAWA** (2003) TMM-250 CNC opposed twin-spindle twin-turret turning and live milling center with **FANUC 180is-TB** CNC control, 30.7" workpiece swing, 13.7" max turning diameter, 31.5" max turning length, upper turret travels: X1-10.4", Y1-1.9", Z1-29.9", lower turret travels: X2-8.9", Z2-29.9", right headstock travel (A-axis)-31.5", C-Axis spindle indexing: 0.001", Left Spindle: 10" SMW AUTOBLOK 3-jaw hydraulic chuck, 3.4" spindle bore, Right Spindle: 8" SMW AUTOBLOK 3-jaw hydraulic chuck, 2.5" spindle bore, 4000 RPM spindle speeds, (1) 15 station turret, (1) 15 station turret with 4 live tool holders, 4000 RPM milling speeds, chip conveyor, coolant, s/n TBGV3030

**This brochure is only a partial listing. VISIT OUR WEBSITE FOR**

## CNC TURNING AND LIVE MILLING CENTER



**TAKISAWA** TMM-200 CNC opposed twin-spindle twin-turret turning and live milling center



View of **FANUC** 180is-TB CNC control



View of left and right hand chucks and turrets

**BID, BUY & GO!™**  
**LIVE WEBCAST**

### CNC TURNING AND LIVE MILLING CENTER

**TAKISAWA** (2004) TMM-200 CNC opposed twin-spindle twin-turret turning and live milling center with **FANUC** 180is-TB CNC control, 30.7" workpiece swing, 9.4" max turning diameter, 25.9" max turning length, upper turret travels: X1-8.7", Y1-1.8", Z1-25.9", lower turret travels: X2-6.7", Z2-25.9", right headstock travel (A-axis)-25.9", C-Axis spindle indexing: 0.001°, 8" SMW AUTOBLOK 3-jaw hydraulic chuck on both spindles, 2.5" spindle bore both spindles, 4000 RPM spindle speeds, (1) 15 station turret, (1) 15 station turret with 4 live tool holders, 6000 RPM milling speeds, chip conveyor, coolant, s/n TBM4004

**THINKING OF HAVING AN  
AUCTION? CONTACT CORPORATE  
ASSETS INC. TO SCHEDULE YOUR  
NEXT SALE OR SELL SURPLUS  
EQUIPMENT**

**(416) 962-9600**

**MORE DETAILED LISTINGS AND PHOTOS [www.corpassets.com](http://www.corpassets.com)**



## CNC TURNING AND LIVE MILLING CENTERS

2003



**GANTRY ROBOTIC LOAD/UNLOAD SYSTEM**

**TAKISAWA TT-160** CNC twin-spindle twin-turret left and right hand turning and live milling center

2003



**GANTRY ROBOTIC LOAD/UNLOAD SYSTEM**

**TAKISAWA TT-200** CNC twin-spindle twin-turret left and right hand turning and live milling center

## CNC TURNING AND LIVE MILLING CENTERS

**TAKISAWA (2003) TT-200** CNC twin-spindle twin-turret left and right hand turning and live milling center with (2) FANUC 21i-T CNC controls, 9.4" max turning diameter, 13.8" distance between spindles, 5.1" max turning length, travels: X1-6.3", Z1-7.9", X2-6.3", Z2-7.9", C-Axis (milling tools) 0.001°, (1) SMW AUTOBLOK 6" 3 jaw hydraulic chuck (right hand), (1) 10 station turret (right hand), (1) collet chuck (left hand), (1) 10 station turret with 3 live tool holders (left hand), 4000 RPM (spindles), 2500 RPM (milling tools), 2.5" spindle bore, TAKISAWA gantry type parts load/unload robotic system with 16 pallet carousel, robot pendant control, chip conveyor, coolant, s/n TNRX1100

**TAKISAWA (2003) TT-160** CNC twin-spindle twin-turret left and right hand turning and live milling center with (2) FANUC 21i-T CNC controls, 7.9" max turning diameter, 13.4" distance between spindles, 5.2" max turning length, 2.1" spindle bore, travels: X1-5.1", Z1-6.5", X2-5.1", Z2-6.5", C-Axis (milling tools) 0.001°, (2) SMW AUTOBLOK 6" 3 jaw hydraulic chucks, (2) 10 station turrets, 4000 RPM (spindles), 2500 RPM (milling tools), TAKISAWA gantry type parts load/unload robotic system with 14 pallet carousel, robot pendant control, chip conveyor, coolant, s/n TBDR1012

**TAKISAWA T-200** CNC live milling chucker with FANUC 21i-T CNC control, KITAGAWA 8" 3 jaw hydraulic chuck, 16" swing, 9.45" turning diameter, 2" bar capacity, 10 station turret with 3 live milling tool holders, TAKISAWA gantry type parts load/unload robotic system with 16 pallet carousel, robot pendant control, chip conveyor, coolant, s/n TNXX1021

**TAKISAWA TX-20** CNC live milling chucker with FANUC 21-T CNC control, KITAGAWA 6" 3 jaw hydraulic chuck, 12 station turret with 2 live tool holders, TAKISAWA gantry type parts load/unload robotic system with parts carousel, robot pendant control, chip conveyor, coolant, s/n TKLP8432

**TAKISAWA (1999) TA-25Y** CNC opposed spindle turning and live milling center with FANUC 18-TC CNC control, 25.6" workpiece swing, 10.2" max turning diameter, 20.9" max turning length, 3" bar capacity, travels: X-7.3", Y-3.9", Z-25.9", C-Axis (milling tools) 0.001°, 4000 RPM, chip conveyor, coolant, s/n TLYM8018



**GANTRY ROBOTIC LOAD/UNLOAD SYSTEM**

**TAKISAWA T-200** CNC live milling chucker

**CONTACT 416.962.9600 TO CONSIGN EQUIPMENT AT AN UPCOMING AUCTION**



# HIGH PRECISION CNC TURNING CENTER



DAEWOO PUMA 300LC CNC turning center



View of FANUC 180i-T CNC control



View of steady rest



View of chuck, 10 station turret, and tailstock

## CNC TURNING CENTER

**DAEWOO (2000) PUMA 300LC** CNC turning center with FANUC 18i-T CNC control, 23" swing over bed, 15.7" max turning diameter, 50.4" max turning length, KITAGAWA 12" 3 jaw hydraulic chuck, 2800 RPM, 4" max bar work diameter, 4.5" spindle bore, 10 station turret, 40 HP motor, hydraulic tailstock, steady rest, chip conveyor, coolant, s/n P25L0291

### 3 WAYS TO BID!

1. ATTEND! 2. BID ONLINE! 3. BID BY PROXY!  
ONLINE WEBCAST BIDDING  
powered by



Register early for this and other  
online webcast auctions!

### PROXY BIDDING

If you are unable to attend this auction, we would be pleased to act as your proxy.  
Please contact our office at (416) 962-9600 or visit our website for a proxy bid form,  
terms and additional information.

[www.corpassets.com](http://www.corpassets.com)

**TO SCHEDULE AN AUCTION CONTACT 416.962.9600**

## LARGE CAPACITY CNC TURNING CENTERS



**23.6" X 42.52" CAPACITY**

**FORTUNE V-TURN-26** CNC turning center



**1999**

**29" X 90" CAPACITY**

**TAKISAWA TC-4** CNC turning center

### CNC TURNING CENTERS

**FORTUNE V-TURN-26** CNC turning center with FANUC O-T CNC control, 23.6" swing, 42.52" centers, SMW AUTOBLOK 10" 3 jaw hydraulic chuck, 20 HP, 4000 RPM, 10 station turret, chip conveyor, coolant, s/n UA-1334

**TAKISAWA (1999) TC-4** CNC turning center with FANUC 18-T CNC control, 24" swing over bed, 29" swing over gap, 90" between centers, KITAGAWA 15" 3 jaw hydraulic chuck, 4" spindle bore, 10 station turret, hydraulic tailstock, chip conveyor, coolant, s/n THXT8451

**TAKISAWA (1998) TW-30L10** CNC turning center with FANUC 21-T CNC control, 21.3" swing, 12.2" max turning diameter, 39.8" max turning length, travels: X-6.7", Z-43.7", 3200 RPM, 3.4" spindle bore, 35" tailstock travel, SMW AUTOBLOK 10" 3 jaw hydraulic chuck, 10 station turret, hydraulic tailstock, chip conveyor, coolant, s/n C9812013-040

**This brochure is only a partial listing. VISIT OUR WEBSITE FOR**



## LARGE QUANTITY OF CNC TURNING CENTERS AVAILABLE



**10.2" X 24" CAPACITY**

**TAKISAWA TA-25** CNC opposed spindle turning center



**1997**

**3 AVAILABLE**

**TAKISAWA TC-20** CNC turning center



**1998**

**3 AVAILABLE**

**TAKISAWA TW-30** CNC turning center

### CNC TURNING CENTERS

**TAKISAWA TA-25** CNC opposed spindle turning center with FANUC CNC control, 10.2" max turning diameter, 24" max turning length, 2" bar capacity, travels: X-7.3", Z-26", B-24.4", 3200 RPM (main spindle), 5000 RPM (sub spindle), (1) SMW AUTOBLOK 10" 3 jaw hydraulic chuck, (1) SMW AUTOBLOK 6" 3 jaw hydraulic chuck, 10 station turret, parts catcher, chip conveyor, coolant, s/n TLVN6017

**TAKISAWA (1998) TW-30** CNC turning center with FANUC 21-T CNC control, 21.3" swing, 12.2" max turning diameter, 20.1" max turning length, travels: X-6.7", Z-24", 3200 RPM, 3.4" spindle bore, 15.4" tailstock travel, SMW AUTOBLOK 10" 3 jaw hydraulic chuck, 10 station turret, hydraulic tailstock, chip conveyor, coolant, s/n C9802011-268

**HUGE QUANTITY  
OF LATHE TOOLING  
& ACCESSORIES  
AVAILABLE**

### CNC TURNING CENTERS

**TAKISAWA (1996) TW-30** CNC turning center with TAKISAWA FANUC CNC control, 21.3" swing, 12.2" max turning diameter, 20.1" max turning length, travels: X-6.7", Z-24", 3200 RPM, 3.4" spindle bore, 15.4" tailstock travel, KITAGAWA 10" 3 jaw hydraulic chuck, 10 station turret, chip conveyor, coolant, s/n C9606057-113

**TAKISAWA TC-20** CNC turning center with FANUC 21-T CNC control, 16.5" swing, 9.8" max turning diameter, 12.1" max turning length, travels: X-5.5", Z-14.6", 2500 RPM, 2.5" spindle bore, 6.9" tailstock travel, KITAGAWA 8" 3 jaw hydraulic chuck, hydraulic tailstock, 12 station turret, chip conveyor, coolant, s/n TLMS71322

**TAKISAWA (1997) TC-20** CNC turning center with FANUC 21-T CNC control, 16.5" swing, 9.8" max turning diameter, 12.1" max turning length, travels: X-5.5", Z-14.6", 2500 RPM, 2.5" spindle bore, 6.9" tailstock travel, collet chuck, hydraulic tailstock, 8 station turret, parts catcher, chip conveyor, coolant, s/n TLMS71290

**TAKISAWA (1997) TC-20** CNC turning center with TAKISAWA FANUC CNC control, 16.5" swing, 9.8" max turning diameter, 12.1" max turning length, travels: X-5.5", Z-14.6", 2500 RPM, 2.5" spindle bore, 6.9" tailstock travel, collet chuck, hydraulic tailstock, 12 station turret, parts catcher, chip conveyor, coolant, s/n TLNM5544

**MORE DETAILED LISTINGS AND PHOTOS [www.corpassets.com](http://www.corpassets.com)**



## LARGE QTY OF SUPPORT EQUIPMENT & ACCESSORIES



**2 AVAILABLE**

**TOSHIBA JRV45 CNC vertical machining center**



**2004**

**4 AVAILABLE**

**SMW MUS SPACESAVER 2100 100% ELECTRIC bar feeder**



**2003**

**SMW MUS SPACESAVER 2100 100% ELECTRIC bar feeder**



**1998**

**SMW MUZ SPACESAVER 2100 100% ELECTRIC bar feeder**



**1999**

**LNS ECOLOAD L hydraulic bar feeder**



**TOSHIBA 10", 4th axis rotary table**



**YUASA 7", 4th and 5th dual axis trunion table with controls**

**3 WAYS TO BID!**  
 1. ATTEND! 2. BID ONLINE! 3. BID BY PROXY!  
 ONLINE WEBCAST BIDDING  
 powered by  
 BID, BUY & GO!  
 LIVE WEBCAST  
 Register early for this and other  
 online webcast auctions!

### BAR FEEDERS

- SMW (2004) MUS SPACESAVER 2100 100% ELECTRIC bar feeder with SAMSYS PLC control, s/n 884**
- SMW (2003) MUS SPACESAVER 2100 100% ELECTRIC bar feeder with PLC control, s/n 795**
- SMW (2001) MUS SPACESAVER 2100 100% ELECTRIC bar feeder with PLC control, s/n NA**
- SMW (1998) MUZ SPACESAVER 2100 100% ELECTRIC bar feeder with PLC control, s/n 312**
- LNS (1999) ECOLOAD L hydraulic bar feeder with SIEMENS TD200 PLC control, s/n 1289**

### CNC VERTICAL MACHINING CENTERS

- TOSHIBA (1997) JRV450N CNC vertical machining center with TOSNUC 888 CNC control, travels: X-28.3", Y-17.7", Z-18.5", 20 ATC, BT 40, 17.75" x 49" t-slot table, 1102 lb table capacity, 30 - 6000 RPM, 10 HP motor, coolant, s/n 58964**
- TOSHIBA (1994) JRV45 CNC vertical machining center with TOSNUC 777-2 CNC control, travels: X-28.3", Y-17.7", Z-18.5", 20 ATC, BT 40, 17.75" x 49" t-slot table, 10 HP motor, 30-6000 RPM, 10" TOSHIBA 4th axis rotary table (may be sold separately), coolant, s/n 260330**
- SINTEC (1998) SMC-V500W CNC vertical machining center with MITSUBISHI CNC control, CAT 40, 24 ATC, YUASA 7" 4th and 5th dual axis trunion table (may be sold separately), coolant, s/n NA**

**CONTACT 416.962.9600 TO CONSIGN EQUIPMENT AT AN UPCOMING AUCTION**



## CNC MATERIAL PROCESSING DEPARTMENT

1998



**HYDRAULIC CLAMPING AND FEEDING**

**KASTO** HBA 520AU-CNC-CC dual column CNC horizontal metal cutting saw



View of **KASTO** CNC control



**KASTO** V350U 13" cut off saw



View of hydraulic feed and clamping system

### MATERIAL PROCESSING EQUIPMENT

**KASTO** (1998) HBA 520AU-CNC-CC dual column CNC horizontal metal cutting saw with **KASTO** CNC control, hydraulic horizontal and vertical clamping, hydraulic feed with horizontal and vertical clamping, 425 fpm blade speed, 20' roller conveyor, s/n 6018-107-010; **KASTO** (1997) V350U cut off saw with 13" blade diameter, s/n 35515-101-034; **ROTO-FINISH** SPIRATRON 72" tumbler with controls, s/n NA; **VIBRA FINISH** 21" tumbler, s/n NA

**LARGE QUANTITY  
OF RAW MATERIAL  
AVAILABLE**

**TO SCHEDULE AN AUCTION CONTACT 416.962.9600**



## MATERIAL HANDLING AND FINISHING EQUIPMENT



**REALISTIC MATERIAL HANDLING** 5 ton single girder bridge crane



**REALISTIC MATERIAL HANDLING** 2 ton single girder bridge crane



View of **HYSTER** E50XM2-33 and J30XMT electric forklifts



**ROTO-FINISH** SPIRATION 72" tumbler



Partial view of lifting accessories available



Partial view of lifting accessories available

## MATERIAL HANDLING EQUIPMENT

**HYSTER** E50XM2-33 indoor electric forklift with 5000 lb capacity, 189" vertical reach, s/n F108V26856Z

**HYSTER** J30XMT indoor electric forklift with 3000 lb capacity, 129.4" vertical reach, solid tires, battery charger, s/n H160ND1605W

**REALISTIC MATERIAL HANDLING** single girder underslung bridge crane with approx 27' span, 5 ton hoist, pendant control, s/n NA

**REALISTIC MATERIAL HANDLING** single girder underslung bridge crane with approx 37.5' span, 2 ton hoist, pendant control, s/n NA

**This brochure is only a partial listing. VISIT OUR WEBSITE FOR**



## LATE MODEL & HIGH PRECISION INSPECTION EQUIPMENT

39.5" X 68" TABLE




MITUTOYO CRYSTA-APEX 710 bridge type CMM

18" X 24" TABLE



BROWN & SHARPE MICROVAL bridge type CMM



MAHR MARSURF CD120 3D precision gauging system



MITUTOYO LINEAR HEIGHT 600 digital height gauge



MITUTOYO PH-350 optical comparator



FWLER QUADRA CHEK 2000 optical comparator

**BID, BUY & GO!™**  
**LIVE WEBCAST**

### INSPECTION EQUIPMENT

**MITUTOYO CRYSTA-APEX 710 CMM** with 39.5" x 68" x 10" granite table, RENISHAW MH20i probe, 38" between the housings, 31" under the column, pendant control, computer system, s/n 0152210

**BROWN & SHARPE MICROVAL CMM** with 18" x 24" granite table, RENISHAW TP-ES probe, 20" between the housings, 16.25" under the rail, s/n 03961186

**MAHR (1994) MARSURF CD120 3D precision gauging system** with 21.5" x 27.5" granite table, 8" x 8" precision fixture table, MICRO TOUCH 3M touch screen software control, s/n 6851350

**MITUTOYO LINEAR HEIGHT 600** digital height gauge with pneumatic assist for easy movement, s/n 040172

**MITUTOYO PH-350 optical comparator** with 13" screen, 6" x 16" table, 2 axis dro, s/n 183

**FWLER QUADRA CHEK 2000 optical comparator** with 14" screen, 5" x 16" table, 2 axis dro, s/n NA

**LYNDEX CORP tool presetter** with adapters, s/n NA

**MORE DETAILED LISTINGS AND PHOTOS** [www.corpassets.com](http://www.corpassets.com)



# LARGE QTY OF INSPECTION & MACHINE SHOP EQUIPMENT



**MICROWEILY** TY-2250 gap bed engine lathe



**FIRST** LC-11/2VS vertical milling machine



**CHEVALIER** FSG-618M hand feed surface grinder



Partial view of machine vises and **FLEX ARM** taper



Partial view of tool holders available



View of precision tombstones



Partial view of inspection equipment



Partial view of inspection equipment



**ROUSSEAU** precision tool cabinets



Partial view of inspection equipment

## MACHINE SHOP

**MICROWEILY** (1999) TY-2250 gap bed engine lathe with 19"/29" swing, 48" between centers, 2500 RPM, 10" 3 jaw chuck, 2.5" spindle bore, quick change tool post, s/n MR8810-003

**FIRST** LC-11/2VS vertical milling machine with 9" x 42" table, 4500 RPM, 2 HP, HEIDENHAIN 2 axis dro, s/n 70521831

**CHEVALIER** FSG-618M hand feed surface grinder with 6" x 18" magnetic chuck, 6" wheel diameter, s/n A3842012

**ER MAIR** KM1012 roll in vertical bandsaw with 13" throat, s/n 32789

**TRADE MAX** flex arm tapping unit, s/n NA

**IMA** G30-8 geared head drill with 3400 RPM, 10" x 16" table, s/n I4170

**DECKEL** SO tool and cutter grinder, s/n 13-22748

## FACTORY EQUIPMENT

**FACTORY CAT** 35SS floor scrubber, s/n 35-7701

(2) **HYDROVANE** air compressors, s/n NA

**ULTRA-AIR** (2003) UA125AC air dryer, s/n U38400-21

**DELTA** 10" HEAVY DUTY table saw, s/n K9716

**ALSO:** Cantilever racking, lifting accessories, aluminum and steel bar and pipe, chop saws, truck snow plow attachment, large quantity of lathe tooling and accessories, grinding accessories, spare machine parts, tool holders, carts and tables, 20+ dumping hoppers, ROUSSEAU precision tool cabinets, huge quantity of inspection equipment, perishable tooling, office furniture and equipment, and more!

All auctions are

ONSITE

&

BID, BUY & GO!™  
LIVE WEBCAST

## UPCOMING AUCTIONS

New auctions added to our website regularly!

LIVE WEBCAST powered by

BID, BUY & GO!™  
LIVE WEBCAST

Surplus to the Ongoing Operations of  
**KUBES MACHINING**  
CNC Boring and Machining Facility  
Stoney Creek, Ontario L8E 5N2  
Tuesday, December 07, 2010, 10:30 AM EST

Surplus Assets of **BLOW PRESS LIMITED**  
Major Stamping Press Manufacturer  
Guelph, Ontario N1G 3W6  
Wednesday, December 08, 2010  
10:30 AM EST

**JEUNE METAL PRODUCTS LTD**  
High Precision Hydroforming & CNC Spinning Facility  
Markham, Ontario L3R 5J6  
Thursday, January 20, 2011  
10:30 AM EST

MEMBER IN  
GOOD STANDING



Printed in Canada. ©2010 CORPORATE ASSETS INC. ALL RIGHTS RESERVED.





We offer the convenience of  
**3 Ways To Bid!**

- Bid in Person
- Bid via Webcast
- Bid by Proxy

Discover the ease of  
bidding with our  
**LIVE WEBCAST!**

This feature gives you the ability  
to bid live by webcast from the  
convenience of your telephone  
from anywhere in the world!  
Visit our website for details.

*Please register a minimum of 24 hours  
in advance to qualify to bid.*



**www.corpassets.com**

Live Webcast bidding powered by

**BID, BUY & GO!™  
LIVE WEBCAST**

## AUCTION DETAILS

### INSPECTION

Monday, December 13, 2010 from 9:00 A.M.  
to 5:00 P.M. and morning of auction to start of  
auction.

### REMOVAL

Small items: Wednesday, December 15, 2010 by  
5:00 P.M.

Remaining items: Tuesday, December 28,  
2010 by 5:00 P.M., or by appointment. Contact  
auctioneer for details.

### DIRECTIONS

Visit our website at **www.corpassets.com**, click  
on Upcoming Auctions: Micro-Tech Machine Inc  
button, click on Map tab and get directions by  
accessing the pop up address info box.

### ACCOMMODATIONS & CAR RENTALS

Please visit our website for details at  
**www.corpassets.com**

### PAYMENT

Please visit our website for details at  
**www.corpassets.com**

A Buyer's Premium will apply at this sale.

We

Accept



Visit our website as specific terms and conditions may  
apply.

### TERMS

Corporate Assets Inc. assumes no liability for  
errors or omissions in this brochure. Corporate  
Assets Inc. expressly reserves the right to  
determine the manner of conducting the auction as  
it may deem appropriate. All subject to prior sale.

## APPRAISAL SERVICES

What's the real value of your equipment? If  
you require a detailed appraisal for banking,  
insurance, or internal purposes, consult with the  
certified experts at Corporate Assets Valuations.  
We provide appraisal services anywhere in the  
world for all types of industrial manufacturing  
and processing equipment.

- We will appraise one machine or  
your complete plant
- Going Concern, Fair Market or  
Liquidation Values

Call us in complete confidence today  
with your requirements.

**Phone: (416) 962-9600**

**Fax: (416) 962-9601**

**Email: [appraisals@corpassets.com](mailto:appraisals@corpassets.com)**

## AUCTION CONDUCTED BY CORPORATE ASSETS INC.

For further information contact us at:

2 St. Clair Ave. W., Suite 1002

Toronto, Ontario, Canada M4V 1L5

Tel: (416) 962-9600 • Fax: (416) 962-9601

Email: [info@corpassets.com](mailto:info@corpassets.com)

Web: **www.corpassets.com**

**Toronto • Montreal • Chicago**