



WELCOME TO THE AUCTION SALE OF:



HWY 6 1 INCO RD, THOMPSON, MANITOBA, CANADA, R8N 1P3
TUESDAY, DECEMBER 4, 2018 • 10:30 A.M. CST

TERMS & CONDITIONS

- FINAL PAYMENT IN FULL IMMEDIATELY AFTER THE AUCTION
- A BUYER'S PREMIUM OF 18.0% FOR ALL BIDDERS WILL APPLY AT THIS SALE
- **NO PAYMENTS WILL BE ACCEPTED BY OUR SITE SUPERVISOR**

REMOVAL DETAILS:

- ALL ITEMS TO BE REMOVED NO LATER THAN FRIDAY, DECEMBER 21 BY 5:00 P.M. AND BY APPOINTMENT ONLY. PLEASE CALL 416.962.9600 FOR DETAILS.
- "CI" DESIGNATES THAT A PROPER CERTIFICATE OF INSURANCE, ADDING CORPORATE ASSETS INC. AS AN ADDITIONAL INSURED AND A WORKERS' COMPENSATION CLEARANCE CERTIFICATE, IS REQUIRED BEFORE ANY ITEM MARKED "CI" CAN BE MECHANICALLY REMOVED.
- FURTHERMORE, PROPERLY AUTHORIZED RIGGER RELEASE INSTRUCTIONS, IN WRITING, ARE REQUIRED BEFORE A RIGGER CAN COMMENCE REMOVAL OF THESE ITEMS
- NO ITEMS MAY BE REMOVED WHILE THE AUCTION IS IN PROGRESS.
- ALL BUYERS MUST COMPLY WITH ALL POSTED TERMS AND CONDITIONS OF SALE.

NO EXCEPTIONS!

THANK YOU

WE ACCEPT:



Visit www.corpassets.com for specific terms and conditions.

AUCTION CONDUCTED BY:

**CORPORATE
ASSETS INC**

"Let Our Experience Be Your #1 Asset"™

373 Munster Avenue, Toronto, ON, Canada M8Z 3C8

Tel: 416.962.9600 • Fax: 416.962.9601

www.corpassets.com • info@corpassets.com

VALE - THOMPSON

LOT #	QTY	DESCRIPTION	\$	LOT #	QTY	DESCRIPTION	\$
1	1	TOSHIBA 200 HP, 575V, 186 AMP, 1780 RPM, 3-PHASE INDUCTION MOTOR		27	1	LOT/ CONTENTS OF SKID - (2) 5" DIA. RUBBER CONVEYOR IDLER ROLLERS, (2) 5" DIA. STEEL CONVEYOR IDLER ROLLERS, APPROX. 100 CU/FT COVERED RUBBER BOTTOM LINER, (1) 1/8" - 2", 145 PSI RATED, NOMINAL BORE TUBE TYPE FLOW METER (PLT 118)	
2	1	TOSHIBA 125 HP, 575V, 126 AMP, 2400 RPM, 3-PHASE INDUCTION MOTOR		28	1	LOT/ CONTENTS OF SKID - SEW EURODRIVE GEARBOX WITH 30 HP, 330/575V, 1760 RPM MOTOR (PLT 105)	
3	1	TOSHIBA 200 HP, 575V, 191 AMP, 1185 RPM, 3-PHASE INDUCTION MOTOR		29	1	LOT/ CONTENTS OF SKID - DORRIS GEARBOX WITH 125:1 RATIO AND PARTS (PLT 122)	
4	1	TOSHIBA 60 HP, 575V, 1185 RPM, 3-PHASE INDUCTION MOTOR		30	1	LOT/ CONTENTS OF SKIDS - (8) LONG WHEEL DRIVE PROPELLER SHAFTS WITH FLANGED MAIN BRIDGE 16-1/2" DIA., 15" - 14.768" TAPERED TREAD 2.631" BORE (PLT 92)	
5	1	TOSHIBA 200 HP, 575V, 191 AMP, 1185 RPM, 3-PHASE INDUCTION MOTOR		31	1	LOT/ CONTENTS OF SKID - (8) APPROX. 6" DIA. X 26" STEEL CONVEYOR IDLER ROLLERS (PLT 126)	
6	1	WESTINGHOUSE 100 HP, 230VDC, 360 AMPS, 430 RPM, 3-PHASE ELECTRIC MOTOR		32	1	LOT/ CONTENTS OF SKID - DEMAG 32 HP, 1165 RPM ELECTRIC MOTOR (CRATE EEE)	
7	1	WESTINGHOUSE 200 HP, 575V, 185 AMP, 1186 RPM, 3-PHASE ELECTRIC MOTOR		33	1	LOT/ CONTENTS OF SKID - (APPROX. 19) 2000 FT. SPOOLS OF SPLINE YELLOW TUBING (PLT 115)	
8	1	WESTINGHOUSE 65 HP, 230V, 182 AMP, 500 RPM, MC-MILL MOTOR		34	1	LOT/ CONTENTS OF SKID - AIR/WATER DISPOSABLE CARTRIDGE FILTERS SQ 14.4 X LG 30.5" FILTERING RETENTION: 50 U, DORR-OLIVER 12' X 8'7" MATTE FILTERS, (1) PUMP HOUSING, (APPROX. 10) 4 POST CLAMPS (CRATE T)	
9	1	WESTINGHOUSE 65 HP, 230V, 182 AMP, 500 RPM, MC-MILL MOTOR		35	1	LOT/ CONTENTS OF SKID - CAMFIL HEMIPLEAT CARTRIDGE TYPE DUST FILTERS (PLT 98)	
10	1	WESTINGHOUSE 65 HP, 230V, 236 AMP, 500 RPM, MC-MILL MOTOR		36	1	LOT/ CONTENTS OF SKID - 55 GAL. DRUM OF HETRON 197-P RESIN (PLT 99)	
11	1	TOSHIBA 125 HP, 575V, 125 AMP, 1185 RPM, 3-PHASE INDUCTION MOTOR		37	1	LOT/ CONTENTS OF SKID - (APPROX. 13 BOXES/ 2500 PC PER BOX) 304MM X 3/8" REFRACTORY ANCHORS (PLT 107)	
12	1	TOSHIBA 100 HP, 575V, 100 AMP, 1800 RPM, 3-PHASE ELECTRIC MOTOR		38	1	LOT/ CONTENTS OF SKID - (2) MOLDED URETHANE TYPE H1000 GEARS (PLT 104)	
13	1	TOSHIBA 100 HP, 575V, 100 AMP, 1800 RPM, 3-PHASE ELECTRIC MOTOR		39	1	LOT/ CONTENTS OF SKID - SEW EURODRIVE GEARBOX WITH 10 HP, 110.18 RATIO, INPUT 1740 RPM, OUTPUT 16 RPM AND PARTS (PLT 109)	
14	1	TOSHIBA 40 HP, 575V, 38 AMP, 1175 RPM, 3-PHASE INDUCTION MOTOR		40	1	LOT/ CONTENTS OF SKID - SET OF 1.5" DIA, 6 X 37 IWRC BRAIDED WIRE HOISTING ROPES (PLT 101)	
15	1	TOSHIBA 15 HP, 575V, 15.2 AMP, 2700 RPM, 3-PHASE ELECTRIC MOTOR					
16	1	TOSHIBA 20 HP, 575V, 20 AMP, 3600 RPM, 3-PHASE INDUCTION MOTOR					
17	1	NEW YORK BLOWER COMPANY BLOWER FAN WITH TOSHIBA 15 HP, 575V, 14.8 AMP, 3600 RPM, 3-PHASE INDUCTION MOTOR					
18	1	WESTINGHOUSE 200 HP, 230V, 400 RPM, 3-PHASE MC-MILL MOTOR					
19	1	TOSHIBA 300 HP, 575V, 305 AMP, 890 RPM, 3-PHASE INDUCTION MOTOR					
20	1	TOSHIBA 300 HP, 575V, 305 AMP, 890 RPM, 3-PHASE INDUCTION MOTOR					
21	1	TOSHIBA 300 HP, 575V, 305 AMP, 890 RPM, 3-PHASE INDUCTION MOTOR					
22	1	WESTINGHOUSE 200 HP, 575V, 185.9 AMPS, 1186 RPM, 3-PHASE HIGH EFFICIENCY ELECTRIC MOTOR					
23	1	TOSHIBA 150 HP, 575V, 60 AMP, 3-PHASE INDUCTION MOTOR					
24	1	TOSHIBA 75 HP, 575V, 73 AMP, 2400 RPM, 3-PHASE INDUCTION MOTOR					
25	1	WESTINGHOUSE 200 HP, 230V, 720 AMP, 450 RPM, DC MILL MOTOR					
26	1	LOT/ CONTENTS OF SKIDS - SHEAR GATES (PLT 121, 116, 117)					

VALE - THOMPSON

LOT #	QTY	DESCRIPTION	\$	LOT #	QTY	DESCRIPTION	\$
41	1	LOT/ CONTENTS OF SKID - (1) SEW EURODRIVE GEARBOX WITH 10 HP, 330/575V, 1740 RPM, 3-PHASE ELECTRIC MOTOR, (1) SEW EURODRIVE GEARBOX WITH 5 HP, 330/575V, 1750/25 RPM, 3-PHASE ELECTRIC MOTOR (PLT 106)		56	1	LOT/ CONTENTS OF SKID - (1) 929.1:1 RATIO GEARBOX (CRATE UU)	
42	1	LOT/ CONTENTS OF SKID - (1) RATCHET AND SLING ASSEMBLY WITH WELD-ON WEBBING WINCH, SEWN LOOP, EYE HOOK, CLEVIS PIN, COTTER PIN, WINCH BAR; (1) RATCHET AND SLING ASSEMBLY BRACKET; (1) 14"X14" ROTARY VALVE BODY (PLT 62)		57	1	LOT/ CONTENTS OF SKID - (1) JOY MUDJACK CYLINDER; (1) 15HP, 870 RPM, 575V, 3-PHASE ELECTRIC MOTOR (PLT 97)	
43	1	LOT/ CONTENTS OF SKID - DEUTZ F4L912W DIESEL ENGINE WITH 3.77L DISPLACEMENT, 4 CYLINDER, 62 HP (PLT 88)		58	1	LOT/ CONTENTS OF SKID - (1) 44.5" W X 47" L X 1" THICK HIGH-PRESSURE PLASTIC RESIN SHEET; (2) 1/2" X 48" X 72" BAKELIGHT ELECTRICAL INSULATION SHEETS; (1) 62-3/8" X 15-7/8" GLASS PANE (PLT 57)	
44	1	LOT/ CONTENTS OF SKID - (3) SUCTION PUMP CASINGS 3 X 3 X 10, 5 X 4 X 14 (PLT 38)		59	1	LOT/ CONTENTS OF SKID - SEW EURODRIVE 744:1 RATIO GEARBOX (PLT 110)	
45	1	LOT/ CONTENTS OF SKID - WOODEN MALLETS & CHISELS (PLT 90)		60	1	LOT/ CONTENTS OF SKID - SET OF 1.5" DIA, 6 X 37 IWRC BRAIDED WIRE HOISTING ROPES (PLT 102)	
46	1	LOT/ CONTENTS OF SKID - WORM-TYPE GEARBOX		61	1	LOT/ CONTENTS OF SKID - TOWNLEY PUMP IMPELLER (PLT 100)	
47	1	LOT/ CONTENTS OF SKID - IMPULSE G+ SERIES 2 ADJUSTABLE FREQUENCY/ VECTOR CRANE CONTROLS & MFG. UNKNOWN GEARBOX (PLT 85)		62	1	LOT/ CONTENTS OF SKID - (APPROX. 7) NALGENE PLASTIC BOTTLES, SPARE PARTS (PLT 2)	
48	1	LOT/ CONTENTS OF SKID - (2) BRIDGE CRANE IDLERS (PLT 91)		63	1	LOT/ CONTENTS OF SKID - (1) ROLL OF 3/4", 6/37 IPS INDEPENDENT WIRE ROPE; 42' X 16' CLOTH FILTERS; (1) CARTON 3/4" ROUND AND TWISTED NON-ASBESTOS ROPE (PLT 95)	
49	1	LOT/ CONTENTS OF SKID - (2) CRANE HOISTS (PLT 86)		64	1	LOT/ CONTENTS OF SKID - (2) RELIEF VALVES; (2) RETAINING SNAP RINGS; (3) LEVEL HANDLES & LOCKING PLATES WITH NUTS; (13) PRE-CUT 3-11/20" OD TEFLON GASKETS; (4) 8" DIAPHRAGM VALVES; (3) 1/2" DIAPHRAGM VALVES; (5) 2K OHM FURNACE POTENTIOMETERS; O-RINGS & SEALS VARIOUS SIZES (CRATE A)	
50	1	LOT/ CONTENTS OF SKID - (1) P&H 2/8.3 HP, 575V, 3.8/9.2 AMP, 810/3380 RPM, 3-PHASE ELECTRIC MOTOR, (1) P&H 1.34/5.4 HP, 575V, 3.4/5.9 AMP, 850/3480 RPM, 3-PHASE ELECTRIC MOTOR (PLT 87)		65	1	LOT/ CONTENTS OF SKID - UPPER CROSS BEAM	
51	1	LOT/ CONTENTS OF SKID - HOUSINGS		66	1	LOT/ CONTENTS OF SKID - (4) BOXES OF 89.5" X 42.25", POLYPROPYLENE MATERIAL FILTERS; (1) 38" X 820' F2/30 FIBERGLASS TISSUE SURFACING VEIL; (3) BOXES POLYESTER GLAZED FILTER CLOTH - CUT TO SIZE (PLT 103)	
52	1	LOT/ CONTENTS OF SKIDS - 43"X89" FILTER CLOTH WITH (4) 3" TOP HOLES FOR COBAL SETTLER PRESSES - APPROX. 36 BOXES (PLT 82, 83, 84)		67	1	LOT/ CONTENTS OF SKID - DEMAG 32 HP, 550V, 41 AMP, 1165 RPM, 3-PHASE ELECTRIC MOTOR	
53	1	LOT/ CONTENTS OF SKID - (9) SEW EURODRIVE 22.32:1 GEARBOXES WITH 0.20/0.82 HP, 575V, 830/37 / 3340/150 RPM, 3-PHASE ELECTRIC MOTORS & RUBBER WORK MAT		68	1	LOT/ CONTENTS OF SKID - VESUVIUS CANADA MOLDIT D CASTABLE REFRACTORY (PLT 123)	
54	1	LOT/ CONTENTS OF SKID - (2) 18" OD, 4-1/16" BORE, 7/16" X 1" DRIVE BRIDGE WHEELS; (1) 21KV FLARE STACK IGNITER ASSEMBLY; (1) TANK BONNET; (1) KONECRANE GEAR CASE (PLT 66)		69	1	LOT/ CONTENTS OF SKID - MODEL NO: W-48L WORM GEAR (PLT 114)	
55	1	LOT/ CONTENTS OF SKID - SEW EURODRIVE 878:1 RATIO GEARBOX (PLT 108)		70	1	LOT/ CONTENTS OF SKID - FOXBORO CFS10/CFS20 I/A SERIES STAINLESS STEEL MASS FLOW TUBE (CRATE AAA)	
				71	1	LOT/ CONTENTS OF SKIDS - (2) TOWNLEY SMELTER PUMP - 400-066 CASINGS (PLT 119, 120)	

VALE - THOMPSON

LOT #	QTY	DESCRIPTION	\$	LOT #	QTY	DESCRIPTION	\$
72	1	LOT/ CONTENTS OF SKID - BERTSCH SHEAR MAIN CLUTCH (PLT 111)		84	1	LOT/ CONTENTS OF SKID - (1) TRANSFORMER 0.115/6KV; (1) TRANSFORMER 5 KVA, 600/115V; (1) TRANSFORMER 1KVA, 600/120-240V; (2) THERMAL MAGNETIC CIRCUIT BREAKERS; (1) 0.75HP, 575V, 1800RPM ELECTRIC MOTOR; (11) 0-1450 DEG. C THERMOCOUPLES; COMPRESSION SPRINGS; BUSHINGS; STUDS ALL VARIOUS SIZES (CRATE VVV)	
73	1	LOT/ CONTENTS OF SKID - FOXBORO CFS10/CFS20 I/A SERIES STAINLESS STEEL MASS FLOW TUBE (CRATE ZZ)		85	1	LOT/ CONTENTS OF SKID - (1) TRANSFORMER 2KVA, 115V A/C, 7.5A; (1) INSTANTANEOUS OVERCURRENT CONTROL RELAY; (1) 1" LINEAR ACTUATING CYLINDER ASSEMBLY; (1) VARIABLE FREQUENCY DRIVE 1.5KW, 600V A/C; LIMIT SWITCHES; SEALS; TEFLON BUSHINGS; COMPRESSION SPRINGS (CRATE N)	
74	1	LOT/ CONTENTS OF SKID - CARBONATE TRUNNION FILTER (PLT 125)		86	1	LOT/ CONTENTS OF SKID - (1) DYNAPAC VIBRATOR MOUNTING BRACKET; (1) 240V DC, 50 A CONTACTOR COIL; (1) LINEAR ACTUATING HYDRAULIC CYLINDER; (1) BRASS 3/8" - 1/4" TUBE TO PIPE ADAPTER; (1) 0-100 PSI, 240V AC, 12 A PRESSURE SWITCH; (1) 25 OHM, 50 W RESISTOR; (1) ID 9/16" X OD 1-1/8" X THK 1/8 MM CHECK VALVE; COMPRESSION SPRINGS, ROLLER BEARINGS, OIL SEALS, O-RINGS(CRATE RR)	
75	1	LOT/ CONTENTS OF SKID - APPROX. 30 ROLLS 3'8"X20'9" BLANK CLOTH (PLT 112)		87	1	LOT/ CONTENTS OF SKID - (1) DIRECTIONAL HYDRAULIC VALVE; (1) ELECTRIC STARTER MOTOR 6A, 240V D/C; (2) ELEVATED DOOR LIMIT SWITCH 440V AC/DC; GEARS; VALVES; SEALS; NUTS & BOLTS (CRATE DD)	
76	1	LOT/ CONTENTS OF SKID - (1) HAMMOND 35 KVA, 630HV/120LV, 3-PHASE DRY-TYPE TRANSFORMER, SPROCKETS, PVC FLANGES (PLT 113)		88	1	LOT/ CONTENTS OF SKID - (4) 3 TON TROLLEY DRIVE WHEELS; (4) 3 TON TROLLEY IDLER WHEELS; (2) PHOTOELECTRIC TRANSMITTERS; (2) AUTOMOTIVE DIFFERENTIALS; PINION GEARS; BUSHINGS; BOLTS (CRATE FF)	
78	1	LOT/ CONTENTS OF SKID - (1) VERSAFLO CIRCULATOR PUMP WITH WEG 3/4 HP, 115/208-230V, 3490 RPM, SINGLE PHASE ELECTRIC MOTOR; (1) GRUNDFOS HEAT EXCHANGER POWER UNIT; (1) LINEAR ACTUATING CYLINDER ASSEMBLY (PLT 1)		89	1	LOT/ CONTENTS OF SKID - (1) INPUT: 120/240V AC, OUTPUT: 125V DC PROGRAMMABLE LOGIC CONTROLLER MODULE; (2) GE FANUC SERIES 90-70 PROGRAMMABLE LOGIC CONTROLLER MODULES; (1) 115V AC HIGH SIGNAL MAGNETIC FLOW TRANSMITTER; (1) 0-10 PPM, 4-20 MA, 12-28V DC WET GAS FLOW TRANSMITTER; (1) ALLAN BRADLEY PHOTOCCELL RECEIVER, 10-264V AC/DC; (1) 4.5-5.5V DC 15 MA, 4.5-5.5V DC 20 MA, 5.6 W POWER SUPPLY MODULE; GASKETS, SHAFT SLEEVES, PARTS & COMPONENTS (CRATE JJJ)	
80	1	LOT/ CONTENTS OF SKID - (1) HAYWARD GORDON DOUBLE REDUCTION ROLLER BEARING; (1) HART COMMUNICATION 1/2" PRESSURE TRANSMITTER; (1) 3-1/4" X LG 7.7, 40 U MICRON IN-LINE AIR FILTER; (1) 1 KOHM RESISTANCE, POWER DISSIPATION RATING: 75 W, CURRENT: 0.27 A ALL CERAMIC VITREOUS ENAMELED RHEOSTAT 3-1/2"; (1) 0-15 KVAC, 60 HZ, 13800/115 V VOLTMETER; (1) STAINLESS STEEL 100LB CAP. LOAD CELL; (1) 2.1 KVA, 240/0-280 V, 7.5 A, SINGLE PHASE TRANSFORMER; (1) 27-1/4" DIA. IMPELLER FAN; (1) 1370 CFM, 35 HP MOBILE RESPIRATOR BLOWER; BEARINGS, BUSHINGS, COMPRESSION SPRINGS (CRATE VV)					
81	1	LOT/ CONTENTS OF SKID - (1) IMPELLER SHIM SET; (1) JOURNAL PUMP SLEEVE SHAFT; (1) 1" PINCH VALVE SLEEVE; (1) 2" PINCH VALVE SLEEVE; (1) 3-7/16" BORE DIA., 3 GROOVE V-BELT PULLEY; (1) 2-3/8" BORE DIA., 3 GROOVE SPLIT TAPER V-BELT PULLEY; POLYESTER FIBERGLASS INSULATING MATERIAL (CRATE LLL)					
82	1	LOT/ CONTENTS OF SKID - (1) 18" IMPELLER FAN; (2) HEAD ASSEMBLY WEAR PLATES; (76) PIPE & CONDUIT HANGERS; (1) GAS DETECTOR 100-3000/10-300 PPM; (7) BEARING HOUSING BRACKETS; (8) LG 10" CONNECTORS; GASKETS; SHAFT ASSEMBLIES; O-RINGS & SEALS ALL VARIOUS SIZES (CRATE TTT)					

VALE - THOMPSON

LOT #	QTY	DESCRIPTION	\$	LOT #	QTY	DESCRIPTION	\$
90	1	LOT/ CONTENTS OF SKID - (1) 120-600V AC, 20 A LIMIT SWITCH; (1) 3/8", 120V AC 3 WAY BRASS SOLENOID VALVE; (1) 0.25 HP, 60 RPM, 90 V ELECTRIC MOTOR; (1) 1 HP, 3450 RPM IMPELLER MOTOR; (1) MODEL #C731-25T METERING PUMP; (1) 115/230V AC, 60 HZ, 90/70 W, 275/330 CFM ELECTRIC FAN; (1) 115V AC, 92/108 CFM REVERSE AIR FLOW ELECTRIC FAN; (1) 0-250 ADC, 0-100 MIL V VOLTMETER; COMMUNICATIONS CABLE, FUSES, SPACERS, BEARINGS, OIL SEALS(CRATE III)		95	1	LOT/ CONTENTS OF SKID - (25) PNEUMATIC ACTUATED SOLENOID VALVE 120V A/C; (9) 1-50 SCFM GAS DETECTORS; (4) BUTTERFLY VALVES; (184) HAZARDOUS GAS DETECTOR FILTERS; (1) OVERLOAD RELAY 120/600V A/C, 10A, 1NO-1NC; (9) 10' COMMUNICATIONS PATCH CORDS; PRINTED CIRCUIT BOARDS; VALVES; NUTS & BOLTS; COMPRESSION SPRINGS (CRATE H)	
91	1	LOT/ CONTENTS OF SKID - (1) 5-70 PPM TUBE-TYPE GAS DETECTOR; (1) 0.2-30 PPM TUBE-TYPE HAZARDOUS GAS DETECTOR; (1) 50:1 RATIO WORM TYPE GEARBOX; (1) 1/4" DIA. X 1/2" 3 WIRE TEMPERATURE PROBE; (1) 0.5 HP, 330/575V AC, 60 HZ, 1.5/0.86 A, 3-PHASE FEEDER DRIVE MOTOR; (2) JAW FACE PLATES; (1) HART; -250 TO 250IN H2O RANGE SCALABLE PRESSURE TRANSMITTER WITH STAINLESS STEEL DIAPHRAGM; SEALS, BUSHINGS, GASKETS, O-RINGS (CRATE YY)		96	1	LOT/ CONTENTS OF SKID - (18) 2" PLASTIC RE-ENFORCED PIPE FLANGES; (1) 4-20 MA TACHOMETER; (1) 1/3 HP, 1725 RPM ELECTRIC MOTOR; (5) 8 PIN REFRACTOR RELAY CONTROLS; (1) 0-840" H2O PRESSURE TRANSMITTER; (2) THERMOCOUPLE 1/4IN, 16IN, SS 316; SOLENOID VALVES; CONTROL RELAYS; LIMITER SWITCHES (CRATE CC)	
92	1	LOT/ CONTENTS OF SKID - (1) SHEAR PIN TYPE HUB; (1) COUPLING NO. 3 WITH NUTS & BOLTS; (1) HELICAL GEAR; (1) 2-15/16" PILLOW BLOCK BEARING; (3) 11-5/8" OD, 5-38" ID BRAKE DISCS; (1) FRICTION CLAMP; (1) 20 TON CRANE RATCHET PAWL; (1) 5" DROP FORGED HOOK (CRATE GG)		97	1	LOT/ CONTENTS OF SKID - (1) 1/2" 4-WAY SOLENOID VALVE; (1) MICROLOGIZ 1000 32 POINT, 120/240V AC PROGRAMMABLE LOGIC CONTROL; (1) SINGLE PHASE, 120V, 40KA SURGE PROTECTOR; (1) 42-150V AC, 3 A RECTIFIER; (1) CAST IRON 6" BUTTERFLY VALVE; (1) CAST IRON 4" BUTTERFLY VALVE; SPRINGS, BUSHINGS, BELTS, O-RINGS, SEALS (CRATE TT)	
93	1	LOT/ CONTENTS OF SKID - (2) TRANSFORMER: 50KVA, 550/600-115V; (1) CONTROLLER: GT REVERSING ELEVATOR/SMELTER; (1) SWITCH ASSEMBLY: CAR CALL BUTTON; (13) FRICTION LINING: ASB ELEVATOR BRAKE; (3) RELAY, CONTROL: 208/220 600VAC, 10A; (1) LIMIT SWITCH: 300V, WATERPROOF ENCLOSURE; (1) AIR PURGE CYLINDER; 6" BUTTERFLY VALVE; (3) LIMIT SWITCH: 600VAC/ DC, 10A; (2) THERMAL MAGNETIC CIRCUIT BREAKER: 30A, 240VAC (CRATE AA)		98	1	LOT/ CONTENTS OF SKID - (1) LEESON ELECTRIC MOTOR; CONNECTORS; SWITCHES; SEALS; NUTS & BOLTS	
94	1	LOT/ CONTENTS OF SKID - (1) ROTOBLAST MACHINE IMPELLER PUMP; (1) ROTOBLAST MACHINE BUCKET; (1) 1/4" X 3/4" 3/2 WAY SOLENOID VALVE; (1) 100-240V AC, 8 MM RANGE, 200 MA PROXIMITY SWITCH; (1) 1/4" CONTROL VALVE; (1) 1-1/2" X 1/8" ALUMINUM DIE-CAST DIAPHRAGM VALVE; (1) 1/4" X 4" LINEAR ACTUATING CYLINDER ASSEMBLY; SCREWS, LOCK-NUTS, SEALS (CRATE GGG)		99	1	LOT/ CONTENTS OF SKID - (1) 12-48V DC, 12-240V AC, 20 MA PHOTOELECTRIC SWITCH; (1) 1/4" X 24" THERMOCOUPLE WITH STAINLESS STEEL SHEATH, CERAMIC FILLED; (1) 12" X 8" X 7" RUBBER LINED CONCENTRIC REDUCER; (1) 3/4" PNEUMATIC IMPACT WRENCH; (1) 1/4"-1/4" TUBE TO PIPE ADAPTER; (1) 3/8"-1/2" TUBE TO PIPE ADAPTER; (1) WESTINGHOUSE 2 UF, 1000V DC CAPACITOR; (1) 250 KVA, 416/380 V, 657.89 A, SINGLE PHASE TRANSFORMER; (1) PHOTOCCELL FIRE PROTECTION DETECTOR; BOLTS, SPRINGS, SCREWS, O-RINGS, SCREWS (CRATE WWW)	

VALE - THOMPSON

LOT #	QTY	DESCRIPTION	\$	LOT #	QTY	DESCRIPTION	\$
100	1	LOT/ CONTENTS OF SKID - (1) 7' HYDRAULIC CYLINDER PISTON; (1) WESTINGHOUSE 600/250V AC/ DC SWITCH; (1) 90 DEG, 1-1/2" TO 1-1/4" PIPE REDUCER ELBOW; (1) 9 TON CAP. COPPER FLEXIBLE SHUNT; (1) 1/4", 5-50 PSI, 250V AC DIFFERENTIAL PRESSURE SWITCH; (1) 24V DC RELAY COIL; (1) 575 V, 5 HP, 3-PHASE STARTER MOTOR; (1) 200-425 DEG F. TEMPERATURE SWITCH; (1) 250V AM, 575-105/600-90V, 3-PHASE TRANSFORMER; LOCK NUTS, WASHERS, STUDS, NUTS (CRATE ZZZ)		105	1	LOT/ CONTENTS OF SKID - (1) LINEAR ACTUATING CYLINDER; (1) 0-100 PSI PRESSURE GAUGE; (1) 0-60 PSI PRESSURE GAUGE; (1) 23" STAINLESS STEEL SCREW FEEDER AUGER; (1) 600V AC, 10 A, LIMIT SWITCH; (1) 700/2000V AC/DC CAPACITOR; (1) 10", 210 BAR RELIEF VALVE; FILTER ELEMENTS, BUSHINGS, NOZZLES (CRATE XX)	
101	1	LOT/ CONTENTS OF SKID - (1) 1" 4-WAY BRASS DISC VALVE; (1) 2" CHECK VALVE; (1) 1-1/4" GATE VALVE; (1) 1-1/2" PRESSURE REDUCING DISC VALVE; (1) 2" STRAIGHT-WAY DIAPHRAGM VALVE; (1) FEDERAL PIONEER 10 A, 500V AC CIRCUIT BREAKER; (1) 15 A, 110V AIR BREAKER; (1) 15-40 PSI, 1"-1/4" REDUCING PRESSURE REGULATOR; BUSHINGS, SAFETY SIGNS, FROG BOLTS, NUTS, WASHERS (CRATE XXX)		106	1	LOT/ CONTENTS OF SKID - (6) METALLIC CENTRIFUGAL SWITCH BRUSHES; (5) 5 OHM VARIABLE RESISTORS; (3) OXD GAS DETECTORS; (2) 3/8" CHECK VALVES; (7) 12MM TUBE TO PIPE ADAPTERS; (1)15 OHM, 30 MW POTENTIOMETER; (6) BRS QUICK CONNECT/DISCONNECT ADAPTERS; HARDWARE; VALVES; SEALS; ADAPTERS; HEATER ELEMENTS; NUTS & WASHERS (CRATE QQQ)	
102	1	LOT/ CONTENTS OF SKID - (4) LIMIT SWITCH 250V A/C, 5A; (6) ELEVATOR CONTACT SWITCHES; (1) 300 OHM RESISTOR; (4) 20 OHM ADJUSTING POTENTIOMETERS; (60) MICA INSULATOR BUSHINGS; (4) ELECTRICAL CONTROL RELAYS 110 V A/C, 60 HZ; (5) BRS CYLINDER ASSEMBLIES; (3) SERIES C OVERLOAD RELAYS; SPRINGS; RETAINERS; INSULATORS; SCREWS; STUDS; PINS (CRATE I)		107	1	LOT/ CONTENTS OF SKID - (1) 5 TON TROLLEY; (19) 2"X1" CONCENTRIC REDUCER; (1) UNION 1" PCV CHECK VALVE; (26) NO. 103 MALLEABLE IRON CASTING CLAMPS; WELDING ELECTRODES; PIPE ELBOWS; SCREWS; STUDS (CRATE - M)	
103	1	LOT/ CONTENTS OF SKID - (1) 15-900 MM, CL 150 MAGNETIC FLOW METER; (1) 300-3500 RPM, 3-5/16" TACHOMETER; (1) -10 TO 10 V, +/-2 % VOLTMETER; (1) 15 A, 120/240 V THERMAL MAGNETIC CIRCUIT BREAKER; (1) 15 A, 600V AC THERMAL MAGNETIC CIRCUIT BREAKER; (1) 500V AM, 600-120/240V, SINGLE PHASE TRANSFORMER; (1) 61M PHOTOELECTRIC PROXIMITY SENSOR; (1) 120V AC, 4-WAY SOLENOID VALVE; CHAIN, FUSES, WASHERS, BRUSHES (CRATE KKK)		108	1	LOT/ CONTENTS OF SKID - (3) 2000 DEG. F, 24", 8 AWG THERMOCOUPLES; (1) 0-350V AC, 0-10V DC TRANSDUCER; (1) 2A, 1NO-1NC PHOTOELECTRIC SWITCH; (2) 900UF VARIABLE DRIVE CAPACITORS; (1) 0-150V AC, 0-10 V DC, 4-20 MA TRANSDUCER; (2) 8P, 4-20MA PLC MODULE; BRACKETS; COUPLINGS; FLANGES (CRATE PPP)	
104	1	LOT/ CONTENTS OF SKID - (1) 1-1/2" 2-WAY SOLENOID VALVE; (1) 1/4" GLOBE VALVE; (1) 3" STROKE LINEAR ACTUATING CYLINDER; (1) 1-7/8" DIA. X 1/2 " GLASS SIGHT GAUGE; (1) 24V AC/ DC VOLTAGE SAFETY RELAY; (1) 8-21 GPM, 7 BAR DOUBLE VANE ROTARY PUMP; (1) SCHROEDER MAGNETIC STRAINER; WASHERS, SEALS (CRATE HHH)		110	1	LOT/ CONTENTS OF SKID - (3) 1" DIA. ADJUSTABLE CONNECTING RODS; (2) 18" MOIL POINT PAVING BREAKERS; (1) FC867332 FLUID CONTROL VALVE; (1) 55-175 DEG. F THERMOSTAT; (29) 1/4" BRS SPRAY NOZZLES; (1) LINEAR ACTUATING HYDRAULIC CYLINDER ASSEMBLY; (5) 120V AC, 60 HZ ELECTRICAL COILS; (2) 1/4", 270 TO 1260 DEG. C THERMOCOUPLES; RESISTORS; VALVES; SHAFTS; SET SCREWS (CRATE RRR)	
				111	1	LOT/ CONTENTS OF SKID - (1) 600V AC, 80A SURGE PROTECTOR; (1) 4-1/2" DIA. STAINLESS STEEL IMPELLER PUMP; (1) 1" X 3/4" 3-WAY PNEUMATIC SOLENOID VALVE; (1) 1/2" AIR ACTUATED 2-WAY VALVE; (1) STAINLESS STEEL 19:1 RATIO AIR AMPLIFIER; (2) MK II 3" X 1-1/2" IMPELLER PUMPS; GASKETS, NUTS, SEALS, O-RINGS (CRATE FFF)	

VALE - THOMPSON

LOT #	QTY	DESCRIPTION	\$	LOT #	QTY	DESCRIPTION	\$
112	1	LOT/ CONTENTS OF SKID - (1) STRETCH HOODER CYLINDER; (4) 1HP ELECTRIC STARTER MOTORS; (1) EA PRESSURE CONTROLLER; (1) 9GPM HYDRAULIC ROTARY PUMP; (10) 600V, 8A CERAMIC FUSE CARTRIDGES; (1) 10 VA TRANSFORMER; GASKETS; FILTERS; SEALS; SPRINGS; COUPLINGS (CRATE SSS)		118	1	LOT/ CONTENTS OF SKID - (17) BRONZE COMPRESSION SPRINGS; AIR CYLINDER SEALS; (2) DIFFERENTIAL PRESSURE TRANSMITTERS; (3) LINEAR ACTUATING HYDRAULIC CYLINDER ASSEMBLIES; (4) DIGITAL TEMPERATURE CONTROLLERS; (4) HAZARDOUS GAS DETECTORS; (1) 0.5 HP, 240V, 1800 RPM, 3-PHASE STARTER MOTOR; (11) 1/2" THREADED CHECK VALVES (CRATE BB)	
113	1	LOT/ CONTENTS OF SKID - (1) 1/2" HYDRAULIC FLOW VALVE; (1) 2" INLET PUMP; (1) 10"X12" OIL PUMP GAUGE; (1) ALLIS CHALMERS NO. 3X3 IMPELLER PUMP; BEARINGS, BUSHINGS, CRANE PARTS, GASKETS, O-RINGS (CRATE DDD)		120	1	LOT/ CONTENTS OF SKID - (1) 25 OHM, 225 W, 10 PCT WIRE WOUND RESISTOR; (1) 100 OHM, 25 W WIRE WOUND RESISTOR; (1) 0-200 ADC, 50 MV AMMETER; (1) ALUMINUM IMPELLER FAN; (1) 20 GPM, 210 BAR, 3600 RPM HYDRAULIC ROTARY PUMP; (1) 1/4" X 3/8" 2-WAY SOLENOID VALVE; (1) PULSE COUNTER DRO; (1) -210 TO 760 DEG C. THERMOCOUPLE; (1) 1.8 KV, 880A SINGLE DIODE RECTIFIER; BUSHINGS, CONTACTS, V-BELTS, GASKETS (CRATE YYY)	
115	1	LOT/ CONTENTS OF SKID - (1) 2-5/8" X 10" X 1-1/4" SHEAR BLADE; (1) MODEL 25H 600A CIRCUIT BREAKER; (1) 19" X 3" X 5/8" STAINLESS STEEL 45 DEG. TWIST PADDLE; (1) 24V DC ELECTRONIC CONTROL MODULE; (1) 3450 RPM SELF-PRIMING IMPELLER PUMP; (1) 3-POSITION PNEUMATIC LINEAR ACTUATING CYLINDER; (1) HAMMOND 150V AM, 120/240V, SINGLE PHASE TRANSFORMER; (1) MAXITROL 2-1/2" REGULATOR; (1) NICKEL METAL HYDRIDE 6V, 2.5A STORAGE BATTERY; RELAYS, PLUGS, BRUSHES, SPRINGS, SEALS, SCREWS (CRATE CCCC)		121	1	LOT/ CONTENTS OF SKID - (1) 250V AM, 115V/10KV AC, 60 HZ TRANSFORMER; (1) 50V AM, 600/120V TRANSFORMER; (1) 45 DEG, 6" CAST NICKEL PIPE ELBOW; (1) 25 KOHM, 0.5 W POTENTIOMETER; (1) 600A, 25KA, 600V CIRCUIT BREAKER; (1) 1/3 HP, 1140 RPM, 220 V, 1.5 A ELECTRIC MOTOR; (1) HV400 BURNER SPARK IGNITER; (1) SEW EURODRIVE GEARBOX RATIO: 11.86:1; (1) 227 MM TRAVEL AUTOMATIC ACTUATOR; BUSHINGS, HEATER ELEMENTS, PLUGS, INSULATION SLEEVING, O-RINGS, GASKETS (CRATE DDDD)	
116	1	LOT/ CONTENTS OF SKID - (1) 0-2000 DEG F HIGH LIMIT TEMPERATURE CONTROLLER; 1/4" 4-WAY SOLENOID VALVE; (1) 9" THERMOCOUPLE ASSEMBLY; (1) 3/4" GLOBE VALVE; (1) 1/2" GLOBE VALVE; (1) 50-400 DEG F. DIAL-TYPE THERMOMETER; BUSHINGS, INSULATORS, SPRINGS, FILTER ELEMENTS (CRATE EEEE)		122	1	LOT/ CONTENTS OF SKID - (8) 50MM FLANGE BLOCK BEARINGS; (4) 1/2" AR FLEX PIPE COUPLINGS; (1) LP120S-MF2-50-1/1-3S GEARBOX; (2) LINEAR ACTUATING CYLINDER ASSEMBLIES; (2) 4 WAY DUAL SOLENOID VALVES; (1) 120V AC, 5A, 4-20MA TRANSDUCER; (1) DOUBLE ACTION 60-100PSI PNEUMATIC ACTUATOR; COUPLINGS; GASKETS; BRACKETS; VARIOUS SIZE/ TYPE BEARINGS (CRATE E)	
117	1	LOT/ CONTENTS OF SKID - (1) 250V DC, 250 MA TIME DELAY RELAY; (1) SOLENOID COIL SPARK SUPPRESSOR; (1) 220 DEG F. MAX. TEMP. HIGH TEMPERATURE THERMOSTAT; (1) 3V, 2200 MAH LITHIUM DRY CELL BATTERY; (2) 4" X 2-1/2" HYDRAULIC CHECK VALVE; (1) 1/2 HP, 1675 RPM, 115V AC, SINGLE PHASE ELECTRIC MOTOR; GEARS, SWITCHES, VALVES, BUSHINGS, SEALS (CRATE SS)		123	1	LOT/ CONTENTS OF SKID - (2) 1HP, 1700RPM, 230/460V ELECTRIC MOTORS; (2) 120V AC, 3A, CSA, UL, LINEAR ELECTRIC ACTUATORS; (1) GUARDLOGIX 2MB, CE PROCESSOR; (1) 100-240V AC, 8MM PROXIMITY SWITCH; (3) 3-15 PSIG VALVE POSITIONERS; (2) 120V AC ELECTRICAL COILS; VALVES; PIPE JOINTS; FUSES; SENSORS (CRATE F)	

VALE - THOMPSON

LOT #	QTY	DESCRIPTION	\$	LOT #	QTY	DESCRIPTION	\$
124	1	LOT/ CONTENTS OF SKID - (3) 300 GPH CENTRIFUGAL PUMPS; (6) 3" BUTTERFLY VALVES; (18) 0-30 PSI, 2"X1/8" PRESSURE GAUGES; (1) 600V AC, 10A, LIMIT SWITCH; (1) LINEAR ACTUATING CYLINDER ASSEMBLY; (4) REED 1A, 240V AC/ DC SENSOR SWITCHES; (1) 60GPM FLUID PRESSURE REGULATING VALVE; (5) 24V DC, 15MM, 1NO PROXIMITY SWITCHES; GASKETS; VALVES; MACHINE SCREWS (CRATE C)		133	1	LOT/ CONTENTS OF SKID - TOSHIBA 3 HP, 575V, 3500 RPM, 3-PHASE ELECTRIC MOTOR (C-14)	
125	1	LOT/ CONTENTS OF SKID - (3) PHOTOELECTRIC OPTICAL RECEIVERS; (1) 24V DC 3-WAY SOLENOID VALVE; (2) MASTER CYLINDER REPAIR/REPLACEMENT KITS; (1) 5 - 60PSIG, 1/2", FNPT REGULATOR; OIL SEALS; DOOR SPRINGS; BRAKE LININGS (CRATE G)		134	1	LOT/ CONTENTS OF SKID - TOSHIBA 3HP, 575V, 3600RPM, 3-PHASE ELECTRIC MOTOR (C-15)	
126	1	LOT/ CONTENTS OF SKID - (1) 24V POWER SUPPLY; (2) PLC COMMUNICATIONS MODULES; (23) 32MM, 32MM, 25MM ELECTRICAL BRUSHES; (5) 2-5/8IN DIA. INSULATORS; (7) 5KV, OD 3 X HT 2-5/8" INSULATORS; (1) 500OHM, 40W, 5PCT RESISTOR; (1) CL150 1-1/2", MAGNETIC FLOW METER; (1) 40VAM, 120/25V, STEP DOWN TRANSFORMER; (2) 100-240V AC OPTOELECTRONIC DISPLAYS; (1) 24V DC, 0.75A, 455MM, CE LINEAR ACTUATOR; BUSHINGS; COMPRESSION SPRINGS; PRINTED CIRCUIT BOARDS; INSULATORS (CRATE D)		135	1	LOT/ CONTENTS OF SKID - (1) 8" 90 DEG. PVC ELBOW, (1) 6" 45 DEG. PVC ELBOW, (3) FULL FACE 12"X1/2" SPACERS, (APPROX. 56) 8.5"X162" BAG FILTERS (C-13)	
127	1	LOT/ CONTENTS OF SKID - (9) 10" REINFORCED PLASTIC PIPE FLANGES; (7) 6" REINFORCED PLASTIC PIPE FLANGES; (2) 6"-4" PIPE REDUCERS; (2) 1500V AC POWER ISOLATING TRANSMITTERS; (1) 1/2IN, 800PSI, CS, LEVER HANDLE BALL VALVE; (3) 115V AC, 50/60 HZ, 2 WAY VALVE SOLENOIDS; (2) 5UF, 660V AC, +/- 10 PCT CAPACITORS; (1) 3/4" HYDRAULIC CONTROL VALVE; (10) 1" NYLON PIPE COUPLINGS; (4) MATERIAL LIFTING CLAMPS; (1) 32" LONG X 2-1/2" SWING PLATE BOLTS; (1) 10 AMP MANUAL CURRENT CONTROL; LOCK NUTS; BUSHINGS; COMPRESSION SPRINGS (CRATE B)		136	1	LOT/ CONTENTS OF SKID - (1) FALK 28.270:1 RATIO GEARBOX, (1) 8" DIA. X 9-5/8" PIPE FLANGE (C-16)	
128	1	LOT/ CONTENTS OF SKID - STEEL NOZZLES APPROX. 100 (C-26)		137	1	LOT/ CONTENTS OF SKID - (2) PUMP HOUSING BEARING UNITS; (4) 24"X12"X12" FILTERS, ASSORTED SIZED FILTERS (C-10)	
129	1	LOT/ CONTENTS OF SKID - STEEL NOZZLES APPROX. 100 (C-25)		138	1	LOT/ CONTENTS OF SKID - END PLATE MODEL #73-301-A-A0119 REV. 1 (C-06)	
131	1	LOT/ CONTENTS OF SKID - AE CONTROL NEMA SIZE 6 CONTRACTOR 240V DC INT, BLOWOUT COIL 600 AMPS (C-32)		139	1	LOT/ CONTENTS OF SKID - 91 HVL WORM-TYPE GEARBOX (C-05)	
				140	1	LOT/ CONTENTS OF SKID - (2) FLAPPER VALVES; (1) 1/4" SEAT VALVE; (2) BLOWER INTAKES (C-21)	
				141	1	LOT/ CONTENTS OF SKID - BUHLER 72" FILTER BAG CAGES (APPROX. 24) (C-36)	
				142	1	LOT/ CONTENTS OF SKID - HEAT-TREATED SPUR PINION 16" OD, 6" BORE, 18 CUT TEETH (C-29)	
				143	1	LOT/ CONTENTS OF SKID - 6" LONG ROASTER DUMP VALVE BODY (C-31)	
				146	1	LOT/ CONTENTS OF SKID - (27) GOLDXL DISPOSABLE AIR FILTERS; (10) 13.5"X2" FILTER BAGS 48"X48" PLASTIC SHEET (C-18)	
				147	1	LOT/ CONTENTS OF SKID - (1) SPOOL OF BRAIDED WIRE CABLE; (2) BRIDGE CRANE BRAKE SHOES; (2) DISPOSABLE FILTER ELEMENTS; (2) PREMARK R-SERIES 3X2 SUCTION COVERS (C-09)	
				148	1	LOT/ CONTENTS OF SKIDS - (12) 55 GAL. DRUMS UCARTHERM PM 6195 GLYCOL (C-02, C-03, C-04)	
				149	1	LOT/ CONTENTS OF SKID - 35:1 RATIO GEARBOX (C-01)	
				150	1	LOT/ CONTENTS OF SKID - (3) UPPER CHEEK CRUSHER PLATES (C-22)	
				151	1	LOT/ CONTENTS OF SKID - (APPROX. 20) BRASS DRIVE BEARING SPLIT BUSHINGS (C-24)	

VALE - THOMPSON

LOT #	QTY	DESCRIPTION	\$	LOT #	QTY	DESCRIPTION	\$
152	1	LOT/ CONTENTS OF SKID - (2) COMPLETE FFT CONTACTOR 230V DC; (1) 7.4 HP,1700 RPM, 3-PHASE ELECTRIC MOTOR; (1) FULLY MACHINED CROSSHEAD FOR 60 TON CAP. (C-23)		170	1	LOT/ CONTENTS OF SKID - (2) HOWDEN HUB & BLADE SETS; (2) 8" GATE VALVES; (2) 3/4" TH X 10"W X 14' LONG NON-ASB FRICTION LINING (C-62)	
153	1	LOT/ CONTENTS OF SKID - RUBBER LINED FACEPLATE FOR 12" TECH- (C-28)		171	1	LOT/ CONTENTS OF SKID - (2) 5' CROWBARS; (1) PUMP BEARING CYLINDER (C-54)	
154	1	LOT/ CONTENTS OF SKID - STEEL NOZZLES (APPROX. 100) (C-27)		172	1	LOT/ CONTENTS OF SKID - (1) 150MM HSG DRIVE END SUPPORT; (2) 6" 90 DEG. PIPE ELBOWS (C-51)	
155	1	LOT/ CONTENTS OF SKID - (1) HYDRAULIC CYLINDER FOR 1200 TON PRESS; (1) AS AISI 4140 AXEL; (2) 3" GATE VALVES (C-17)		173	1	LOT/ CONTENTS OF SKID - (2) 2-15/16" PEDESTALS (C-50)	
156	1	LOT/ CONTENTS OF SKID - (2) 20 HP CRANE HOIST MOTORS (C-20)		174	1	LOT/ CONTENTS OF SKID - 7' HEAVY DUTY LINER (C-47)	
157	1	LOT/ CONTENTS OF SKID - AMSTEEL SANDBLAST MEDIA (APPROX. 4000LBS) (C-11)		175	1	LOT/ CONTENTS OF SKID - LASER ALIGNMENT TOOL (C-45)	
158	1	LOT/ CONTENTS OF SKID - AMSTEEL SANDBLAST MEDIA (APPROX. 4000LBS) (C-12)		176	1	LOT/ CONTENTS OF SKID - 72" FILTER BAG CAGES (APPROX. 54) (C-37)	
159	1	LOT/ CONTENTS OF SKID - (2) ANGLED CONVEYOR IDLER ROLLERS; (1) 3" DIA. SOLID PVC BAR; HYDRAULIC PUMP (C-08)		177	1	LOT/ CONTENTS OF SKID - 72" FILTER BAG CAGES (APPROX. 84) (C-34)	
160	1	LOT/ CONTENTS OF SKID - TOSHIBA 50 HP, 575V, 1775 RPM, 3-PHASE ELECTRIC MOTOR (C-07)		178	1	LOT/ CONTENTS OF SKID - (17) 1.5" DIA. THIMBLES (C-61)	
161	1	LOT/ CONTENTS OF SKID - (6) HOIST GEARS; (3) WEAR PLATES; (2) 4" OPEN BODY VALVES (C-64)		179	1	LOT/ CONTENTS OF SKID - CHEMINEER GEARBOX 7.5 HP, 1800 MTR RPM, 84 OUTPUT RPM (C-60)	
162	1	LOT/ CONTENTS OF SKID - SM-CYLO TORQUE CONVERTER 1700 RPM, 273:1 RATIO (C-63)		180	1	LOT/ CONTENTS OF SKID - (3) 10"X12 RUBBER CONCENTRIC REDUCERS; (1) 6"X12" RUBBER SPOOL (C-57)	
163	1	LOT/ CONTENTS OF SKID - 27.25" IMPELLER FAN (C-58)		181	1	LOT/ CONTENTS OF SKID - (1) 8"X6" PUMP HOUSING; (2) PREMARK 3X2 TITANIUM CASTINGS (C-53)	
164	1	LOT/ CONTENTS OF SKID - ELECTRIC MOTOR (C-56)		182	1	LOT/ CONTENTS OF SKID - (3) FAG ROLLER BEARINGS; (1) MANGANESE STEEL LOWER CHEEK PLATE; (1) SUPPRESSOR (C-48)	
165	1	LOT/ CONTENTS OF SKID - 60HP, 575V, 1780RPM, 3-PHASE ELECTRIC MOTOR (C-55)		183	1	LOT/ CONTENTS OF SKID - (2) 5" FLEXIBLE SHAFT COUPLING; (1) LIFELINE VACUUM PRESSURE SWITCH; (1) INLINE STEEL HEAD WITH HOUSING (C-44)	
166	1	LOT/ CONTENTS OF SKID - (2) BARE METAL A6 PUMP LINERS (C-52)		184	1	LOT/ CONTENTS OF SKID - HAYWARD GORDON MBX-53 MIXER WITH 5 HP AND 56 OUTPUT RPM (C-43)	
167	1	LOT/ CONTENTS OF SKID - (2) RH 21" IMPELLER PUMP WHEELS; (1) GEARBOX; (2 BOXES) DISPOSABLE AIR FILTER ELEMENTS; (2) 3 3/8"-4.5"-17.5" SPRINGS (C-49)		185	1	LOT/ CONTENTS OF SKID - HAYWARD GORDON MBX-53 MIXER WITH 5 HP AND 56 OUTPUT RPM (C-42)	
168	1	LOT/ CONTENTS OF SKID - (4) LINEAR ACTUATING HYDRAULIC CYLINDER ASSEMBLIES; FLEXIBLE METAL DISCHARGE HOSE; (5) MOUNTING BRACKETS (C-46)		186	1	LOT/ CONTENTS OF SKID - (1) 8" VALVE PLUG; (1) 5"X4" SUCTION PUMP CASING; (2) 3-11/16" FLANGED COUPLING SHAFTS; (1) G-100-161-1 SUMP PUMP SHAFT (C-70)	
169	1	LOT/ CONTENTS OF SKID - (2) 14" FLANGED LATERAL PIPE (C-65)		187	1	LOT/ CONTENTS OF SKID - SMELTER COUPLING SHAFT (C-71)	
				188	1	LOT/ CONTENTS OF SKID - (3) PRESSURE REGULATORS; (1) TENSION ROD SPRING (C-38)	

VALE - THOMPSON

LOT #	QTY	DESCRIPTION	\$	LOT #	QTY	DESCRIPTION	\$
189	1	LOT/ CONTENTS OF SKID - 6 GAUGE SOLID COPPER WIRE; (1) PINION SHAFT ASSEMBLY; (1) INT SHAFT ASSEMBLY (C-41)		207	1	LOT/ CONTENTS OF SKID - (1) FOXBORO MAGNETIC FLOW METER; (1) 10" FIBRE REINFORCED PIPE FLANGE; (1) 45 DEG, 8" FIBERGLASS REINFORCED PIPE ELBOW; (3) FULL FACE 12" X 2" SPACERS; (2) FULL FACE 12" X 1" SPACERS; (1) WEIR PUMP SHAFT; (3) TEE PIPE REDUCERS (CRATE Z)	
190	1	LOT/ CONTENTS OF SKID - (1) CAST IRON BODY WITH 6" PINCH VALVES; (1) DIRECT EXPANSION PHENOLIC COATED COIL (C-68)		208	1	LOT/ CONTENTS OF SKID - (4) SEW EURODRIVE GEARBOXES WITH MOTORS; FIBREGLASS REINFORCED PIPE JOINTS	
191	1	LOT/ CONTENTS OF SKID - (1) 72" LINEAR ACTUATING AIR CYLINDER; (8) 1-1/4" DRIVE SPROCKETS; (1) 2-7/16" DRIVE CHAIN; (1) 2.5" ODX40" SWING PLATE; (1) FORGED STEEL SPUR PINION GEAR (C-40)		209	1	LOT/ CONTENTS OF SKID - LANTRIC TECHNOLOGIES 1200 DEG F THROUGHFEED BUSBAR INSULATOR (PLT 78)	
192	1	LOT/ CONTENTS OF SKID - (1) 1-3/8" IMPELLER FAN; (6) 64" CLAMPING BARS; (1) PEIRCE SMITH CONVERTER ROLLER (C-66)		210	1	LOT/ CONTENTS OF SKID - (1) FIBERGLASS REINFORCED 45 DEG, 10" ELBOW PIPE; (1) FIBERGLASS REINFORCED 90 DEG, 8" ELBOW PIPE; (1) 8"-6" CONCENTRIC REDUCER PIPE; (1) 8" X 8" X 3" TEE REDUCER (CRATE NN)	
193	1	LOT/ CONTENTS OF SKID - (14) 4-7/8" X 15-7/8" X 2-1/2" TRENCH COVERS; (3) VEHICULAR AXEL ASSEMBLIES; (C-67)		211	1	LOT/ CONTENTS OF SKID - (1) 66.5 GPM VARIABLE DISPLACEMENT RECIPROCATING PUMP; (1) 5100 PSI, 3600 RPM RECIPROCATING PUMP; (1) BELL HOUSING; (1) STAINLESS STEEL PUMP SHAFT (PLT 61)	
195	1	LOT/ CONTENTS OF SKID - (4) 0.0306OHM,430A RESISTOR ASSEMBLIES; (1) GEAR SPEED REDUCER; (1) WORM GEAR REDUCER SHAFT (C-72)		212	1	LOT/ CONTENTS OF SKID - APPROX. 12 HORIZONTAL SAFETY POLES; (1) 17" X 19-3/4" X 1-7/8" REBUILT FORKLIFT RADIATOR; (1) 1/4" X 20-3/4" X 49" PANE OF TEMPERED GLASS (PLT 21)	
198	1	LOT/ CONTENTS OF SKID - (1) 13-1/8" X 13-1/2" X 9-1/2" CAST IRON PRESS LEG; (1) ROTOBLAST WEAR PLATE (PLT 58)		213	1	LOT/ CONTENTS OF SKID - 6" DIA. GRIT SCREW CONVEYOR (PLT 46)	
199	1	LOT/ CONTENTS OF SKID - (2) FLSMIDTH SHROUDED PRESSURE FEEDERS (CRATE QQ)		214	1	LOT/ CONTENTS OF SKID - (1) BOX OF CONVERTER PLATES; (1) HIGH SPEED STEEL FEED FRAME ASSEMBLY, (1) IMPELLER PUMP (PLT 32)	
201	1	LOT/ CONTENTS OF SKID - (2) BOXES CUT TO FIT VACUUM SEAL, (6) 6" DIA. IDLER CONVEYOR ROLLERS (PLT 25)		215	1	LOT/ CONTENTS OF SKID - FULLER 14"X14" FRAME (NEVER USED) (CRATE MM)	
203	1	LOT/ CONTENTS OF SKID - (1) 6" DIA. X 30 DEG, RAISED FACE, 150 PSI. RATED @ 200 DEG. F ELBOW; (2) 6" DIA. X 60 DEG, RAISED FACE, 150 PSI. RATED @ 200 DEG. F ELBOWS; (1) 8" DIA. X 60 DEG, RAISED FACE, 150 PSI. RATED @ 200 DEG. F ELBOW (CRATE PP)		216	1	LOT/ CONTENTS OF SKID - (1) BRONZE HALF BUSHING; (1) 62" CARBON STEEL PUMP SHAFT; (1) 15 TOOTH, 1.5" DP, 10" PD, 5-7/16" BORE GEAR; (1) ROTOBLAST SCREW CONVEYOR GEARBOX DRIVE (PLT 27)	
204	1	LOT/ CONTENTS OF SKID - (3) BRIDGE CRANE DRIVE WHEELS, (1) 2-15/16" ID BEARING ASSEMBLY (PLT 29)		217	1	LOT/ CONTENTS OF SKID - (1) PUMP COVER; (1) SUCTION LINER FASTENER SET; (1) 1 GPM OIL IMMERSSED PUMP; PUMP LINER (PLT 41)	
205	1	LOT/ CONTENTS OF SKID - (1) 1 HP, 1200 RPM, 575V, 60 HZ, 3-PHASE ELECTRIC MOTOR; (1) FLOWSERVE GP3-16 PUMP COVER; (1) FLOWSERVE 3"X6"X4" TUNGSTEN CARBIDE PUMP CASING; (1) 6" BARREL PUMP; (1) 9" PUMP UNIT BEARING HOUSING (PLT 43)		218	1	LOT/ CONTENTS OF SKID - KOERING-PROVINCIAL COUPLINGS (CRATE P)	
206	1	LOT/ CONTENTS OF SKID - (2) 2" HARD NICKEL SUMP PUMP CASINGS; (1) BERTSCH 15-3/8" OD SHEAR PIN HUB; (1) HYDRAULIC CLAMPING LINEAR ACTUATING CYLINDER ASSEMBLY (PLT 44)					

VALE - THOMPSON

LOT #	QTY	DESCRIPTION	\$	LOT #	QTY	DESCRIPTION	\$
219	1	LOT/ CONTENTS OF SKID - (6) SEW EURODRIVE GEARBOXES WITH 1 HP, 330/575V, 1700 RPM, 3-PHASE MOTORS (CRATE X)		230	1	LOT/ CONTENTS OF SKID - (1) 20 MM X 27.7 M ROLL OF BRAIDED WIRE CABLE; (1) DORRIS 25:1 RATIO GEARBOX (PLT 23)	
220	1	LOT/ CONTENTS OF SKID - (2) FALCON FURNACE COOLERS (PLT 35)		231	1	LOT/ CONTENTS OF SKID - HOIST HOOK (CRATE L)	
221	1	LOT/ CONTENTS OF SKID - (2) 18 TOOTH HOIST MOTOR PINION GEARS; (1) 46" STROKE, 2" BORE DIA. LINEAR ACTUATING CYLINDER ASSEMBLY; (15) BRASS BEARING HOUSINGS (PLT 16)		232	1	LOT/ CONTENTS OF SKID - (15 PCS) 50" X 12" FLEXIBLE METAL HOSE; ROPE WIRE; (1) 18" X 9-1/4" OD ROTOBLAST STEPPED SHAFT SPINDLE; (2) BOXES 130 MM ID, 280 MM OD, 93 MM WIDTH DOUBLE BALL BEARINGS (CRATE R)	
222	1	LOT/ CONTENTS OF SKID - (1) CAST STEEL LADLE TRUNNION; (2) ROASTER CUTTING PLOWS; (1) 16" OD CRANE WHEEL DISC BRAKE; (1) TAIL HALTER CROSS BAR (PLT 18)		233	1	LOT/ CONTENTS OF SKID - (7) ROLLER CHAIN 4"X15.5" (PLT 10)	
223	1	LOT/ CONTENTS OF SKID - (4) LINEAR ACTUATING CYLINDER ASSEMBLIES; (1) 8" STYRENE BUTADIENE RUBBER SLEEVE; (1) 6" STYRENE BUTADIENE RUBBER SLEEVE; (1) 1"X183" STAINLESS STEEL FLEXIBLE LINE HOSE ASSEMBLY; (1) 12" FLANGED JOINT EXPANSION; (1) 220 DEG. HYDRAULIC ROTARY ACTUATOR (PLT 3)		234	1	LOT/ CONTENTS OF SKID - (3) LINEAR ACTUATING HYDRAULIC CYLINDER ASSEMBLIES; (2) SKF PILLOW BLOCK BEARINGS; (1) BAUER 600V, 3-PHASE POWER GEARBOX; 2.5" TRIPLE RIVETED ROLLER CHAIN; (1) 3-15/15" CHAIN SPROCKET (PLT 9)	
224	1	LOT/ CONTENTS OF SKID - (2) 13" X 35" WORM GEAR RINGS (PLT 17)		235	1	LOT/ CONTENTS OF SKID - 3-1/8" X 1.5" CHAIN CONVEYOR LINK PLATES (PLT 11)	
225	1	LOT/ CONTENTS OF SKID - (4) METSO MANGANESE HAMMERS (PLT 22)		236	1	LOT/ CONTENTS OF SKID - 15/16" TRANSMISSION CHAIN LINKS (APPROX. 480); 7/8" TRANSMISSION CHAIN LINKS (APPROX. 400) (PLT 7)	
226	1	LOT/ CONTENTS OF SKID - (1) 60 KVA, 600/480V AC, 60 HZ VAC, 3-PHASE TRANSFORMER; (1) 1-1/8" HYDRAULIC MOTOR SHAFT; (1) BLOWER OVERHAUL SEAL KIT; (1) 1-1/2" X 6" RACK GEAR; (1) 28 TEETH, 3" BORE, 3/4" X 3/8" KEYWAY CHAIN DRIVE SPROCKET; (1) 3/4" HYDRAULIC VALVE; (1) 2.2 HP, 1675 RPM, 575V AC, 60HZ, 3-PHASE ELECTRIC MOTOR (PLT 8)		237	1	LOT/ CONTENTS OF SKID - LADLE BUMPING POT TAIL CHAIN (CRATE Q)	
227	1	LOT/ CONTENTS OF SKID - (1) CRANE TROLLEY TRAVEL SHAFT; (1) CRANE OUTPUT SHAFT; (1) METSO MINE SKIP HOIST COUPLER; (1) CRANE FLEXIBLE SHAFT COUPLING; (1) 23" BORE DIA, 4-1/2" GROOVE WIDTH, 3 GROOVE PULLEY; (1) DUST HANDLING SYSTEM ACTUATOR; (1) 24V DC AUTOMOTIVE STARTER; (2) MUELLER STRETCH HOODER SCREW JACKS (PLT 20)		239	1	LOT/ CONTENTS OF SKID - (1) 1-1/4" X 16' ANCHOR CHAIN WITH ANCHOR; SEW EURODRIVE 68.95:1 RATIO GEARBOX WITH 2 HP, 35 RPM MOTOR (PLT 19)	
228	1	LOT/ CONTENTS OF SKID - (2) OD 18" X THK 8.5" CARBON STEEL CRANE DISC BRAKE WHEELS (PLT 24)		240	1	LOT/ CONTENTS OF SKID - (1) BRIDGE CRANE IDLER ASSEMBLY; (1) SHEPPARD NILES HOIST COUPLING; (1) 10" OD, 2-3/4" BORE, 1/4" X 5/8" KEY DRIVE TROLLEY WHEEL (PLT 31)	
229	1	LOT/ CONTENTS OF SKID - (1) MARTIN ENGINEERING CD-12-1630, (1) EVOQUA VIBRATOR MOTOR 0.36 HP, 575V, 3-PHASE		241	1	LOT/ CONTENTS OF SKID - (2) 32"OD. X 30" ID, 6" FACE X 5-1/2" HUB FLANGED TRAVEL DRIVE WHEEL ASSEMBLIES (PLT 34)	
				242	1	LOT/ CONTENTS OF SKID - (1) 1-1/4" PITCH DIA, RIGHT HAND, SINGLE THREAD BULL GEAR; (1) 16-1/2" L.H. RUBBER COVERED AUTOMATIC VALVE ASSEMBLY; (1) VACUUM HEAD WEAR PLATE (PLT 36)	
				243	1	LOT/ CONTENTS OF SKID - (12) HARDINGE BALL MILL METAL FEED CONE PLATES (PLT 30)	
				244	1	LOT/ CONTENTS OF SKID - (3) ESP DUST HANDLING SYSTEM INSULATORS (CRATE U)	
				245	1	LOT/ CONTENTS OF SKID - (9) ESP DUST HANDLING SYSTEM ELECTRICAL CONDUCTOR BUSHINGS (PLT 26)	

VALE - THOMPSON

LOT #	QTY	DESCRIPTION	\$	LOT #	QTY	DESCRIPTION	\$
246	1	LOT/ CONTENTS OF SKID - TANK HOUSE JOIST HANGERS (PLT 15)		261	1	LOT/ CONTENTS OF SKID - (3) LEESON 7.5 HP, 575V, 720 RPM, 3-PHASE ELECTRIC MOTORS (PLT 65)	
247	1	LOT/ CONTENTS OF SKID - (1) 126VFH GEAR REDUCER SHAFT; (1) 126VFH WORM GEAR; (1) STANDARD GEAR SPEED REDUCER SHAFT; (1) 2.85" BORE DIA, 0.725" KEY BRONZE HELICAL GEAR; (1) 8-3/16" X 5-31/32" ECCENTRIC BLOCK GATE;(2) MANDREL GRIT BLASTER SCREENS (CRATE HH)		262	1	LOT/ CONTENTS OF SKID - (3) 1.2M INTERMEDIATE MEMBRANE WITH RBN CENTER HOLE; (1) 12-1/8" X 49-1/8" X 1/4" CONTROL BOOTH TEMPERED GLASS PANE (PLT 50)	
248	1	LOT/ CONTENTS OF SKID - ID 15-11/16" X OD 20-1/2" X WD 5" CAR PULLER RIM (PLT 56)		263	1	LOT/ CONTENTS OF SKID - (5) ID 9.929" X WD 8-1/8" CAST STEEL HOLD-DOWN COLLARS (PLT 53)	
249	1	LOT/ CONTENTS OF SKID - 8" PNEUMATIC ACTUATED PINCH VALVE (CRATE J)		264	1	LOT/ CONTENTS OF SKID - (2) FOXBORO MAGNETIC FLOW TUBES; (1) 3" STAINLESS STEEL METERING TUBE; (3) 120V LINEAR ACTUATORS; ID 1-1/4" X OD 2-1/2" X LG 9" SOLID CAST IRON PLUGS (APPROX. 50) (CRATE JJ)	
250	1	LOT/ CONTENTS OF SKID - (1) WD 45" X LG 65" X THK 2- 1/8" COMPRESSOR AIR FILTER; (1) TANK COIL; WASHABLE/ REUSABLE AIR FILTER MEDIA (PLT 28)		265	1	LOT/ CONTENTS OF SKID - SHEAR GEAR (PLT 54)	
251	1	LOT/ CONTENTS OF SKID - (4) BOXES OF 11-1/2"X30", 1 U FILTER BAGS; (1) 185"X60" FILTER CLOTH ROLL (PLT 33)		266	1	LOT/ CONTENTS OF SKID - (2) 5"X4"X14" PUMP CASINGS; (2) CAST IRON PUMP CASINGS (PLT 39)	
252	1	LOT/ CONTENTS OF SKID - (3) ROLLS GREY POLYESTER FELT (PLT 4)		267	1	LOT/ CONTENTS OF SKID - (1) 5" X 4" X 14" PUMP CASING; IMPELLER PUMP PARTS & COMPONENTS; FEED HANDLER PARTS & COMPONENTS (PLT 40)	
253	1	LOT/ CONTENTS OF SKID - (2) LINEAR ACTUATING HYDRAULIC CYLINDER ASSEMBLIES (PLT 5)		268	1	LOT/ CONTENTS OF SKID - (2) 3" X 1-1/2" H-13 PUMP BEARING HOUSINGS; (1) 4" X 3" H-13 PUMP BEARING HOUSING; (1) HSI 4" X 3" H-13 PUMP CASING; (1) 3" X 1-1/2" H-13 PUMP CASING (PLT 42)	
254	1	LOT/ CONTENTS OF SKID - (1) 8" DIA. FLEX RUBBER MINING HOSE; (100) SMELTER MOULD CONVEYOR SHAFTS; (1) 8" METALLIC EXPANSION HOSE ASSEMBLY; (1) 5 HP, 575V, 3-PHASE ELECTRIC MOTOR (PLT 6)		269	1	LOT/ CONTENTS OF SKID - (2) BOXES DUREX ASH EQUIPMENT (PLT 52)	
255	1	LOT/ CONTENTS OF SKID - (1) PIPE SPOOL WITH 3' -5 5/8" C/C DISTANCE BETWEEN FLANGES, 6" DIA.; (1) PIPE SPOOL; WITH 2FT -8 7/8IN C/C DISTANCE; BETWEEN FLANGES, 6" DIA.; (1) DIA 5" X LG 29" HEAT EXCHANGER (PLT 55)		270	1	LOT/ CONTENTS OF SKID - 5" X 4" X 14" PUMP CASING (CRATE Y)	
256	1	LOT/ CONTENTS OF SKID - METSO BREAKER PLATE (PLT 59)		271	1	LOT/ CONTENTS OF SKID - (1) CAST IRON HEAT RESISTANT MATTE LADLE LIP; (2) ID 6" X 13" RUBBER LINED FLANGED CONNECTORS (PLT 48)	
257	1	LOT/ CONTENTS OF SKID - LEACHED MATTE FILTER (CRATE O)		272	1	LOT/ CONTENTS OF SKID - (1) 5 HP, 330/575V, 3-PHASE ELECTRIC MOTOR; (5) 4" X 3" H-13 PUMP CASINGS (CRATE II)	
258	1	LOT/ CONTENTS OF SKID - (1) LOCOMOTIVE BRAKE SHOE; (1) 31" DIA. DRUM WINCH; (1) PIPE ELBOW; (1) 4" SUMP PUMP CASING; (1) 4" SUMP PUMP INLET (CRATE V)		273	1	LOT/ CONTENTS OF SKID - (1) 90 DEG, 10" FIBERGLASS REINFORCED PIPE ELBOW; (1) 90 DEG, 4" FIBERGLASS REINFORCED PIPE ELBOW; (1) 90 DEG, 3" FIBERGLASS REINFORCED PIPE ELBOW; (3) 10" DIA, STEEL CORE RUBBER LINED FINDERS (CRATE OO)	
259	1	LOT/ CONTENTS OF SKID - JUMBO LADLE LIP (PLT 60)		274	1	LOT/ CONTENTS OF SKID - T160B19F 19 TOOTH SPROCKET WITH 4-1/4" BORE DIA. (PLT 51)	
260	1	LOT/ CONTENTS OF SKID - (1) BT-40 BULL WORM GEAR SHAFT; (1) 12 TEETH 20 DEG.PITCH ANGLE 9-5/8" FACE; 5-3/16" BORE,14" OD 12" PD 1" DP GEAR; (1) ROTOBLAST MACHINE RUNNER (PLT 49)		275	1	LOT/ CONTENTS OF SKID - (1) 33" X 6" X 11/16" GATE SLIDE LINER PLATE; (1) 3" CHECK VALVE; (1) 4" DIA. NICKEL HARD CAST LATERAL PIPE (PLT 47)	

VALE - THOMPSON

LOT #	QTY	DESCRIPTION	\$	LOT #	QTY	DESCRIPTION	\$
276	1	LOT/ CONTENTS OF SKID - TOSHIBA 40 HP, 575V, 3-PHASE INDUCTION MOTOR (CRATE LL)		292	1	SIGNODE (2008) KLS-12-PVFA BOX STRAPPING MACHINE WITH ALLEN BRADLEY CONTROLLOGIX 1756-L61 PLC CONTROL, KLS-3/4-4 KEY HEAD TYPE, STRAP SIZE ½"X0.020" MAGNUS PAINTED & WAXED AND SIGNODE DAPM-2000-SH STRAP FEEDER, S/N: (CI)	
277	1	LOT/ IONIC ENGINEERING SHED SHEAR INGOT SLAB SHEARING/DRUM & BOX PACKAGING LINE CONSISTING OF LOTS 278 TO 310 (CI)		293	1	BALL SCREW TYPE DOUBLE SIDED POWER SHEAR FEEDER (CI)	
278	1	AVON ENGINEERING INGOT LOADER POWER ROLLER CONVEYOR 212"X36" APPROX. (CI)		294	1	INTERNATIONAL NICKEL MECHANICAL SHEAR WITH 24" X2 MAXIMUM CUTTING LENGTH, 13/16" CAPACITY, 30 STROKES/MIN, S/N: N/A (CI)	
279	1	FANUC M-900iA 6 AXIS PICK AND PLACE ROBOT WITH 4 POINT ELECTROMAGNETIC LIFTING HEAD, FANUC SYSTEM R-30A CONTROL, S/N: N/A (CI)		295	1	BLUE ARC ENGINEERING POWER INCLINE BELT CONVEYOR 216"X51" APPROX. (CI)	
280	1	BALL SCREW TYPE POWER SHEAR FEEDER (CI)		296	1	LOT/ POWER REVERSING BELT CONVEYOR 84"X12' APPROX. AND MATERIAL LOADER (CI)	
281	1	INTERNATIONAL NICKEL MECHANICAL INGOT SHEAR WITH 62" MAXIMUM CUTTING LENGTH, 13/16" CAPACITY, 30 STROKES/MIN, S/N: N/A (CI)		297	1	CLEVELAND WRT-2936.5-RE-9-6 VIBRATORY WEIGHT SCALE WITH 500 LB. CAPACITY, METTLER TOLEDO IND650 DRO (CI)	
282	1	BLUE ARC ENGINEERING POWERED DISCHARGE BELT CONVEYOR 170"X52" APPROX. (CI)		298	1	DESTACO DOUBLE SIDED 2 AXIS DRUM LID PICK AND PLACE ROBOT WITH GANTRY AND ROTARY LOADING STATIONS (CI)	
283	1	REJECT SORTER (CI)		299	1	LID CRIMPING STATION (CI)	
284	1	BLUE ARC ENGINEERING POWERED REJECT BELT CONVEYOR 101"X14" APPROX. (CI)		300	1	LOT/ FANUC M-900iA 6 AXIS PICK AND PLACE ROBOT WITH DRUM PICKING HEAD, ROBOT TOOL CHANGE STATION, BOX PICKING HEAD, FANUC SYSTEM R-30A CONTROL, S/N: N/A (CI)	
285	1	BLUE ARC ENGINEERING POWERED REJECT BELT CONVEYOR 122"X35" APPROX. (CI)		301	1	LOT/ PALLET LOADER/PUSHER 42"X42" PALLET DIMENSIONS WITH 56"X42" APPROX. ROLLER CONVEYOR TURNTABLE (CI)	
285A	1	FANUC M-900iA 6 AXIS PICK AND PLACE ROBOT WITH ELECTROMAGNETIC LIFTING HEAD, FANUC SYSTEM R-30A CONTROL, S/N: N/A (CI)		302	1	LOT/ POWER REVERSING ROLLER CONVEYOR 204"X16.5" APPROX. WITH INFEEED ROLLER CONVEYOR 58"X34" APPROX. (CI)	
286	1	540"X34" APPROX. POWER ROLLER CONVEYOR (CI)		303	1	MOLLERS (2008) HSA STRETCH HOODER, S/N: 03-01-10 (CI)	
287	1	HYTROL BOX STACK POWER FEEDER CONVEYOR 114"X24" APPROX. (CI)		304	1	POWERED OUTFEED ROLLER CONVEYOR 168"X43" APPROX. (CI)	
288	1	LOT/ HYTROL LID STACK POWER ROLLER CONVEYOR 122"X21" APPROX. AND 38"X12" POWER LOADING CHAIN CONVEYOR (CI)		305	1	WEBER 5200 LABELING MACHINE (CI)	
289	1	DESTACO 2 AXIS BOX LID PICK AND PLACE ROBOT WITH GANTRY (CI)		306	1	IONIC ENGINEERING SHED SHEAR ELECTRICAL CABINET (CI)	
290	1	LOT/ WEBER 5200 LABELING MACHINE AND MSS 1000 LB. CAP. IN-LINE WEIGH SCALE WITH GSE 460 DRO (CI)		307	1	IONIC ENGINEERING SHED SHEAR ELECTRICAL CABINET (CI)	
291	1	396"X22" APPROX. POWER CHAIN CONVEYOR WITH VESTIL SCISSOR LIFT TABLE (CI)		308	1	IONIC ENGINEERING SHED SHEAR PLC CABINET (CI)	
				309	1	IONIC ENGINEERING SHED SHEAR PLC CABINET (CI)	

VALE - THOMPSON

LOT #	QTY	DESCRIPTION	\$	LOT #	QTY	DESCRIPTION	\$
310	1	LOT/ PERIMETER SAFETY CAGE WITH SICK SAFETY LIGHT CURTAINS AND SICK ELECTROMAGNETIC SAFETY DOOR LOCKS (CI)		317	1	HUNSLET DIESEL LOCOMOTIVE WITH DEUTZ F4L912W DIESEL ENGINE, 55 HP, 2300 RPM, DEAD MAN SWITCH, OPERATOR CAB ENCLOSURE, 8980 HOURS RECORDED ON METER AT TIME OF LISTING S/N: LD-7176 (CI)	
311	1	LOT/ SHEAR PARTS - (9) GATE PINS, (1) CLUTCH AIR CYLINDER, (2) BOG CLUTCH DOGS & BOLTS, (10) BLADE BOLT WASHERS, BLADE BOLTS, (7) HOLD DOWN ARM BUSHINGS, BEARING SPACERS, GATE BLOCK SPACERS, V-BELTS		320	10	MATERIAL RAIL CARTS 6'6"X3'9" WITH 2'12" WHEELBASE	
312	1	LOT/ SHEAR PARTS - (1) INTERNAL FLY SHAFT BEARING HOUSING, (1) FLYWHEEL SHAFT BEARING HOUSING, (10) BRASS SIDE PLATES, (9) BRASS PIECES FOR TOP & BOTTOM OF MAIN SHAFT BEARINGS, (3) ECC STRAP BEARINGS, (4) WEDGES FOR ECC STRAP BEARINGS, (3) BEARINGS, (3) TAPER LOCKS		321	10	MATERIAL RAIL CARTS 6'6"X3'9" WITH 2'12" WHEELBASE	
313	1	LOT/ SHEAR PARTS - (4) SIDE PLATES COUNTER WEIGHTS TO GATE, (1) HOLD DOWN FOOT, (5) HOLD DOWN SPRING RODS - FRONT, (9) BACK GAUGE RODS, (2) HOLD DOWN SIDE PLATES, (5) COUNTERWEIGHT NOSE PINS, (5) HOLD DOWN ARM PINS, (4) CLUTCH SPRINGS, (6) ARM ROLLER PINS, (6) SPRINGS FOR HOLD DOWN ARMS - BACK, (17) FRONT HOLD DOWN ARM SPRINGS, (3) ROLLERS, (7) BACK GAUGE ADJUSTMENT RODS, (2) BACK GAUGE ADJUSTING RODS - COMPLETE, (5) ECCENTRIC STRAP PINS, (6) BACK GAUGE SIDE GUIDES, (7) BACK GAUGE ADJUSTMENT ROD HANDLES, (10) BACK GAUGE ADJUSTMENT ROD NUTS, (3) BACK GAUGE ADJUSTMENT ROD HANDLE HOLDERS, (6) REMOVABLE CLUTCH SPRING CAPS, (4) MAIN SHAFT BEARING WEDGES, (5) BULL GEAR CLUTCH BOLTS, (2) COMPLETE BRAKE ASSEMBLIES, (2) BACK GAUGE SLIDERS, (3) BRAKE LINERS, (2) GATE SPRINGS, (6) LOBE KEYS, (5) COUNTER WEIGHT PIN BUSHINGS		322	10	MATERIAL RAIL CARTS 6'6"X3'9" WITH 2'12" WHEELBASE	
315A	1	INTERNATIONAL NICKEL (REBUILT) MECHANICAL INGOT SHEAR WITH 60" CUTTING LENGTH APPROX. (CI)		323	10	MATERIAL RAIL CARTS 6'6"X3'9" WITH 2'12" WHEELBASE	
316	1	HUNSLET DIESEL LOCOMOTIVE WITH DEUTZ F4L912W DIESEL ENGINE, 55 HP, 2300 RPM, DEAD MAN SWITCH, OPERATOR CAB ENCLOSURE, 1181 HOURS RECORDED ON METER AT TIME OF LISTING S/N: LD-7177 (CI)		324	10	MATERIAL RAIL CARTS 6'6"X3'9" WITH 2'12" WHEELBASE	
				325	10	MATERIAL RAIL CARTS 6'6"X3'9" WITH 2'12" WHEELBASE	
				326	10	MATERIAL RAIL CARTS 6'6"X3'9" WITH 2'12" WHEELBASE	
				327	10	MATERIAL RAIL CARTS 6'6"X3'9" WITH 2'12" WHEELBASE	
				328	10	MATERIAL RAIL CARTS 6'6"X3'9" WITH 2'12" WHEELBASE	
				329	1	LOT/ RAIL TRACK, TIES, SWITCH POINTS	
				330	1	STERLING (2007) ACTERRA FLATBED TRUCK WITH CATERPILLAR C7 DIESEL ENGINE, AUTOMATIC TRANSMISSION, 188"X96" STEEL DECK, AM/FM RADIO WITH CD PLAYER, A/C, CRUISE CONTROL, 110,517 KM RECORDED ON METER AT TIME OF LISTING, VIN: 2FZHCHDC87AX39681	
				331	1	ELGIN PELICAN SERIES P SWEEPER WITH JOHN DEERE DIESEL ENGINE, 66" REAR BRUSH, A/C & HEATER, MOTOROLA MAXTRAC MOBILE RADIO, 51,505 MI RECORDED ON METER AT TIME OF LISTING, S/N: P3546D	
				333	1	MOTIVATION 2200 LB CAP. MOBILE GANTRY	
				334	1	LOT/ ELECTRICAL CABLE - INCLUDING COPPER GROUND WIRE, 600V OUTDOOR GENERAL CABLE, 600V WATER RESISTANT CABLE, OPTICAL CABLE, 300V PVC SHIELDED CABLE, 600V INSTRUMENTATION CABLE, TELEPHONE CABLE, LEAD CURED CABLE, GAUGES RANGING FROM 0000 - 500 MCM, VOLTAGES RANGING UP TO 1KV	
				335	1	TAYLOR WINFIELD NV-1 SPOT WELDERS WITH UNITROL SOLUTION DIGITAL CONTROL, 20 KVA, 575V, 8" THROAT, 6" GAP, FOOT PEDAL, S/N: 245231	

VALE - THOMPSON

LOT #	QTY	DESCRIPTION	\$	LOT #	QTY	DESCRIPTION	\$
336	1	TAYLOR WINFIELD NV-1 SPOT WELDERS WITH UNITROL SOLUTION DIGITAL CONTROL, 20 KVA, 575V, 8" THROAT, 6" GAP, FOOT PEDAL, S/N: 130089		358	1	TOSHIBA 10 HP, 575V, 10.4 AMP, 1175 RPM, 3-PHASE INDUCTION MOTOR	
337	1	TAYLOR WINFIELD NV-1 SPOT WELDERS WITH UNITROL SOLUTION DIGITAL CONTROL, 20 KVA, 575V, 8" THROAT, 6" GAP, FOOT PEDAL, S/N: N/A		359	1	LOT/ CONTENTS OF SKID - (2) SHEPPARD NILES 1.5 HP, 208V, 3-PHASE HOIST MOTORS	
338	1	TAYLOR WINFIELD NV-1 SPOT WELDERS WITH UNITROL SOLUTION DIGITAL CONTROL, 20 KVA, 575V, 8" THROAT, 6" GAP, FOOT PEDAL, S/N: 242516		360	1	TOSHIBA 5 HP, 575V, 5.5 AMP, 1160 RPM, 3-PHASE ELECTRIC MOTOR	
339	1	MILLER INTELLIWELD 650 DC ARC WELDING POWER SOURCE		361	1	LOT/ CONTENTS OF SKID - SKF PILLOW BLOCK BEARINGS	
340	1	HOTSY 1743 POWER WASHER WITH 3000 PSI, S/N: 11065290-156691		362	1	LOT/ CONTENTS OF SKID - PILLOW BLOCK BEARINGS ASSORTED SIZES	
341	1	SIKA PORTABLE SHOTCRETE MACHINE		363	1	LOT/ CONTENTS OF SKID - SKF, FAG & NTN ROLLER BEARINGS, PILLOW BLOCK BEARINGS ASSORTED SIZES (NEW IN BOX)	
342	1	HUSQVARNA BRICK SAW		364	1	LOT/ CONTENTS OF SKID - SKF, FAG & NTN ROLLER BEARINGS, PILLOW BLOCK BEARINGS ASSORTED SIZES (NEW IN BOX)	
343	1	HUSQVARNA BRICK SAW		365	1	LOT/ CONTENTS OF SKID - ROLLER CHAIN AND SPROCKETS ASSORTED SIZES	
344	1	HAYWARD GORDON MIXER		366	1	LOT/ CONTENTS OF SKID - ROLLER CHAIN AND SPROCKETS ASSORTED SIZES	
345	1	HAYWARD GORDON MB-54 HEAVY DUTY MIXER		367	1	LOT/ CONTENTS OF SKID - (2) CHAIN SPROCKETS, (1) MULTI-GROOVE PULLEY	
346	1	TURNBULL BLOWER FAN WITH WESTINGHOUSE 2 HP, 575V, 2.8 AMP, 865 RPM ELECTRIC MOTOR		368	1	LOT/ CONTENTS OF SKID - MACHINE BELTS ASSORTED SIZES	
347	1	TURNBULL (2017) BLOWER FAN WITH MARATHON 1 HP, 208/230V, 1140 RPM ELECTRIC MOTOR		369	1	LOT/ CONTENTS OF SKID - MACHINE BELTS ASSORTED SIZES	
348	1	TURNBULL (2017) BLOWER FAN WITH MARATHON 1 HP, 208/230V, 1140 RPM ELECTRIC MOTOR		370	1	LOT/ CONTENTS OF SKID - MACHINE BELTS ASSORTED SIZES	
349	1	TURNBULL (2017) BLOWER FAN WITH 500 PSIG MAX. OPERATING PRESSURE AND BALDOR ELECTRIC MOTOR		371	1	LOT/ CONTENTS OF SKIDS - (6) ANGLED CONVEYOR IDLER ROLLERS 42-363-HSE	
350	1	TOSHIBA 40 HP, 575V, 38 AMP, 1180 RPM, 3-PHASE ELECTRIC MOTOR		372	1	LOT/ CONTENTS OF SKID - (4) WAJAX ANGLED CONVEYOR IDLER ROLLERS	
351	1	TOSHIBA 40 HP, 575V, 38 AMP, 1180 RPM, 3-PHASE ELECTRIC MOTOR		373	1	LOT/ CONTENTS OF SKID - FIRE FIGHTING & SAFETY EQUIPMENT INCLUDING ROPES, SAFETY HARNESSES, FALL ARREST/FALL RESTRAINT LINES, STRAPS, HOSES	
352	1	TOSHIBA 75 HP, 593V, 3-PHASE ELECTRIC MOTOR		374	1	LOT/ CONTENTS OF SKID - FIRE FIGHTING & SAFETY EQUIPMENT INCLUDING BRUTE X-PANDER HAND PUMP EXPANDER, FIRE BUCKETS, HOSES, CORDS	
353	1	TOSHIBA 40 HP, 575V, 38 AMP, 1175 RPM, 3-PHASE ELECTRIC MOTOR		375	1	LOT/ CONTENTS OF SKID - AIR/WATER HOSE	
354	1	TOSHIBA 30 HP, 575V, 30 AMP, 2400 RPM, 3-PHASE ELECTRIC MOTOR		377	1	LOT/ CONTENTS OF SKID - STAINLESS STEEL PIPE FITTINGS ASSORTED SIZES	
355	1	BALDOR 40 HP, 575V, 10.4 AMP, 1175 RPM, 3-PHASE ELECTRIC MOTOR		378	1	LOT/ CONTENTS OF SKID - EXCALIBUR EXTRUSIONS 3/4" X 6" SCH 80 PVC THREADED PIPE APPROX. 25 PC. /BOX	
356	1	LOT/ CONTENTS OF SKID - (10) AO SMITH 1/2 HP, 115V, 5.6:2.8 AMP, 1140 RPM ELECTRIC MOTORS					
357	1	LOT/ CONTENTS OF SKID - (1) TOSHIBA 3 HP, 575V, 3.2 AMP, 1760 RPM, 3-PHASE ELECTRIC MOTOR, (1) GE 2 HP, 240V, 7.2 AMP ELECTRIC MOTOR, (2) VIBRATOR SHAKERS					

VALE - THOMPSON

LOT #	QTY	DESCRIPTION	\$	LOT #	QTY	DESCRIPTION	\$
379	1	LOT/ CONTENTS OF SKID - GEORGE FISCHER 1.5" VAN STONE FLANGE SCH 80 PVC APPROX. 5 PC/BOX					
380	1	LOT/ CONTENTS OF SKID - PVC FLANGES AND CONNECTORS ASSORTED SIZES					
381	1	LOT/ CONTENTS OF SKID - (6) FLOWVERSE B143 APPROX. 4" PLUG VALVES					
383	1	LOT/ CONTENTS OF SKID - (10) FTI PFV-40 ELECTRIC HAND-HELD PUMPS, (4) IMPELLERS (NEW IN BOX)					
384	1	LOT/ CONTENTS OF SKID - (6) WALL-MOUNT RETRACTABLE HOSE REELS					
385	1	LOT/ CONTENTS OF SKID - HOSE CLAMPS WITH 11.5" INNER DIA.					
386	1	SET OF COLLAPSIBLE FORKS					
387	1	LOT/ CONTENTS OF SKIDS - 23.5"X48" AND 18 5/8" X 39 1/8" HEAT EXCHANGER PLATES					
388	1	LOT/ CONTENTS OF SKID - PNEUMATIC TUGGER WINCH					
389	1	LOT/ CONTENTS OF SKID - (2) OUELLET (2010) 600V AC, 40,000 WATT, 3-PHASE INDUSTRIAL HEATER UNITS					
390	1	LOT/ CONTENTS OF SKID - (4) DOMETIC DUO-THERM 115V AC AIR CONDITIONER UNITS					
391	1	LOT/ CONTENTS OF SKID - (2) 8" STRAIGHTWAY VALVES					
392	1	LOT/ CONTENTS OF SKID - (1) 6" FLANGED VALE, (1) DIAPHRAGM VALVE, (1) STRAIGHTWAY VALVE					
393	1	LOT/ CONTENTS OF SKID - KGC DEZURIK 12" PNEUMATIC ACTUATED KNIFE GATE VALVE WITH SOLENOID, PROX SWITCHES					
394	1	LOT/ CONTENTS OF SKIDS - (2) D8SF42-DLAG-53 FILTER PRESS TAIL PULLEYS					
395	1	LOT/ CONTENTS OF SKID - TORNADO IM-10 INK MIXER AND COLOUR BLENDER					
396	1	LOT/ CONTENTS OF SKID - (5) HAYWARD GORDON ST-12 REDUCERS WITH 25.63:1 RATIO					
398	1	LOT/ CONTENTS OF SKID - HEAVY DUTY GATE VALVE APPROX. 12"					
399	1	LOT/ STORAGE RACK WITH TREADED FORKLIFT TIRES ASSORTED SIZES					
400	1	mitsubishi FR-A700 INVERTER (NEW IN BOX)					
401	1	LOT/ (3) SLAG SLURRY HOSES NON-METALLIC WITH 8" INNER DIA.					
402	1	LOT/ APPROX. 23 SKIDS OF ACID BRICK					



TERMS AND CONDITIONS OF SALE

Subject to amendments and modifications announced by the Auctioneer at the time of the auction, all persons participating in the auction shall be bound by the following terms and conditions and as stated or otherwise set forth in the brochure and/or on the Auctioneer's website www.corpassets.com.

1. In order to register and participate as a bidder, Bidders are required to provide a minimum 25% deposit to establish their requested credit limit together with identification of either a valid Driver's License or Passport.
2. The Auctioneer reserves the right to refuse any applicant the privilege of bidding or attending the auction and may revoke such privilege at any time.
3. Payment in full must be made immediately after the conclusion of the auction. Deposit payments or payments on account may be made in advance of the auction by way of bank wire transfer and any balance in excess of the balance owing will be refunded to the Bidder or Purchaser (as the case may be) after the auction. For International (Non-Canadian and U.S. Residents) Purchasers, Webcast Remote Purchasers & Online Purchasers, payments shall be by way of bank wire transfer. For Canadian and U.S. On-site Purchasers, all payments shall be by way of wire transfer, certified cheque, bank draft, Interac, cash or company cheque accompanied with a valid bank letter of authorization guaranteeing irrevocable payment to Corporate Assets Inc. in the following format: "**Name of Bank** hereby guarantees irrevocable payment of cheques payable to Corporate Assets Inc. up to **Amount in Words & Currency** for purchases made by our client **Name of Client**. This letter is valid for purchases made at the auction of Name of Auction being held in **City, State/Province on Date**."
4. Payments by way of Visa or Mastercard will be accepted for purchases from Purchasers whose total invoice does not exceed \$2,500. An Administration Fee may apply subject to the Auctioneer's discretion.
5. A Buyer's Premium as posted on our website or announced, will apply at this sale.
6. All applicable sales taxes arising on a sale shall be paid to the Auctioneer at the time of sale.
7. All Articles will be sold to the highest bidder conforming to the bid process, provided that the Auctioneer reserves the right to sell articles by individual, grouped lots and "in bulk", as the Auctioneer deems appropriate. The Auctioneer reserves the right to sell on behalf of third parties, on its own account or on the account of others. Should any dispute arise between two or more bidders or as to any bid, the lot in question may, at the Auctioneer's discretion, be immediately put up again and resold. The Auctioneer shall regulate all matters relating to the conduct of the auction and the Auctioneer's decision shall be final and binding on all bidders. The records kept by the clerk of the sale, shall in all cases be accepted by the bidder as final.
8. The Auctioneer reserves the right to sell subject to reserve and to bid for its own account and for the account of others, whether by verbal or written proxy, and may sell or remove articles without notice before the auction and shall have no further liability to any person whatsoever, including without limitation, any damages for loss of profits.
9. All sales shall be concluded as indicated by the Auctioneer and no Bidder/Purchaser may thereafter revoke their bid. Title to the articles purchased shall not pass until payment in full of the purchase price is received.
10. ALL SALES ARE FINAL, ON AN "AS IS WHERE IS", "IN PLACE" "WITH ALL FAULTS" BASIS WITH NO CONDITIONS OR WARRANTIES WHETHER EXPRESSED, IMPLIED, STATUTORY OR OTHERWISE, INCLUDING WITHOUT LIMITATION, WARRANTIES OR CONDITIONS AS TO TITLE, DESCRIPTION, FITNESS FOR PURPOSE, QUANTITY, QUALITY, MERCHANTABILITY, STATE, CONDITION, LOCATION OR OTHERWISE. NO SALE SHALL BE INVALIDATED AND THE AUCTIONEER SHALL HAVE NO LIABILITY FOR A MISDESCRIPTION OF ANY ARTICLE OR LOT WHETHER CONTAINED IN A CATALOGUE, ADVERTISEMENT, ORAL ANNOUNCEMENT OR OTHERWISE. DESCRIPTIONS HAVE BEEN PREPARED FOR GUIDE PURPOSES ONLY AND SHALL NOT BE RELIED UPON BY THE PURCHASER FOR ACCURACY OR COMPLETENESS. PLEASE INSPECT ALL ITEMS BEFORE BIDDING. PURCHASERS SHALL BE DEEMED TO HAVE RELIED ENTIRELY UPON THEIR OWN INSPECTIONS AND INVESTIGATIONS.
11. No article shall be removed unless paid for in full and all articles purchased shall be removed within the guidelines and terms stipulated. The Purchaser shall be responsible for all costs of removal and shall be liable for any damages, including without limitation, any environmental damage, caused during or as a result of the removal. Purchasers shall comply with all environmental laws and regulations and all requirements established by the Auctioneer for the removal of articles, including providing proper insurance and which Riggers may operate on site; please refer to the "REMOVAL REQUIREMENTS" on the inside back cover.
12. No Purchasers may assign, transfer or dispose of their rights in any article purchased before they have paid the purchase price in full. Notwithstanding, these terms and conditions shall continue to be in effect and automatically transferred to any assignee or transferee.
13. Where available, documents of transfer, including motor vehicle ownership documents, which are in possession of the Auctioneer, will be provided to the Purchaser following the auction or as soon thereafter as such documents become available.
14. The Auctioneer assumes no responsibility or any liability once title passes, which occurs at time of payment in full. Purchasers are advised to prearrange for insurance coverage of their purchase(s). Without limiting the generality of the foregoing, the Auctioneer shall not be liable for any insurable risk, including but not limited to fire or theft (an "insurable risk").
15. If the Purchaser is unable to retrieve an article sold to the Purchaser due to any default of the Auctioneer other than loss due to an insurable risk, the Auctioneer's liability shall be limited to the reimbursement of the Purchaser for all monies paid to the Auctioneer by the Purchaser in respect of an article purchased, and the Auctioneer shall have no further liability to the Purchaser including without limitation, any damages for loss of profits.
16. Time shall be of the essence. Title may revert to seller in the event Purchaser does not remove their purchase by the time specified. If a Purchaser fails to make payment or remove goods within the time periods hereinabove provided, the Auctioneer may resell the article purchased by auction, private contract or otherwise, as the Auctioneer in his discretion deems advisable. If the Auctioneer makes a good faith attempt to resell the article but cannot, he may dispose or scrap the article.
17. The Purchaser shall be liable for the shortfall and all costs and expenses incurred in such resale or scrapping, as described in paragraph 16. These costs and expenses include, but are not limited to, attorney fees, court costs, law enforcement costs, moving and storage costs, and any other commissions incurred or fees assessed by the Auctioneer. Attorney fees and costs include, but are not limited to, such fees and costs incurred in the pursuit of a claim, judgment or a citation against the Purchaser(s) and/or any Guarantor(s).

These terms and conditions together with any amendments or modifications expressly made by the Auctioneer at the time of the auction constitute all the terms and conditions with respect to the sale of articles at this auction. There are no representations, warranties, terms, conditions, undertakings or collateral agreements except as hereinabove provided.



REMOVAL REQUIREMENTS

The following are terms & conditions to abide by for all Purchasers, their employees, riggers, machinery movers, contractors and agents; (who will be further referred to as "Purchasers/Movers/Riggers"), who participate in the disconnection and/or removal of items purchased at auction.

1. Purchasers/Movers/Riggers are responsible to remove all articles purchased. "CI" on the purchaser's invoice designates that a proper certificate of insurance is required before any item marked "CI" can be mechanically removed. Furthermore, properly authorized rigger release instructions, in writing, are required by Corporate Assets Inc.'s office before a Purchaser/Mover/Rigger can commence removal of these items. This form can be downloaded from www.corpassets.com.
2. PURCHASERS/MOVERS/RIGGERS SHALL BE RESPONSIBLE FOR PROPER DISCONNECTION AND TERMINATION OF ALL ELECTRICAL, WATER AND/OR AIR LINES TO YOUR EQUIPMENT/ARTICLE AS STIPULATED BY CORPORATE ASSETS INC.'S ON-SITE REPRESENTATIVE OR AS ANNOUNCED BY THE AUCTIONEER; THE SHEARING OF ANCHOR BOLTS FLUSH WITH THE FLOOR; LEAVING YOUR WORK AREA IN A BROOM SWEEP MANNER; THE ERECTING OF SAFETY BARRIERS ARE REQUIRED WHERE PITS OR HOLES HAVE BEEN CREATED AS A RESULT OF EQUIPMENT/ARTICLE REMOVAL; THE REMOVAL, OFF THE PREMISES, OF ALL HAZARDOUS WASTE OR OIL CONTAMINANTS CONTAINED WITHIN OR ON THE PURCHASED ASSETS AND IN CONJUNCTION WITH ALL ENVIRONMENTAL LAWS; ANY SPECIFIC TERMS OR CONDITIONS INDICATED BY THE AUCTIONEER AT THE TIME OF SALE.
3. All GAS line terminations are to be disconnected by a licensed gas fitter and done in accordance with any federal, state/provincial or local codes.
4. All ELECTRICAL disconnects at entry point of machine/equipment, are to be done in accordance with any federal, state/provincial or local codes.
5. Riggers must quote their customers in writing and shall be liable for all costs in order to comply with the above.
6. Purchasers/Movers/Riggers must provide to Corporate Assets Inc., a certificate of insurance, adding Corporate Assets Inc. as an Additional insured, but only with respect to the operations of the Named Insured (i.e., Purchasers/Movers/ Riggers) at the Named Auction and Named Location, of not less than \$2,000,000.00 evidencing statutory workers' compensation (or state/ provincial clearance certificate if applicable), employer's liability insurance, automotive and comprehensive liability insurance coverage (bodily injury and property damage) per person and occurrence.
7. Where available, bridge cranes and/or other lifting device hoists may only be used by certified crane operators with insurance in place and only with the expressed written permission of the crane owner and/or Corporate Assets Inc. The amount of the Rigger's insurance deductible may be required by Corporate Assets Inc. as a security deposit.
8. Corporate Assets Inc.'s on-site representative must examine all articles being loaded out of the premises.
9. Purchasers/Movers/Riggers shall be held liable for all costs relating to damages and repairs to personal property and/or premises as a result of their negligence and/or their activities.
10. General hours of removal at the premises are Monday to Friday from 8:00 A.M. to 5:00 P.M., unless otherwise specified. Anyone requiring access outside of these hours or beyond our published deadlines is subject to a non-negotiable per diem rate at Corporate Assets Inc.'s sole discretion.
11. No articles shall be removed while the auction is in progress
12. NO EQUIPMENT/ARTICLE(S) SHALL LEAVE THE PREMISES UNTIL ALL THE AFOREMENTIONED HAVE BEEN COMPLETED TO THE SATISFACTION OF CORPORATE ASSETS INC.'S ON-SITE REPRESENTATIVE.

All invoices must be paid in full before commencement of removal. Check with Corporate Assets Inc.'s site representative and Accounting Department if you have any questions.