

ONLINE AUCTION

ABSOLUTE COMPLETION TECHNOLOGIES LTD.







5710 36th Street NW, Edmonton, Alberta, T6B 3T2

INSPECTION: BY APPOINTMENT ONLY. Please email info@corpassets.com to arrange a date and time.

LIVE WEBCAST ONLY









AUCTION CONDUCTED BY:

CORPORATE ASSETS INC

"Let Our Experience Be Your #1 Asset"TM

373 Munster Avenue, Toronto, ON, Canada M8Z 3C8 www.corpassets.com • 416.962.9600 • info@corpassets.com

THIS FACILITY HAS BEEN EXCEPTIONALLY MAINTAINED



MAZAK SUPER VELOCITY CENTER 2000L/200-II high speed CNC travelling column vertical machining center



MAZAK SUPER VELOCITY CENTER 2000L/200-II high speed CNC travelling column vertical machining center



MAZAK SUPER VELOCITY CENTER 2000L/200-II high speed CNC travelling column vertical machining center



MAZAK SUPER VELOCITY CENTER 2000L/200-II high speed CNC travelling column vertical machining center



MAZAK SUPER VELOCITY CENTER 2000L/200-II high speed CNC travelling column vertical machining center



SCHUNK ROTA TB 600-275 4th axis horizontal 24" 3 jaw chuck

INSPECTION IS BY APPOINTMENT ONLY. Please email info@corpassets.com to arrange a date & time.

LATE MODEL OFFERING OF FABRICATING & MACHINING EQUIPMENT



HYUNDAI-KIA SKT 28LM CNC live milling & turning center



LNS QLS80 automatic bar feeder



ALMAC MACHINE WORKS DR-56-4 56 bit pipe drill



DAREX XPS-16 CNC tool sharpener



TOS FA4A vertical milling machine



MODERN TOOL UE-2505-CSA 10" horizontal band saw

CNC LIVE MILLING & TURNING CENTER

HYUNDAI-KIA SKT 28LM CNC live milling & turning center with FANUC Oi-TD CNC control, collet chuck, 25" swing over bed, approx. 11.5" turning diameter, approx. 42" machining length, 3" spindle bore, live tooling, 12 station turret, speeds to 3500 RPM, 30 HP spindle motor, LNS hydraulic steady rest, tailstock, tool setter swing arm, coolant, chip conveyor, s/n: G3155-0173

AUTOMATIC BAR FEEDER

LNS (2012) QLS80 automatic bar feeder with 3/8" – 3" diameter round bar capacity, 14"-62" bar length capacity, s/n: 27062201

CONVENTIONAL MACHINE TOOLS

TOS FA4A vertical milling machine with 62" x 14" table, speeds to 1400 RPM, 10 HP, FAGOR 3 axis DRO, power table, s/n: 51598

MODERN TOOL (2011) UE-2505-CSA 10'' horizontal band saw with $10'' \times 14''$ capacity, $1'' \times 0.035'' \times 130''$ blade, coolant, s/n: 11026657

MODERN (2016) ZX45 gear head milling & drilling machine with 31" x 9.5" table, speeds to 1970 RPM, 17" max. distance spindle nose to tabletop, 1.5 HP, s/n: 1620037

JFMT JIMK530 gap bed engine lathe with 21" swing over bed, 60" between centers, speeds to 1500 RPM, 10" 3 jaw chuck, inch/metric threading, quick change tool post, steady rest, coolant, MITUTOYO KA COUNTER DRO, 5/n: K4109178



& drilling machine



JFMT JIMK530 gap bed engine lathe

LATE MODEL OFFERING OF MATERIAL HANDLING EQUIPMENT



W.F. WELDING & CRANE 10 ton double girder top-running overhead bridge



W.F. WELDING & CRANE 2 ton single girder top-running overhead bridge crane



COMBI-LIFT C17300 LPG multidirectional side load forklift



TOYOTA 02-5FD35 diesel forklift



DAEWOO G25P-3 LPG forklift



PETTIBONE MODEL 10032 diesel rough terrain telehandler boom tuck



SELLICK SD-80 outdoor diesel forklift

OVERHEAD BRIDGE CRANES

W.F. WELDING & CRANE 10 ton double girder top-running overhead bridge crane with 86' span, 20' under hook, (2) 5 ton electric hoists, wireless pendant, s/n: C5632-01

W.F. WELDING & CRANE 2 ton single girder top-running overhead bridge crane with 45' span, 20' under hook, 2 ton electric hoist, wireless pendant, s/n: C5723-10

ROLLING STOCK

COMBI-LIFT (2013) C17300 LPG multi-directional side load forklift with 15,265 lb. capacity, approx. 178" max. lift height, 58.5" platform length, cushion tires, 1161 hrs (recorded at time of listing), s/n: 21087

(15+) LATE MODEL MILLER & LINCOLN INDUCTION WELDERS AVAILABLE



ATLAS COPCO GA55 FF rotary screw air compressor



ATLAS COPCO GA55 FF rotary screw air compressor



MILLER PROHEAT 35 digital induction heating welding power sources



MILLER XMT 350 MIG welder & LINCOLN ELECTRIC ASPECT MILLER 70 SERIES wire feeder



375 digital TIG welder



MILLER INTELLIFIRE 250 induction heating welding power sources

FACTORY SUPPORT EQUIPMENT

ATLAS COPCO (2014) GA55 FF rotary screw air compressor with 75 HP, 11,265 running hrs, 1479 loaded hrs (all hours as recorded at time of listing), s/n: AP1620144

ATLAS COPCO (2011) GA55 FF rotary screw air compressor with 75 HP, 33,641 running hrs, 8005 loaded hrs (all hours as recorded at time of listing), s/n: AP1526566

STEELCRAFT (2012) 2200L outdoor fuel tank with FILL-RITE 700 fuel pump & nozzle, s/n: U-010583 (2) rolling A-frame gantries with 4000 lb. capacity, 8' span, 10' under beam, 3 ton chain hoist

8' storage container with explosive containment set up, power, exhaust fan

CNC VERTICAL MACHINING CENTERS

MAZAK (2012) SUPER VELOCITY CENTER 2000L/200-II high speed CNC travelling column vertical machining center with MAZATROL MATRIX CNC control, 212"x20" table, 7480 lb. max. table load, travels: X - 200", Y- 20", Z - 20", 27" max, distance spindle nose to table top, spindle speeds to 15,000 RPM, 20 HP, BT40 spindle, 30 station ATC, coolant, chip conveyor, (6) material saddles, (2) round stock rollers, 24" 3 jaw chuck (may be sold separately), RENISHAW OMM-2 optical tool check system with RENISHAW OMP40-2 touch probe, s/n: 234583

MAZAK (2012) SUPER VELOCITY CENTER 2000L/200-II high speed CNC travelling column vertical machining center with MAZATROL MATRIX CNC control, 212"x20" table, 7480 lb. max. table load, travels: X - 200", Y- 20", Z - 20", 27" max. distance spindle nose to table top, spindle speeds to 15,000 RPM, 20 HP, BT40 spindle, 30 station ATC, coolant, chip conveyor, (6) material saddles, (2) round stock rollers, 24" 3 jaw chuck (may be sold separately), RENISHAW OMM-2 optical tool check system with RENISHAW OMP40-2 touch probe, s/n: 234582

MAZAK (2011) SUPER VELOCITY CENTER 2000L/200-II high speed CNC travelling column vertical machining center with MAZATROL MATRIX CNC control, 212"x20" table, 7480 lb. max. table load, travels: X - 200", Y- 20", Z - 20", 27" max. distance spindle nose to table top, spindle speeds to 15,000 RPM, 20 HP, BT40 spindle, 30 station ATC, coolant, chip conveyor, (6) material saddles, (2) round stock rollers, 24" 3 jaw chuck (may be sold separately), RENISHAW OMM-2 optical tool check system with RENISHAW OMP40-2 touch probe, s/n: 227370

MAZAK (2011) SUPER VELOCITY CENTER 2000L/200-II high speed CNC travelling column vertical machining center with MAZATROL MATRIX CNC control, 212"x20" table, 7480 lb. max. table load, travels: X – 200", Y- 20", Z – 20", 27" max. distance spindle nose to table top, spindle speeds to 15,000 RPM, 20 HP, BT40 spindle, 30 station ATC, coolant, chip conveyor, (6) material saddles, (2) round stock rollers, 24" 3 jaw chuck (may be sold separately), RENISHAW OMM-2 optical tool check system with RENISHAW OMP40-2 touch probe, s/n: 227317

MAZAK (2010) SUPER VELOCITY CENTER 2000L/200-II high speed CNC travelling column vertical machining center with MAZATROL MATRIX CNC control, 212"x20" table, 7480 lb. max. table load, travels: X – 200", Y- 20", Z – 20", 27" max. distance spindle nose to table top, spindle speeds to 15,000 RPM, 20 HP, BT40 spindle, 30 station ATC, coolant, chip conveyor, (6) material saddles, (2) round stock rollers, 24" 3 jaw chuck (may be sold separately), RENISHAW OMM-2 optical tool check system with RENISHAW OMP40-2 touch probe, s/n: 220165

MAZAK (2008) SUPER VELOCITY CENTER 2000L/200-II high speed CNC travelling column vertical machining center with MAZATROL MATRIX CNC control, 212"x20" table, 7480 lb. max. table load, travels: X – 200", Y- 20", Z – 20", 27" max. distance spindle nose to table top, spindle speeds to 15,000 RPM, 20 HP, BT40 spindle, 30 station ATC, coolant, chip conveyor, (6) material saddles, (2) round stock rollers, 24" 3 jaw chuck, s/n: 208850

WELDING EQUIPMENT

(5) **MILLER** INTELLIFIRE 250 induction heating welding power sources with MILLER IH/TS digital induction heating temperature station, MILLER cooling system, s/n: LE181117, LF096851, LE139736, LF0968552, LE139737

(2) **MILLER** PROHEAT 35 digital induction heating welding power sources, s/n: ME100023G, MA370116G

(5) LINCOLN ELECTRIC ASPECT 375 digital TIG welders with LINCOLN ELECTRIC COOL ARC 47 water cooling system, cables & gun, s/n: U1180605485, U1160109448, U1151208329, U1151207716, U1160102038

U1151207716, U1160102038

(2) **MILLER** XMT 350 MIG welder with MILLER 70 SERIES wire feeder, cables & gun, s/n: LG040205A, MB230169A

MILLER XMT 350 MIG welder with MILLER 22A wire feeder, cables & gun, s/n: n/a

MILLER MILLERMATIC (2010) 252 portable MIG welder with cables & gun, s/n: MA390339M

MILLER MILLERMATIC 250 portable MIG welder with cables & gun, s/n: n/a

LINCOLN ELECTRIC DIALARC 250 arc welder with cables & gun, s/n: n/a

MILLER free standing welding boom w/ MILLER 70 SERIES twin reel wire feeder w/ cables & gun, 10' reach, s/n: n/a

LJ WELDING & MACHINE (2011) MODEL 12P adjustable welding positioner with 12" 3 jaw chuck, 90 deg. max. angle, scissor lift table, s/n: n/a

ROLLING STOCK

PETTIBONE MODEL 10032 diesel rough terrain telehandler boom tuck with 10,000 lb. capacity, 32.5' max. lift height, 19' max. forward reach, 60 deg. max. boom angle, FWD, pneumatic tires, 11,236 hrs (recorded at time of listing), s/n: 4837

SELLICK SD-80 outdoor diesel forklift with 8000 lb. capacity, 169" max. vertical lift, 2 stage mast, side shift, pneumatic tires, fully enclosed cab, heater, scale, s/n: 4518010832

TOYOTA 02-5FD35 diesel forklift with 8000 lb. capacity, 145" max. vertical lift, 2 stage mast, cushion tires, s/n: 20290

DAEWOO G25P-3 LPG forklift with 4450 lb. capacity, 186" max. vertical lift, 3 stage mast, side shift, cushion tires, s/n: D2-01620

CATERPILLAR (2008) NR4000P 36V electric reach truck with 4000 lb. capacity, 318" max. vertical lift, 36V battery charger (may be sold separately), GNR3749712

(2) 284" x 102" material wagons with approx. 8000 lb. capacity

MULTI-SPINDLE PIPE DRILL

ALMAC MACHINE WORKS DR-56-4 56 bit pipe drill with PLC touch screen control, dual drill heads (1) fixed & (1) adjustable with (28) drill bits per head, adjustable speeds from 400 to 900 RPM, hydraulic clamping, full 360 degree pipe rotation, coolant, s/n: n/a

HYDRAULIC DISC INSERTION MACHINE

CATELECTS A.C.T. FACSRITE hydraulic disc insertion machine with NEMATRON PLC control, 20" 3 jaw chuck, (2) hydraulic insertion heads, approx. 48' travel along bed, s/n: CEI0511

CONVENTIONAL MACHINE TOOLS

DAREX XPS-16 CNC tool sharpener with 3550 RPM

KING INDUSTRIAL (2013) 17" floortype drill press with 14" diameter table, 5/8" chuck, 16 speed, 1 HP, s/n: 534736

BEE 6" vertical belt sander

DEWALT DW758 8" double end pedestal grinder

BALDOR 8102W 8" double end pedestal grinder

KING CANADA KC-690 6" double end pedestal grinder

SAFETY KLEEN MODEL 34.4 tank-type parts washer

ABSOLUTE COMPLETION TECHNOLOGIES LTD.

Thursday, December 3 Edmonton, Alberta, Canada







adjustable pipe roller stand

cabinet



Partial view of inspection equipment available



EOUIPMENT?

TURN IDLE ASSETS INTO

WE BUY & SELL YOUR

SURPLUS MACHINERY

ONE MACHINE OR ENTIRE

PLANTS, WE HAVE OVER

60 YEARS EXPERIENCE TO

SELL YOUR EQUIPMENT

AT FAIR MARKET VALUE.

CONTACT US TODAY TO

LEARN MORE! 416,962,9600

View of 40' storage container

ALSO FEATURING: 60' x 30' x 20'H outdoor collapsible Quonset hut with lights, roll up door; (90+) CAT 40 tool holders; LISTA 13 drawer tool cabinet; (12) A-frame pipe racks; (5) 40' sea containers; LARGE QUANTITY of pipe stands & racks; welding electrodes; (2) Fireproof highboy cabinets; VARIETY of perishable tooling including DRILLS, CARBIDE INSERT LATHE CUTTERS, CARBIDE INSERTS; power tools; spill kits & MORE!

THIS IS A PARTIAL LISTING ONLY! FOR FURTHER INFORMATION, PLEASE VISIT WWW.CORPASSETS.COM

AUCTION DETAILS

LIVE WEBCAST ONLY

INSPECTION

BY APPOINTMENT ONLY, Please email info@corpassets.com to arrange a date and time.

REMOVAL

All assets must be removed no later than Thursday, December 17 by appointment only.

TERMS

Corporate Assets Inc. assumes no liability for errors or omissions in this brochure. Corporate Assets Inc. expressly reserves the right to determine the manner of conducting the auction as it may deem appropriate. All subject to prior sale.

A Buyer's Premium will apply at this sale. International & online bidders may need a refundable deposit to bid. SALE WILL BE CONDUCTED IN USD.

Please refer to our website at www.corpassets.com or 416.962.9600 for further information. Pour les services en français, composez le 1.855.583.5551

We Accept









Please visit our website as specific terms and conditions may apply.



AFFILIATIONS





















SUBSCRIBE TO OUR **NEWSLETTER** AND GET THE LATEST CORPORATE AUCTION UPDATES

corpassets.com/newsletter-signup











