



**CORPORATE  
ASSETS INC**

**WELCOME TO THE AUCTION SALE OF:**

## **LARGE MFG OF CLOSED CELL FOAM RUBBER**

**WEDNESDAY, AUGUST 31 • 10:30 AM EDT**

**626 MAIN ST,  
CEREDO, WEST VIRGINIA, USA, 25507**

WE ACCEPT:



Visit [www.corpassets.com](http://www.corpassets.com) for specific terms and conditions.

AUCTION CONDUCTED BY:

# **CORPORATE ASSETS INC**

*"Let Our Experience Be Your #1 Asset"™*

373 Munster Avenue, Toronto, ON, Canada M8Z 3C8

Tel: 416.962.9600 • Fax: 416.962.9601

[www.corpassets.com](http://www.corpassets.com) • [info@corpassets.com](mailto:info@corpassets.com)

### **TERMS & CONDITIONS FOR THIS SALE**

- FINAL PAYMENT IN FULL IMMEDIATELY AFTER THE AUCTION
- A BUYER'S PREMIUM OF 18.0% FOR ALL BIDDERS WILL APPLY AT THIS SALE
- NO PAYMENTS WILL BE ACCEPTED BY OUR SITE SUPERVISOR
- THIS SALE WILL BE CONDUCTED IN USD.

#### **REMOVAL DETAILS:**

- ALL ASSETS MUST BE REMOVED NO LATER THAN FRIDAY, SEPTEMBER 30 BY APPOINTMENT ONLY. PLEASE EMAIL [INFO@CORPASSETS.COM](mailto:INFO@CORPASSETS.COM) TO ARRANGE.
- NO ITEMS MAY BE REMOVED WHILE THE AUCTION IS IN PROGRESS.
- ALL BUYERS MUST COMPLY WITH ALL POSTED TERMS AND CONDITIONS OF SALE.

**NO EXCEPTIONS!**

**THANK YOU**

**\*S'IL VOUS PLAÎT VÉRIFIER LES POINTS AVANT L'OFFRE ET LIRE ATTENTIVEMENT LES TERMES ET CONDITIONS DE CETTE VENTE.**

**For a copy of the terms & conditions of this sale in French, please ask the staff and they will provide.**



## TERMS AND CONDITIONS OF SALE

Subject to amendments and modifications announced by the Auctioneer at the time of the auction, all persons participating in the auction shall be bound by the following terms and conditions and as stated or otherwise set forth in the brochure and/or on the Auctioneer's website [www.corpassets.com](http://www.corpassets.com).

1. In order to register and participate as a bidder, Bidders are required to provide a minimum 25% deposit to establish their requested credit limit together with identification of either a valid Driver's License or Passport.
2. The Auctioneer reserves the right to refuse any applicant the privilege of bidding or attending the auction and may revoke such privilege at any time.
3. Payment in full must be made immediately after the conclusion of the auction. Deposit payments or payments on account may be made in advance of the auction by way of bank wire transfer and any balance in excess of the balance owing will be refunded to the Bidder or Purchaser (as the case may be) after the auction. For International (Non-Canadian and U.S. Residents) Purchasers, Webcast Remote Purchasers & Online Purchasers, payments shall be by way of bank wire transfer. For Canadian and U.S. On-site Purchasers, all payments shall be by way of wire transfer, certified cheque, bank draft, Interac, cash or company cheque accompanied with a valid bank letter of authorization guaranteeing irrevocable payment to Corporate Assets Inc. in the following format: "**Name of Bank hereby guarantees irrevocable payment of cheques payable to Corporate Assets Inc. up to Amount in Words & Currency for purchases made by our client Name of Client. This letter is valid for purchases made at the auction of Name of Auction being held in City, State/Province on Date.**"
4. Payments by way of Visa or Mastercard will be accepted for purchases from Purchasers whose total invoice does not exceed \$2,500. An Administration Fee may apply subject to the Auctioneer's discretion.
5. A Buyer's Premium as posted on our website or announced, will apply at this sale.
6. All applicable sales taxes arising on a sale shall be paid to the Auctioneer at the time of sale.
7. All Articles will be sold to the highest bidder conforming to the bid process, provided that the Auctioneer reserves the right to sell articles by individual, grouped lots and "in bulk", as the Auctioneer deems appropriate. The Auctioneer reserves the right to sell on behalf of third parties, on its own account or on the account of others. Should any dispute arise between two or more bidders or as to any bid, the lot in question may, at the Auctioneer's discretion, be immediately put up again and resold. The Auctioneer shall regulate all matters relating to the conduct of the auction and the Auctioneer's decision shall be final and binding on all bidders. The records kept by the clerk of the sale, shall in all cases be accepted by the bidder as final.
8. The Auctioneer reserves the right to sell subject to reserve and to bid for its own account and for the account of others, whether by verbal or written proxy, and may sell or remove articles without notice before the auction and shall have no further liability to any person whatsoever, including without limitation, any damages for loss of profits.
9. All sales shall be concluded as indicated by the Auctioneer and no Bidder/Purchaser may thereafter revoke their bid. Title to the articles purchased shall not pass until payment in full of the purchase price is received.
10. ALL SALES ARE FINAL, ON AN "AS IS WHERE IS", "IN PLACE" "WITH ALL FAULTS" BASIS WITH NO CONDITIONS OR WARRANTIES WHETHER EXPRESSED, IMPLIED, STATUTORY OR OTHERWISE, INCLUDING WITHOUT LIMITATION, WARRANTIES OR CONDITIONS AS TO TITLE, DESCRIPTION, FITNESS FOR PURPOSE, QUANTITY, QUALITY, MERCHANTABILITY, STATE, CONDITION, LOCATION OR OTHERWISE. NO SALE SHALL BE INVALIDATED AND THE AUCTIONEER SHALL HAVE NO

LIABILITY FOR A MISDESCRIPTION OF ANY ARTICLE OR LOT WHETHER CONTAINED IN A CATALOGUE, ADVERTISEMENT, ORAL ANNOUNCEMENT OR OTHERWISE. DESCRIPTIONS HAVE BEEN PREPARED FOR GUIDE PURPOSES ONLY AND SHALL NOT BE RELIED UPON BY THE PURCHASER FOR ACCURACY OR COMPLETENESS. PLEASE INSPECT ALL ITEMS BEFORE BIDDING. PURCHASERS SHALL BE DEEMED TO HAVE RELIED ENTIRELY UPON THEIR OWN INSPECTIONS AND INVESTIGATIONS.

11. No article shall be removed unless paid for in full and all articles purchased shall be removed within the guidelines and terms stipulated. The Purchaser shall be responsible for all costs of removal and shall be liable for any damages, including without limitation, any environmental damage, caused during or as a result of the removal. Purchasers shall comply with all environmental laws and regulations and all requirements established by the Auctioneer for the removal of articles, including providing proper insurance and which Riggers may operate on site; please refer to the "REMOVAL REQUIREMENTS" on the inside back cover.
12. No Purchasers may assign, transfer or dispose of their rights in any article purchased before they have paid the purchase price in full. Notwithstanding, these terms and conditions shall continue to be in effect and automatically transferred to any assignee or transferee.
13. Where available, documents of transfer, including motor vehicle ownership documents, which are in possession of the Auctioneer, will be provided to the Purchaser following the auction or as soon thereafter as such documents become available.
14. The Auctioneer assumes no responsibility or any liability once title passes, which occurs at time of payment in full. Purchasers are advised to prearrange for insurance coverage of their purchase(s). Without limiting the generality of the foregoing, the Auctioneer shall not be liable for any insurable risk, including but not limited to fire or theft (an "insurable risk").
15. If the Purchaser is unable to retrieve an article sold to the Purchaser due to any default of the Auctioneer other than loss due to an insurable risk, the Auctioneer's liability shall be limited to the reimbursement of the Purchaser for all monies paid to the Auctioneer by the Purchaser in respect of an article purchased, and the Auctioneer shall have no further liability to the Purchaser including without limitation, any damages for loss of profits.
16. Time shall be of the essence. Title may revert to seller in the event Purchaser does not remove their purchase by the time specified. If a Purchaser fails to make payment or remove goods within the time periods hereinabove provided, the Auctioneer may resell the article purchased by auction, private contract or otherwise, as the Auctioneer in his discretion deems advisable. If the Auctioneer makes a good faith attempt to resell the article but cannot, he may dispose or scrap the article.
17. The Purchaser shall be liable for the shortfall and all costs and expenses incurred in such resale or scrapping, as described in paragraph 16. These costs and expenses include, but are not limited to, attorney fees, court costs, law enforcement costs, moving and storage costs, and any other commissions incurred or fees assessed by the Auctioneer. Attorney fees and costs include, but are not limited to, such fees and costs incurred in the pursuit of a claim, judgment or a citation against the Purchaser(s) and/or any Guarantor(s).

## REMOVAL REQUIREMENTS

The following are terms & conditions to abide by for all Purchasers, their employees, riggers, machinery movers, contractors and agents; (who will be further referred to as "Purchasers/Movers/Riggers"), who participate in the disconnection and/or removal of items purchased at auction.

1. Purchasers/Movers/Riggers are responsible to remove all articles purchased. "CI" on the purchaser's invoice designates that a proper certificate of insurance is required before any item marked "CI" can be mechanically removed. Furthermore, properly authorized rigger release instructions, in writing, are required by Corporate Assets Inc.'s office before a Purchaser/Mover/Rigger can commence removal of these items. This form can be downloaded from [www.corpassets.com](http://www.corpassets.com).
2. PURCHASERS/MOVERS/RIGGERS SHALL BE RESPONSIBLE FOR PROPER DISCONNECTION AND TERMINATION OF ALL ELECTRICAL, WATER AND/OR AIR LINES TO YOUR EQUIPMENT/ARTICLE AS STIPULATED BY CORPORATE ASSETS INC'S ON-SITE REPRESENTATIVE OR AS ANNOUNCED BY THE AUCTIONEER; THE SHEARING OF ANCHOR BOLTS FLUSH WITH THE FLOOR; LEAVING YOUR WORK AREA IN A BROOM SWEEP MANNER; THE ERECTING OF SAFETY BARRIERS ARE REQUIRED WHERE PITS OR HOLES HAVE BEEN CREATED AS A RESULT OF EQUIPMENT/ARTICLE REMOVAL; THE REMOVAL, OFF THE PREMISES, OF ALL HAZARDOUS WASTE OR OIL CONTAMINANTS CONTAINED WITHIN OR ON THE PURCHASED ASSETS AND IN CONJUNCTION WITH ALL ENVIRONMENTAL LAWS; ANY SPECIFIC TERMS OR CONDITIONS INDICATED BY THE AUCTIONEER AT THE TIME OF SALE.
3. All GAS line terminations are to be disconnected by a licensed gas fitter and done in accordance with any federal, state/provincial or local codes.
4. All ELECTRICAL disconnects at entry point of machine/equipment, are to be done in accordance with any federal, state/provincial or local codes.
5. Riggers must quote their customers in writing and shall be liable for all costs in order to comply with the above.
6. Purchasers/Movers/Riggers must provide to Corporate Assets Inc., a certificate of insurance, adding Corporate Assets Inc. as an Additional insured, but only with respect to the operations of the Named Insured (i.e., Purchasers/Movers/Riggers) at the Named Auction and Named Location, of not less than \$2,000,000.00 evidencing statutory workers' compensation (or state/provincial clearance certificate if applicable), employer's liability insurance, automotive and comprehensive liability insurance coverage (bodily injury and property damage) per person and occurrence.
7. Where available, bridge cranes and/or other lifting device hoists may only be used by certified crane operators with insurance in place and only with the expressed written permission of the crane owner and/or Corporate Assets Inc. The amount of the Rigger's insurance deductible may be required by Corporate Assets Inc. as a security deposit.
8. Corporate Assets Inc.'s on-site representative must examine all articles being loaded out of the premises.
9. Purchasers/Movers/Riggers shall be held liable for all costs relating to damages and repairs to personal property and/or premises as a result of their negligence and/or their activities.
10. General hours of removal at the premises are Monday to Friday from 8:00 A.M. to 5:00 P.M., unless otherwise specified. Anyone requiring access outside of these hours or beyond our published deadlines is subject to a non-negotiable per diem rate at Corporate Assets Inc.'s sole discretion.
11. No articles shall be removed while the auction is in progress
12. NO EQUIPMENT/ARTICLE(S) SHALL LEAVE THE PREMISES UNTIL ALL THE FOREMENTIONED HAVE BEEN COMPLETED TO THE SATISFACTION OF CORPORATE ASSETS INC.'S ON-SITE REPRESENTATIVE.

These terms and conditions together with any amendments or modifications expressly made by the Auctioneer at the time of the auction constitute all the terms and conditions with respect to the sale of articles at this auction. There are no representations, warranties, terms, conditions, undertakings or collateral agreements except as hereinabove provided.

All invoices must be paid in full before commencement of removal. Check with Corporate Assets Inc.'s site representative and Accounting Department if you have any questions.

Lot	Description	Lot	Description	Lot	Description
0	BULK BID CONSISTING OF LOTS 1 TO 253	8	HART SCIENTIFIC 0011 DIGITAL FOG TEST CHAMBER WITH DIGITAL MICROPROCESSOR CONTROLS, (4) 400 ML HEATED TEST WELLS, 50-120 DEG C TEST WELL TEMPERATURE RANGE, 20-40 DEG C CONDENSING PLATE TEMPERATURE RANGE, 125 DEG C THERMAL SAFETY CUT-OUT, 30-60 MIN STABILIZATION TIME, 110V/1PH/50-60HZ, S/N N/A	16	FARREL - BANBURY LABORATORY INTENSIVE MIXER WITH 40 HP DRIVE MOTOR, TEMPERATURE PROBE WITH DIGITAL TEMP GAUGE, 460V/3PH/60HZ, S/N 51094 (CI)
1	CHATILLON (2018) TCD110 DIGITAL BENCH TYPE TEST STAND WITH HEIDENHAIN-CHATILLON PROGRAMMABLE CONSOLE WITH DIGITAL DATA ACQUISITION AND RECORDING CAPABILITY, 19" MAX VERTICAL STROKE, 110 LBF MAX LOAD CAPACITY, 0.001-20.0 IN/MIN SPEED RANGE, 0.001" POSITION ACCURACY, 1-1000 SAMPLES / SECOND USER SELECTABLE DATA SAMPLING RATE, EQUIPPED WITH E46-033-2 "S"-BEAM LOAD CELL, TENSILE AND COMPRESSION CLAMPING AND ACCESSORIES, DELL PC WITH KEYBOARD, 110V/1PH/60HZ, S/N TCD0141	9	KEWAUNEE SCIENTIFIC KEM-PONENT VENTED LAB FUME HOOD WITH STAND, 110V/1PH/60HZ, S/N N/A	17	OREC MODEL 0500 ENVIRONMENTAL TEST CHAMBER WITH 24" x 20" x 18" STAINLESS STEEL ENCLOSURE, DIGITAL TEMPERATURE CONTROLS, OREC 03-100DM DIGITAL OZONE MONITOR, DYNAMIC STRESS MECHANICAL STRETCH ACTUATOR, RUSTRAK ANALOG CHART RECORDER, 110V/3PH/60HZ, S/N N/A
2	LINDBERG BLUE M MO1440R10A 1.9 KW ELECTRIC LAB OVEN WITH EUROTHERM DIGITAL MICROPROCESSOR CONTROL, 40-300 DEG. C TEMPERATURE RANGE, 22" x 15" x 16" STAINLESS STEEL ENCLOSURE, PARTLOW MRC 7000 DIGITAL/ANALOG CHART RECORDER, 110V/1PH/50-60HZ, S/N T21J-441019-UJ	10	LOT/ (4) LAB TABLES WITH DRAWERS	18	REVCO SUB-ZERO LABORATORY FREEZER WITH DIGITAL MICROPROCESSOR CONTROLS, 110V/1PH/60HZ, S/N N/A
3	METLER-TOLEDO PB303-S MONO BLOC DIGITAL ANALYTICAL BALANCE SCALE WITH 310 g x 1 mg CAPACITY, DRAFT SHIELD, AC/DC ADAPTER, S/N 1118322688	11	ALPHA TECHNOLOGIES APA 2000 OSCILLATING DIE TYPE DIGITAL ADVANCED POLYMER ANALYZER SYSTEM WITH VISCOSITY, GEL TIME, CURE TIME, CRYSTALLIZATION RATE, FINAL SHEAR AND GLASS TRANSITION TEMPERATURE MEASURING CAPABILITY, EPSON PC WITH PRINTER, 110V/1PH/60HZ, S/N 110 AIH 2005	19	Q-PANNEL Q.U.V ACCELERATED U.V. WEATHERING TEST SYSTEM WITH ANALOG CONTROLS, 13-BANK 3-TIER TEST BED WITH FLUORESCENT U.V. LIGHTS, 110V/1PH/60HZ, S/N N/A
4	NATIONAL 410TBL 1x & 3x BINOCULAR MICROSCOPE, TOP AND BOTTOM ILLUMINATION, 110-120V/1PH/50-60HZ, S/N N/A	12	MONSANTO RHEOMETER 100 OSCILLATING DISK TYPE RHEOMETER WITH ANALOG CONTROLS, THERMOTECH DIGITAL TEMPERATURE CONTROLS, 110V/1PH/60HZ, S/N N/A	20	JUSTRITE FIRE-PROOF CABINET, S/N N/A
5	VACUUM TEST BED SYSTEM WITH DUO-SEAL MODEL 1400 ELECTRIC VACUUM PUMP, (2) BENCH TYPE COMPOSITE VACUUM CHAMBERS, MANIFOLD, HOSES AND CONNECTORS, S/N 87521	13	WABASH 30-152TML 30 TON CAPACITY HYDRAULIC FOUR POST LAB PRESS WITH 15" X 15" ELECTRIC HEATED PLATTENS, 6000 WATT HEATING ELEMENTS WITH (2) HONEYWELL DIGITAL TEMPERATURE CONTROLLERS, 16" STROKE, MANUAL SLIDE ADJUSTMENT, HYDRAULIC POWER PACK, 230V/3PH/60HZ, S/N 3720 (CI)	21	LOT/ LABORATORY GLASS CABINETS AND WORKBENCHES
6	LOT/ LAB EQUIPMENT INCLUDING EXTECH DIGITAL THERMO-HYGROMETER, FISHER STANDARD SIEVES; CALIBRATION WEIGHT SET, FISHER SCIENTIFIC THERMIX 210T BENCH TYPE HOT PLATE, LAB ACCESSORIES AND SUPPLIES	14	STEWART BOLLING CO. 6" x 6" x 13" 2-ROLL LABORATORY RUBBER MILL WITH 6" DIAMETER CORED ROLLS, UNIVERSAL ROTARY UNIONS, MANUAL GAP ADJUSTMENT, 5 HP DRIVE MOTOR, KNEE PLATE SAFETY SWITCH, 230V/3PH/60HZ, S/N 7418 (CI)	22	GENERAL SIGNAL BLUE M STEAM FIRED LABORATORY BATCH CURING OVEN WITH 24" x 24" x 50" ENCLOSURE, DIGITAL MICROPROCESSOR CONTROLS, CHART RECORDER, S/N N/A (CI)
7	INSTRUMENTORS INC. SP-101B BENCH TYPE DIGITAL SLIP/PEEL TESTER WITH 10 LBF CAPACITY, 6 & 12 IPM TEST SPEED, ANALOGIC DIGITAL MICROPROCESSOR CONTROL, 110V/1PH/60HZ, S/N N/A	15	BIRMINGHAM ARMACO 6" x 6" x 12" 2-ROLL LABORATORY RUBBER MILL WITH 6" DIAMETER CORED ROLLS, UNIVERSAL ROTARY UNIONS, MANUAL GAP ADJUSTMENT, 5 HP DRIVE MOTOR, WIRE SAFETY SWITCH, 230V/3PH/60HZ, S/N 2232 (CI)	23	FARREL FOUR POST HYDRAULIC LABORATORY PRESS WITH 30" x 30" STEAM HEATED PLATENS, HYDRAULIC POWER PACK, 460V/3PH/60HZ, S/N N/A (CI)
				24	USM HCM-B2 HYDRAULIC FLOOR TYPE CLICKER PRESS, 230V/3PH/60HZ, S/N N/A (CI)

Lot	Description	Lot	Description	Lot	Description
25	<p>LOT/ INTELLECTUAL PROPERTY PERTAINING TO THE CLOSED CELL FOAM RUBBER MANUFACTURING PROCESS AVAILABLE IN BOTH ELECTRONIC AND HARD COPY FORMAT CONSISTING OF:</p> <ul style="list-style-type: none"> <li>• RECIPES AND FORMULATIONS FOR EACH BUN SPEC</li> <li>• RAW MATERIALS AND SUITABLE BRANDS OF RAW MATERIALS FOR SPECIFIC FORMULAE</li> <li>• PERCENTAGE OF RAW MATERIALS PER EACH SPECIFICATION</li> <li>• MACHINE SETUP SPEEDS AND TIME SPECIFICATIONS FOR EACH FORMULATION</li> <li>• PRESSURE CURE TEMPERATURE AND TIME SPECIFICATIONS FOR EACH FORMULATION</li> <li>• MIXING CYCLE RECIPE FORMULATION CARDS</li> <li>• BELT RECIPE FORMULATION CARDS</li> <li>• PAN RECIPE FORMULATION CARDS</li> <li>• MOLD SPECIFICATION LIST</li> </ul> <p>NOTE: ALL PROCESS AND MANUFACTURING SPECIFICATIONS LISTED INCLUDING BUT NOT LIMITED TO MIXING TIMES, DWELL TIMES, TEMPERATURES, QUANTITIES, DIMENSIONS, ETC. ARE STRICTLY BASED ON AND MEANT FOR USE ONLY ON EXISTING PLANT EQUIPMENT. RESULTS AND FINAL PRODUCT SPECIFICATIONS MAY VARY ON DIFFERENT EQUIPMENT OR SET-UP.</p>	29	FAIRBANKS FB 1-100 220 LBS CAPACITY 22" X 17" BENCH SCALE WITH 26" X 120" STEEL MANUAL MIXING TABLE, S/N S16362011733	45	BANBURY D-13 INTERNAL BATCH MIXER WITH RETROFIT PLC CONTROL, STANDARD HOPPER, 2-WING CHROME ROTOR, DROP DOOR, AUTO LUBE SYSTEM, UNIVERSAL ROTARY UNIONS, S/N N/A (CI)
		30	AMERICAN RUBBER CUSTOM MANUAL MIXING STATION WITH FAIRBANKS DIGITAL SCALE, 48"W X 96"L X 52"H STEEL DUST HOOD WITH 5HP EXHAUST BLOWER, LIGHTS AND POWER, 220V/1PH/60HZ, S/N N/A (CI)	46	FARREL SRH SIZE 26 GEAR REDUCER WITH 600/450 HP, 154/202 RPM, S/N 6605 (CI)
		31	LOT/ HAND TOOLS AND SUGARSCOOPS	47	GENERAL ELECTRIC 5K850954CI ELECTRIC MOTOR WITH 600-400HP/890-595RPM/2300V/3PH/60HZ, S/N HC8365358
		32	AUTOQUIP 4000 LBS CAPACITY 60"X48" HYDRAULIC SCISSOR LIFT TABLE, S/N N/A (CI)	48	MFG UNKNOWN OIL INJECTION SYSTEM, S/N N/A (CI)
		33	AUTOQUIP 4000 LBS CAPACITY 60"X48" HYDRAULIC SCISSOR LIFT TABLE, S/N N/A (CI)	49	MFG UNKNOWN APPROX 45' x 25' 3-LEVEL MEZZANINE, S/N N/A (CI)
		34	AUTOQUIP 4000 LBS CAPACITY 60"X48" HYDRAULIC SCISSOR LIFT TABLE, S/N N/A (CI)	50	ADAMSON 26" x 26" x 84" TWO ROLL RUBBER MILL WITH 26" DIAMETER CORED SMOOTH ROLLS, 84" ROLL WIDTH, UNIVERSAL ROTARY UNIONS, MANUAL NIP ADJUSTMENT, EMERGENCY PUSH BAR, STOCK GUIDES, DIRECT DRIVE, S/N N/A (MILL #4) (CI)
		35	LOT/ (3) HYTROL 12' X 26" APPROX. HORIZONTAL FLOOR ROLLER CONVEYORS, S/N N/A	51	LINKBELT BDS 6300-62 GEAR REDUCER WITH 38.33:1 RATIO, 150 HP MAX INPUT POWER, 460 MAX INPUT RPM, S/N H64-22888 PX 51312-A (CI)
		36	HYTROL 12' X 32" APPROX. ROLLER TABLE CONVEYOR, S/N N/A	52	LOUIS ALLISS CABX ELECTRIC MOTOR WITH 300HP/595RPM/2300V/3PH/60HZ, S/N 4252835001 (CI)
		37	HYTROL MIXER FEED 26' X 32" APPROX. HORIZONTAL MOTORIZED ROLLER BELT CONVEYOR, S/N N/A (CI)	53	LOT/ MILL #4 FLOOR PLATE APPROX 130 SQ/ FT x 2.5" THICK IRREGULAR SHAPE, S/N N/A
		38	HYTROL MIXER FEED 50' X 32" APPROX. INCLINE MOTORIZED ROLLER BELT CONVEYOR, S/N N/A (CI)	54	STEWART BOLLING 26" x 26" x 84" TWO ROLL RUBBER MILL WITH 26" DIAMETER CORED SMOOTH ROLLS, 84" ROLL WIDTH, UNIVERSAL ROTARY UNIONS, MANUAL NIP ADJUSTMENT, EMERGENCY PERIMETER WIRE, STOCK GUIDES, VARIABLE SPEED, DIRECT DRIVE, S/N X12235X (MILL #5) (CI)
		39	HYTROL BATCH CONTAINER RETURN 25' X 18" APPROX. HORIZONTAL ACCUMULATOR ROLLER BELT CONVEYOR, S/N N/A	55	LUFKIN BDS 1280 GEAR REDUCER WITH 28.05:1 RATIO, S/N N/A (CI)
26	RMPK-2 HYDRAULIC BALE BREAKER WITH 32" BLADE, BALL ASSIST IN-FEED TABLE, 30"X20" OUT-FEED WEIGH TABLE (NO DRO), 7.5 HP HYDRAULIC POWER PACK, 480V/3PH/60HZ, S/N N/A (CI)	40	HYTROL BATCH CONTAINER RETURN 50' X 18" APPROX. INCLINE MOTORIZED ROLLER BELT CONVEYOR, S/N N/A (CI)	56	WORLDWIDE WWE125-18-444T ELECTRIC MOTOR WITH 125HP/1785RPM/230-460V/3PH/60HZ, S/N 10048GFJ (CI)
27	TOLEDO MODEL 2181 400 LBS X ° LB CAPACITY CONVENTIONAL PLATFORM SCALE WITH 30"X24" PLATEN, ANALOG DIAL TYPE INDICATOR, FABRICATED METAL BASE, S/N 7702	41	HYTROL DYNAPACK MOTORIZED CONVEYOR CONTROL CABINET WITH DV1000 PLC, S/N N/A (CI)	57	ABB (2016) ACS550-U1-157A-4 VARIABLE FREQUENCY DRIVE WITH DIGITAL CONTROLS, 125HP/380-480V/3PH/48-63HZ, S/N 2162000545 (CI)
28	STRONG ARM WALL MOUNTED JIB TYPE VACUUM LIFTER WITH 10' SPAN, 7.5 HP VACUUM PUMP, 480V/3PH/60HZ, S/N N/A (CI)	42	LOT/ (100) 24"L x 16"W x 9"H STACKING PLASTIC BATCH BINS		
		43	LOT/ (3) WALL MOUNTED SHOP FANS, S/N N/A		
		44	LOT/ COMPLETE BATCH MIXING SYSTEM CONSISTING OF LOT 45 UP TO AND INCLUDING LOT 49 (CI)		



Lot	Description
58	LOT/ MILL #5 COMBINATION I-BEAM & FLOOR PLATE BASE APPROX 60 SQ/FT x 2.5" THICK IRREGULAR SHAPE PLATE AND I-BEAM FRAME, S/N N/A
59	HYTROL 18" x 26' APPROX. MOTORIZED ROLLER BELT TRANSFER CONVEYOR, S/N N/A (CI)
60	LOT/ COMBINATION HYTROL 36" x 6' APPROX. HORIZONTAL AND 36" x 15' APPROX. INCLINE MOTORIZED ROLLER BELT TRANSFER CONVEYOR, S/N N/A (CI)
61	LOT/ MFG UNKNOWN 48" x 55" APPROX. DIP TANK AND 36" x 25' APPROX. STAINLESS STEEL MESH BELT CONVEYOR, S/N N/A (CI)
62	72" DIAMETER x 40" H DIP SOLUTION MIXING TANK WITH SINGLE ACTION MIXER AGITATOR, S/N N/A (CI)
63	LOT/ PRODUCT COOLING LINE CONSISTING OF: (2) 36" x 110' APPROX. STAINLESS STEEL MESH BELT CONVEYORS ; 36" x 110' APPROX. STAINLESS STEEL DRIP TRAY; (15) ELECTRIC COOLING FANS; FREE STANDING STEEL GANTRY STRUCTURE, S/N N/A (CI)
64	FENNER TCP AUTOMATIC STACKER WITH ALLEN BRADLEY PLC CONTROLS, AUTOMATIC SCRAP REJECT, PROGRAMMABLE STACK HEIGHT, S/N N/A (CI)
65	LOT/ (25) 42" X 54" STEEL TRANSFER PALLETS
66	BANBURY D-11 INTERNAL BATCH MIXER WITH 237 LITER BATCH CAPACITY, RETROFIT CONTROL, STANDARD HOPPER, 2-WING CHROME ROTOR, DROP DOOR, AUTO LUBE SYSTEM, UNIVERSAL ROTARY UNIONS, S/N N/A (CI)
67	FARREL SRH 302 SIZE 11B GEAR REDUCER WITH 600/450 HP, 441/590 RPM, S/N 212878 (CI)
68	WESTINGHOUSE CS ELECTRIC MOTOR WITH 600-450HP/585-439RPM/2300V/3PH/60HZ, S/N 7S-25P824 (CI)

Lot	Description
69	STEWART BOLLING 26" x 26" x 84" TWO ROLL RUBBER MILL WITH 26" DIAMETER CORED SMOOTH ROLLS, 84" ROLL WIDTH, UNIVERSAL ROTARY UNIONS, MANUAL NIP ADJUSTMENT, EMERGENCY PERIMETER WIRE, STOCK GUIDES, VARIABLE SPEED, DIRECT DRIVE, S/N 7483 (MILL #1) (CI)
70	LUFKIN D912 GEAR REDUCER WITH 39.50:1 RATIO, 700 RPM, 200-300 HP RATING, S/N 68 (CI)
71	WESTINGHOUSE ELECTRIC MOTOR WITH 200HP/690RPM/440V/3PH/60HZ, S/N 684Y (CI)
72	MILL #1 VFD CONTROL CABINET WITH CONTENTS, S/N N/A
73	LOT/ MILL #1 I-BEAM FRAME, S/N N/A
74	HYTROL 12" x 75' APPROX. MOTORIZED ROLLER BELT TRANSFER CONVEYOR, S/N N/A (CI)
75	STEWART BOLLING 26" x 26" x 84" TWO ROLL RUBBER MILL WITH 26" DIAMETER CORED SMOOTH ROLLS, 84" ROLL WIDTH, UNIVERSAL ROTARY UNIONS, MANUAL NIP ADJUSTMENT, EMERGENCY PERIMETER WIRE, STOCK GUIDES, VARIABLE SPEED, DIRECT DRIVE, S/N N/A (MILL #3) (CI)
76	LUFKIN D912 GEAR REDUCER WITH 39.20:1 RATIO, 720 RPM, 200-300 HP RATING, S/N 63 (CI)
77	GE TYPE R ELECTRIC MOTOR WITH 250HP/590RPM/440V/3PH/50HZ, S/N XP8301760 (CI)
78	LOT/ MILL #3 I-BEAM FRAME, S/N N/A
79	LOT/ MILL #3 CONTROL CABINETS AND VFD, S/N N/A (CI)
80	EMCO ERIE ENGINE MFG. 26" x 26" x 84" TWO ROLL RUBBER MILL WITH 26" DIAMETER CORED SMOOTH ROLLS, 84" ROLL WIDTH, UNIVERSAL ROTARY UNIONS, MANUAL NIP ADJUSTMENT, EMERGENCY PERIMETER WIRE, STOCK GUIDES, VARIABLE SPEED, DIRECT DRIVE, S/N N/A (MILL #2) (CI)
81	LUFKIN D912 GEAR REDUCER WITH 39.20:1 RATIO, 720 RPM, 200-300 HP RATING, S/N 177 (CI)

Lot	Description
82	GE 5K6343AP1 ELECTRIC MOTOR WITH 200HP/705RPM/440V/3PH/50HZ, S/N ND6511626 (CI)
83	LOT/ MILL #2 FLOOR PLATE BASE APPROX 160 SQ/FT x 2.5" THICK IRREGULAR SHAPE PLATE FRAME, S/N N/A (CI)
84	LOT/ MILL #2 VFD AND DISCONNECTS (CI)
85	HYTROL 12" x 18' APPROX. MOTORIZED ROLLER BELT TRANSFER CONVEYOR, S/N N/A (CI)
86	HYTROL 12" x 22' APPROX. MOTORIZED ROLLER BELT TRANSFER CONVEYOR, S/N N/A (CI)
87	NRM CORP. 10" LH RUBBER EXTRUDER WITH STEAM HEATED BARREL, 15.50:1 REDUCTION RATIO, UPGRADED DIGITAL VFD AND TEMP CONTROLS, S/N T 133100 (CI)
88	ALLEN BRADLEY ELECTRIC MOTOR WITH 200HP/890RPM/460V/3PH/60HZ, S/N MU255930-6/24 (CI)
89	ALLEN BRADLEY 1336 VARIABLE FREQUENCY DRIVE WITH 200HP, S/N N/A (CI)
90	AQUA THERM RQ SERIES THERMOLATOR WITH DIGITAL MICROPROCESSOR CONTROL, S/N N/A (CI)
91	AQUA THERM RQ SERIES THERMOLATOR WITH DIGITAL MICROPROCESSOR CONTROL, S/N N/A (CI)
92	LOT/ 36" x 82" OUT-FEED ROLLER BELT CONVEYOR WITH AUTOMATIC DUSTING HOPPER, S/N N/A (CI)
93	MFG UNKNOWN EXTK2 36" CUT-OFF MECHANICAL POWER SHEAR, WITH ROLLER CONVEYOR TABLE, S/N N/A (CI)
94	FAIRBANKS FB2250 DIGITAL DYNAMIC SCALE WITH 1,000 LBS x 0.5 LB CAPACITY, 24" x 24" PLATFORM, ROLLER CONVEYOR, 115-230V/1PH/60HZ, S/N 150420070056 (CI)
95	NATIONAL ERIE 8.5" LH RUBBER EXTRUDER WITH STEAM HEATED BARREL, REDUCTION RATIO, S/N 11284 (CI)
96	ELLIOTT BW 58 CS ELECTRIC MOTOR WITH 100HP/875RPM/3PH/60HZ, S/N 1214451 (CI)

Lot	Description
97	LOT/ ACM EXTRUDER CONTROL CABINET WITH CONTACTORS AND COMPONENTS, S/N N/A (CI)
98	LOT/ (5) 48" x 42" x 72" COOLING RACKS
99	LOT/ (5) 48" x 42" x 72" COOLING RACKS
100	LOT/ (5) 48" x 42" x 72" COOLING RACKS
101	TINYANN (2013) RE-160250 HYDRAULIC EXPANSION PRESS WITH (6) 63" x 98" STEAM HEATED PLATENS, 7.87" MAX DAYLIGHT OPENING, 47.25" STROKE, DIGITAL TEMPERATURE CONTROLS, HYDRAULIC POWER PACK, 440V/3PH/60HZ, S/N 1102050 (CI)--
102	TINYANN RE-126250A-1 HYDRAULIC EXPANSION PRESS WITH (6) 49" x 98" STEAM HEATED PLATENS, 440V/3PH/60HZ, S/N M10002 (CI)
103	WISCONSIN OVEN (2018) (INSTALLED NEW IN 2019) EWN-88-8 NATURAL GAS FIRED BATCH OVEN WITH 500 DEG F MAX TEMPERATURE, 1,000,000 BTU RATED, 8' x 8' x 8' CHAMBER, NEW YORK BLOWER 1.7HP, 2700 CFM BLOWER, 480-277V/3PH/60HZ, S/N 13946A1901 (CI)
104	YOUNG & BERTKE VC02 STEAM HEATED CURING OVEN WITH HONEYWELL DIGITAL TEMPERATURE CONTROLLER, BLOWER FAN, 10' x 10' x 8' CHAMBER, 460V/3PH/60HZ, S/N L-0881 (CI)
105	BALDWIN FOUR POST HYDRAULIC PROCESS PRESS WITH (8) 48" x 60" STEAM HEATED PLATENS, UPGRADED CONTROLS, S/N N/A PRESS #3 (CI)
106	BALDWIN FOUR POST HYDRAULIC PROCESS PRESS WITH (8) 48" x 60" STEAM HEATED PLATENS, UPGRADED CONTROLS, S/N N/A PRESS #2 (CI)
107	BALDWIN FOUR POST HYDRAULIC PROCESS PRESS WITH (8) 48" x 60" STEAM HEATED PLATENS, UPGRADED CONTROLS, S/N N/A PRESS #1 (CI)
108	LOT/ HYDRAULIC POWER PACK (COMMON POWER PACK PRESS #1 #2 #3) S/N N/A (CI)

Lot	Description
109	CLAYTON INDUSTRIES ES-154-1 NATURAL GAS FIRED MODULATED STEAM GENERATOR WITH SIEMENS CLAYTON TOUCH SCREEN PLC CONTROL, MAX 470 DEG F @ 500 PSIG CAPACITY, (2) 7.5 HP BOOSTER PUMPS, 6,199,000 BTU RATED, SIEMENS BURNER CONTROL, ALLEN BRADLEY VFD, 460V/3PH/60HZ, S/N W-20225-W (CI)
110	STERIS POWER PACK CH12-861-500 ELECTRIC STEAM BOILER WITH 120 KW HEATING ELEMENT, 420 LBS/HR CAPACITY @ 100 PSIG MAWP, 480V/3PH/60HZ, S/N 2454 (CI)
111	STERIS POWER PACK CH12-861-500 ELECTRIC STEAM BOILER WITH 120 KW HEATING ELEMENT, 420 LBS/HR CAPACITY @ 100 PSIG MAWP, 480V/3PH/60HZ, S/N 9220 (CI)
112	CHROMALOX CES-72 ELECTRIC STEAM BOILER WITH 68 KW HEATING ELEMENT, 100 PSIG MAWP, 480V/3PH/60HZ, S/N N4-8092-Y81 (CI)
113	LOT/ (2) CLAYTON WATER SOFTENING RESIN TANKS, S/N N/A (CI)
114	DEAERATING INC STANDALONE CONDENSATE RECOVERY SYSTEM WITH (2) BALDOR HIGH PRESSURE CENTRIFUGAL PUMPS, CONDENSATE TANK WITH FRAME, S/N N/A (CI)
115	LOT/ (6) 27" x 38" EXPANSION MOLDS
116	LOT/ (6) 28" x 48" EXPANSION MOLDS
117	LOT/ (6) 27" x 36" EXPANSION MOLDS
118	LOT/ (6) 20" x 34" EXPANSION MOLDS
119	LOT/ (6) 28" x 34" EXPANSION MOLDS
120	LOT/ (6) 42" x 24" EXPANSION MOLDS
121	LOT/ (6) 28" x 48" EXPANSION MOLDS
122	LOT/ (6) 21" x 36" EXPANSION MOLDS
123	LOT/ (6) 24" x 42" EXPANSION MOLDS
124	LOT/ (6) 24" x 36" EXPANSION MOLDS
125	LOT/ (5) 25" x 41" EXPANSION MOLDS
126	LOT/ (25) 42" X 54" STEEL TRANSFER PALLETS

Lot	Description
127	CATERPILLAR ELECTRIC WALKIE TYPE PALLET TRUCK, S/N 90174434 (CI)
128	LOT/ ELECTRIC WALKIE CHARGER WITH PIG CART, S/N N/A
129	ROL-LIFT HYDRAULIC PALLET TRUCK, S/N 51269
130	LOT/ HYDRAULIC ELEVATOR POWER PACK AND LIFT CYLINDER WITH CONTROLS, 480V/3PH/60HZ, S/N N/A (CI)
131	MFG UNKNOWN OUTDOOR PAD TYPE DUST COLLECTOR WITH BLOWER, S/N N/A (CI)
132	CTS COMPOSITE CIRCULAR CHILLER TOWER FAN, S/N N/A (CI)
133	MARLEY CHILLER TOWER WITH FREESTANDING STEEL FRAME, S/N N/A (CI)
134	LOT/ CONAIR 3000 GAL TOWER TANK WITH (3) CENTRIFUGAL PUMPS WITH ELECTRIC MOTORS AND CONTROL PANEL SEQUENCER, S/N N/A (CI)
135	HARTZELL OUTDOOR PAD TYPE DUST COLLECTOR WITH BLOWER, S/N N/A (CI)
136	LOT/ AIRTEK TW500 DESICCANT TYPE TWIN TOWER AIR DRYER WITH HIROSS FILTER AND INTERCOOLER, S/N 87L3062 (CI)

Lot	Description	Lot	Description	Lot	Description
137	<p>LOT/ ELECTRICAL INFRASTRUCTURE PERTAINING TO THE PRODUCTION PROCESS / MACHINERY CONSISTING OF:</p> <ul style="list-style-type: none"> <li>• INCOMING LINE 2/0 PER PHASE FROM STATION (LINE) DISCONNECT</li> <li>• 35KV HIGH VOLTAGE SWITCH</li> <li>• 2500KVA PAD TYPE TRANSFORMER 34,500V WYE/2300V WYE</li> <li>• DOUBLE 350MCM PER PHASE FROM TRANSFORMER TO DISTRIBUTION ROOM</li> <li>• (3) UNKNOWN KVA PAD MOUNT TRANSFORMERS 2300V/480V DELTA</li> <li>• DOUBLE 500MCM TO PANEL #19-480V, 1200A WITH 1200A MAIN BKR.</li> <li>• DOUBLE 350MCM &amp; DOUBLE 3/0 (PHASE A), DOUBLE 350MCM (PHASE B), 350MCM &amp; DOUBLE 3/0</li> <li>• (PHASE C) TO PANEL # 22-480V, 1,000A WITH 1,000A MAIN BKR AND PANEL #23 480V, 1,000A MAIN LUG ONLY</li> <li>• (3) DOUBLE 350 MCM TO PANEL #21-480V, 1,000A WITH 1,000A MAIN BKR. 4. 350MCM &amp; 3/0 PER PHASE TO 150KVA (2) 480 DELTA/120-220 DELTA TRANSFORMERS THEN TO (2)</li> <li>• 400A 120/240 PANELS</li> <li>• REMAINDER OF DISTRIBUTION SYSTEM INCLUDING SEVERAL PANELS AND ASSOCIATED WIRING IN CONDUIT AND CABLE TRAY - SQUARE-D I-LINE PANELS</li> </ul>	144	HERCULES OVERSIZE DUMPING HOPPER, S/N N/A	162	DRILLMASTER 14" ABRASIVE CUT-OFF SAW, 120V/1PH/60HZ, S/N N/A
		145	RIDGID MODEL 1822-I PORTABLE POWERED PIPE AND CONDUIT THREADER WITH DIE HOLDER, REAMER AND ROLLING STAND, 120V/3PH/60HZ, S/N EA04495	163	DAYTON 8" DOUBLE END BENCH GRINDER, 120V/1PH/60HZ, S/N N/A
		146	HERTNER 3TF18-540 36V AUTOMATIC FORKLIFT BATTERY CHARGER WITH 122 AMP MAX CHARGE, 230-460V/3PH/60HZ, S/N 2823-Z1	164	LOT/ (2) (2021 & 2022) FLUIDYNE EATON VICKERS 45VTBS50A2203AA22R PRECISION THRU - DRIVE VANE HIGH PRESSURE HYDRAULIC PUMPS, S/N 20362017; 20372097
		147	LOT/ (15) PEDESTAL SHOP FANS THROUGHOUT PLANT, S/N N/A	165	PC 2x1.5x3.6 CENTRIFUGAL PUMP ASSEMBLY WITH WEG 1HP/120V/1PH/60HZ ELECTRIC MOTOR, S/N 0057645
		148	LOT/ (20) WALL MOUNT SHOP FANS THROUGHOUT PLANT, S/N N/A	166	LOT/ WORKBENCH WITH CONTENTS
		149	LOT/ HEAVY DUTY CABINETS	167	LOT/ CONTENTS OF ELECTRICAL MRO SPARES ROOM INCLUDING BUT NOT LIMITED TO CONTACTORS, PLC CONTROLS, RELAYS, SWITCHES, FUSES, WIRE, PARTS AND COMPONENTS
		150	LOT/ RIDGID PIPE AND CONDUIT THREADING SET WITH DIES, POWER HEAD, DIE HOLDER AND CART, S/N N/A	168	LOT/ CONTENTS OF MAINTENANCE ROOM CONSISTING OF (2) HIGHBOY CABINETS WITH TOOLS, OILS AND LUBRICANTS, STEEL SHELVING WITH LIFTING SUPPLIES
		151	RIDGID TRI-STAND, S/N N/A	169	TOS VS-32 HEAVY DUTY FLOOR TYPE DRILL PRESS WITH SPEEDS TO 2240 RPM, 460V/3PH/60HZ, 8" SWIVEL BASE MACHINE VISE, S/N 633279 (CI)
		152	LINCOLN ELECTRIC RANGER-8 GAS POWERED ARC WELDER GENERATOR WITH ONAN PERFORMER 16 GAS ENGINE, 8KW @ 115-230V/1PH/60HZ GENERATOR, CABLES AND GUN, S/N 9972-U1931121216	170	LOT/ HEAVY DUTY STEEL CABINET WITH CONTENTS - PARTS
		153	MILLER MP-30E PORTABLE MIG WELDER WITH CABLES, WIRE FEEDER AND GUN, S/N HH037897	171	KALAMAZOO 16" HEAVY DUTY FLOOR TYPE ABRASIVE CUT-OFF SAW, 230V/3PH/60HZ, S/N N/A (CI)
		154	LOT/ HEAVY DUTY SHOP CART WITH HAND TOOLS, POWER AND PNEUMATIC TOOLS	172	LOT/ (3) SECTION STEEL SHELF WITH SPARE MRO PARTS, PLUMBING FITTINGS AND ELECTRICAL FIXTURES
		155	LOT/ AIK 1 TON CAPACITY ELECTRIC CHAIN HOIST WITH CHOCKER LIFTING CHAINS AND STAINLESS STEEL ROLLING CART	173	LOT/ 48" x 96" x 1/2" HEAVY DUTY WORK BENCH WITH 4" SWIVEL BASE VISE, S/N N/A (CI)
		156	PREDATOR 4000 GAS POWERED PORTABLE GENERATOR WITH 3.2KW @ 120-240V/1PH/60HZ CAPACITY, S/N N/A	174	HILLMAN 8 TON CAPACITY MACHINERY MOVING DOLLY SET WITH CASE
		157	LOT/ PIGEON HOLE CABINETS WITH FASTENING HARDWARE	175	GREENLEE HEAVY DUTY HYDRAULIC PIPE AND CONDUIT BENDER WITH HAND PUMP, DIES AND CASE, S/N N/A
		158	LOT/ INDEX CABINETS WITH HARDWARE	176	LOT/ ACCO 1/4 TON CAPACITY ELECTRIC CHAIN HOIST, 120V/1PH/60HZ AND CM SERIES 646 CHAIN FALL
		159	CRAFTSMAN ROLLING TOOLBOX WITH REMAINING CONTENTS	177	JUSTRITE FIRE PROOF CABINET
		160	CRAFTSMAN ROLLING TOOLBOX WITH REMAINING CONTENTS		
		161	FAIRBANKS FB1100-2 DIGITAL BENCH SCALE WITH 12" x 12" PLATFORM, 115-230V/1PH/60HZ, S/N S14151005658		
138	KAESER (12-2019) CSD 75 ROTARY SCREW TYPE AIR COMPRESSOR WITH 75 HP, 345 CFM @ 125 PSIG, 5780 LOAD HOURS RECORDED ON METER AT THE TIME OF LISTING, 460-266V/3PH/60HZ, S/N 1098-7308553 (CI)				
139	24" DIAMETER x 8' H STEEL AIR RECEIVER TANK, S/N N/A (CI)				
140	36" DIAMETER x 10' H STEEL AIR RECEIVER TANK, S/N N/A (CI)				
141	WULFTEC WHP-200 AUTOMATIC PALLET WRAPPER, 120V/1PH/60HZ, S/N 0997-2517 (CI)				
142	LOT/ (230) 74" X 56" OVERSIZE WOOD PALLETS				
143	LOT/ (40) 5' x 10' x 1/4" CHECKER PATTERN STEEL FLOOR PLATES (CI)				

Lot	Description	Lot	Description	Lot	Description
178	OXY-FUEL TORCH CADDY SET	196	KOMATSU FG30HT-12 LPG FORKLIFT WITH 4,700 LBS CAPACITY, 190" MAX VERTICAL REACH, 3-STAGE MAST, SIDE SHIFT, OUTDOOR SOLID TIRES, APPROX. 14,950 HOURS (RECORDED ON METER AT THE TIME OF LISTING), S/N 556813A	214	LOT/ (55) x 50 LBS HUBER NATURAL CALCIUM CARBONATE
179	FLOOR TYPE PARTS WASHER WITH PUMP, 120V/1PH/60HZ, S/N N/A	197	LOT/ (4) 55 GAL SEALED DRUMS OF HARWICK STANDARD STAN-PLAS 1200 PLASTICIZER SOFTENER NAPHTHENIC PROCESS OILS, S/N N/A	215	LOT/ (27) x 50 LBS HPL ADDITIVES MICROFINE - ADC F1 AZODICARBONAMIDE BLOWING AGENT POWDER
180	HEAVY DUTY DOCK PLATE WITH FOLDING FORK HOOKS, S/N N/A	198	LOT/ (4) 55 GAL SEALED DRUMS OF HARWICK STANDARD STAN-PLAS 1200 PLASTICIZER SOFTENER NAPHTHENIC PROCESS OILS, S/N N/A	216	LOT/ (27) x 50 LBS HPL ADDITIVES MICROFINE - ADC F1 AZODICARBONAMIDE BLOWING AGENT POWDER
181	MARKLIFT M 25 ELECTRIC SCISSOR LIFT WITH 1250 LBS CAPACITY, 25' MAX VERTICAL LIFT, ON-BOARD BATTERY CHARGER, S/N 28817321	199	LOT/ (50) x 50 LBS SNOBRITE INDUSTRIAL KAOLIN WHITE PIGMENT	217	LOT/ (19) x 50 LBS HPL ADDITIVES MICROFINE - ADC F1 AZODICARBONAMIDE BLOWING AGENT POWDER
182	LOCK-OUT TAG-OUT STATION WITH SUPPLIES	200	LOT/ (50) x 50 LBS SNOBRITE INDUSTRIAL KAOLIN WHITE PIGMENT	218	LOT/ (56) x 50 LBS KUMHO POLYCHEM KEP-650 EPDM ETHYLENE PROPYLENE DIENE TERPOLYMER
183	LOT/ CABINET WITH PARTS AND SPARES	201	LOT/ (50) x 50 LBS SNOBRITE INDUSTRIAL KAOLIN WHITE PIGMENT	219	LOT/ (7) x 50 LBS ARLANXEO BAYPREN POLYCHLOROPRENE POLYMER
184	LOT/ CABINET WITH PARTS AND SPARES	202	LOT/ (50) x 50 LBS SNOBRITE INDUSTRIAL KAOLIN WHITE PIGMENT	220	LOT/ SYNTHETIC POLYMER SHEETS
185	LOT/ CABINET WITH PARTS AND SPARES	203	LOT/ (50) x 50 LBS SNOBRITE INDUSTRIAL KAOLIN WHITE PIGMENT	221	LOT/ PALLET WITH CONTENTS - BROMOBUTYL ISOBUTYLENE ISOPRENE COPOLYMER
186	LOT/ CABINET WITH PARTS AND SPARES	204	LOT/ (50) x 50 LBS SNOBRITE INDUSTRIAL KAOLIN WHITE PIGMENT	222	LOT/ TRIFOLD BOX WITH LION ELASTOMERS SBR 1502 SYNTHETIC STYRENE BUTADIENE RUBBER - VIRGIN BATCH, APPROX. 2887 LBS
187	LOT/ CABINET WITH PARTS AND SPARES	205	LOT/ (50) x 50 LBS SNOBRITE INDUSTRIAL KAOLIN WHITE PIGMENT	223	LOT/ TRIFOLD BOX WITH LION ELASTOMERS SBR 1502 SYNTHETIC STYRENE BUTADIENE RUBBER - VIRGIN BATCH, APPROX. 2879 LBS
188	LOT/ CABINET WITH PARTS AND SPARES	206	LOT/ (40) x 50 LBS SNOBRITE INDUSTRIAL KAOLIN WHITE PIGMENT	224	LOT/ TRIFOLD BOX WITH LION ELASTOMERS SBR 1502 SYNTHETIC STYRENE BUTADIENE RUBBER - VIRGIN BATCH, APPROX. XXX LBS
189	LOT/ CONTENTS OF ROOM - MRO SPARES, ELECTRICAL FITTINGS AND HARDWARE, PIGEON HOLE CABINETS WITH FASTENING HARDWARE, S/N N/A	207	LOT/ (40) x 50 LBS OMNOVA PLIOLITE REINFORCING RESIN	225	LOT/ TRIFOLD BOX WITH LION ELASTOMERS ROYALENE 511 EPDM SYNTHETIC ETHYLENE PROPYLENE DIENE MONOMER RUBBER - VIRGIN BATCH, APPROX. 2646 LBS
190	INGERSOLL RAND T30 TANK MOUNTED PISTON TYPE AIR COMPRESSOR, S/N 724640 (NOT IN SERVICE - MISSING MOTOR)	208	LOT/ (40) x 50 LBS OMNOVA PLIOLITE REINFORCING RESIN	226	LOT/ TRIFOLD BOX WITH ARLANXEO KELTAN 5470 ETHYLENE PROPYLENE SYNTHETIC RUBBER
191	SWS LP7510 DIGITAL FLOOR SCALE WITH 10,000 LBS x 2 LB CAPACITY, 59" x 84" PLATFORM, 120V/1PH/60HZ, S/N N/A	209	LOT/ (36) x 50 LBS OMNOVA PLIOLITE REINFORCING RESIN	227	LOT/ COMPOUND MIXED BATCH
192	SELF DUMPING HOPPER	210	LOT/ (12) x 50 LBS OMNOVA PLIOLITE REINFORCING RESIN	228	LOT/ (12) x 50 LBS HEXPOL POLYBOUND 466 UREA-75
193	SELF DUMPING HOPPER	211	LOT/ (22) x 50 LBS DOW NORDEL SYNTHETIC HYDROCARBON VIRGIN RUBBER PELLETS	229	LOT/ (11) x 50 LBS HEXPOL POLYBOUND 466 UREA-75
194	ANGUIL SCF-50 OUTDOOR PAD TYPE CATALYTIC THERMAL OXIDIZER WITH CATALYST, BLOWER, EXHAUST STACK AND DUCTWORK, S/N 0359 (CI)	212	LOT/ TRIFOLD BOX WITH SYNTHETIC HYDROCARBON VIRGIN RUBBER PELLETS	230	LOT/ (43) x 50 LBS RUBBERMAKERS SULFUR
195	HYSTER H80C LPG FORKLIFT WITH 8,000 LBS CAPACITY, 122" MAX VERTICAL REACH, 2-STAGE MAST, SIDE SHIFT, OUTDOOR SOLID TIRES, APPROX. 7,185 HOURS (RECORDED ON METER AT THE TIME OF LISTING), S/N C5D13758T	213	LOT/ TRIFOLD BOX WITH RISHIROOP VINOPRENE 706 SYNTHETIC POLYMER	231	LOT/ (4) x 100 LBS SEMICHEM UNICELL-G FOAMING AGENT



Lot	Description	
232	LOT/ (38) x 50 LBS F-2000 STEARIC ACID	
233	LOT/ (20) x 50 LBS PPG HI-SIL 243LD SILICON DIOXIDE REINFORCING FILLER	
234	LOT/ (20) x 50 LBS OMNOVA WINGSTAY 29 A POWDER ANTI-OXIDANT STABILIZER	
235	LOT/ (20) x 50 LBS SUNDOW POLYMERS WELLPREN CHLORINATED POLYETHYLENE	
236	LOT/ (18) x 50 LBS STRUKTOL A50 RUBBER PROCESSING ADDITIVE	
237	LOT/ (10) x 50 LBS STRUKTOL W34 RUBBER DISPERSING AND PROCESSING ADDITIVE	
238	LOT/ (39) x 50 LBS CLARIANT POLYGLYKOL 3350 S SOLUBILIZER AND LUBRICANT	
239	LOT/ (10) x 50 LBS KEMAI 2-MERCAPTOBENZOTHAZOLE MBT ACCELERATOR	
240	LOT/ (15) x 50 LBS KBS ACCELERATOR	
241	LOT/ (1) x 50 LBS MLPC 80408	
242	LOT/ (3) x 50 LBS MBTS ACCELERATOR	
243	LOT/ (20) x 50 LBS FACI ZINC STEARATE	
244	LOT/ (21) x 50 RUTILE GRADE TITANIUM DIOXIDE PIGMENT	
245	LOT/ (18) x 50 LBS TOKAI CARBON BLACK PIGMENT	
246	SELF DUMPING HOPPER	
247	SELF DUMPING HOPPER	
248	MOLDING SYSTEMS INC - POLYMER MACHINERY CORP. MODEL 1526 DOUBLE ANGLE CUT GRANULATOR GRINDER WITH 75HP/230-460V/3PH/60HZ, S/N 1526-42-77 (CI)	
249	SALINA CYCLONIC TYPE DUST COLLECTOR WITH DAYTON 4C330 13.5" TRANSPORT BLOWER, 7.5HP/230-460V/3PH/60HZ, S/N N/A (CI)	
250	REMLINGER 6" x 15' HYDRAULIC DRIVEN PORTABLE AUGER CONVEYOR WITH DOERR 1HP/120-208-230V/1PH/60HZ ELECTRIC POWER PACK AND FEED HOPPER, S/N N/A	

Lot	Description	
251	H. DAY MFG. STAINLESS STEEL RIBBON BLENDER WITH PNEUMATIC ACTUATED BOTTOM DISCHARGE DOOR, 15 HP/460V/3PH/60HZ, BATCH WEIGH SYSTEM WITH (4) OPTIMA 5000 LBS CAPACITY LOAD CELLS AND OPTIMA OP-900A DRO, S/N N/A (CI)	
252	BEILER CUSTOM TWIN CYLINDER HYDRAULIC H-FRAME MOLDING PRESS WITH 5HP/208-230-460V/3PH/60HZ HYDRAULIC POWER PACK, (2) PRINCE 3,000 PSI 5" BORE x 12" STROKE HYDRAULIC CYLINDERS, (3) 3' x 4' STEEL MOLDS, S/N N/A (CI)	
253	HARRINGTON 2 TON CAPACITY FREESTANDING JIB CRANE WITH HARRINGTON 2 TON ELECTRIC CHAIN HOIST WITH MOTORIZED TROLLEY AND PENDANT CONTROL, APPROX 10' SPAN, 12' HEIGHT UNDER THE HOOK, 460V/3PH/60HZ, S/N N/A (CI)	
254	MIMAKI (2015) (PURCHASED NEW - OVER \$200K COST) JFX200-2513 MULTI-COLOR FLATBED U.V. INKJET PRINTER WITH MIMAKI RASTER LINK 6 WINDOWS PC BASED CONTROL, 4' x 8' x 2" CAPACITY, (6) COLOR CURRENT CONFIGURATION, VACUUM CLAMPING TABLE, LENOVO LAPTOP WITH MIMAKI SOFTWARE DONGLE, 208-240V/1PH/50-60HZ, S/N R652B514	