

### **WELCOME TO THE AUCTION SALE OF:**

# SURPLUS ASSETS OF P.E. RAIL & SON

TUESDAY, JANUARY 17 • 10:30 AM EST

1084 KENASTON ST., OTTAWA, ONTARIO, CANADA, K1B 3P5

WE ACCEPT:







Visit www.corpassets.com for specific terms and conditions.

**AUCTION CONDUCTED BY:** 

## CORPORATE ASSETS INC

"Let Our Experience Be Your #1 Asset"™

373 Munster Avenue, Toronto, ON, Canada M8Z 3C8
Tel: 416.962.9600 • Fax: 416.962.9601
www.corpassets.com • info@corpassets.com

#### **TERMS & CONDITIONS FOR THIS SALE**

- FINAL PAYMENT IN FULL IMMEDIATELY AFTER THE AUCTION
- A BUYER'S PREMIUM OF 18.0% FOR ALL BIDDERS WILL APPLY AT THIS SALE
- NO PAYMENTS WILL BE ACCEPTED BY OUR SITE SUPERVISOR
- THIS SALE WILL BE CONDUCTED IN CAD.

#### **REMOVAL DETAILS:**

- ALL ASSETS MUST BE REMOVED NO LATER THAN TUESDAY, JANUARY 31 BY APPOINTMENT ONLY.
   PLEASE EMAIL INFO@CORPASSETS.COM TO ARRANGE.
- NO ITEMS MAY BE REMOVED WHILE THE AUCTION IS IN PROGRESS.
- ALL BUYERS MUST COMPLY WITH ALL POSTED TERMS AND CONDITIONS OF SALE.

#### \*RIGGING DETAILS TO FOLLOW.

### NO EXCEPTIONS!

\*S'IL VOUS PLAÎT VÉRIFIER LES POINTS AVANT L'OFFRE ET LIRE ATTENTIVEMENT LES TERMES ET CONDITIONS DE CETTE VENTE. For a copy of the terms & conditions of this sale in French, please ask the staff and they will provide.



#### TERMS AND CONDITIONS OF SALE

Subject to amendments and modifications announced by the Auctioneer at the time of the auction, all persons participating in the auction shall be bound by the following terms and conditions and as stated or otherwise set forth in the brochure and/or on the Auctioneer's website www.corpassets.com.

- 1. In order to register and participate as a bidder, Bidders are required to provide a minimum 25% deposit to establish their requested credit limit together with identification of either a valid Driver's License or Passport.
- 2. The Auctioneer reserves the right to refuse any applicant the privilege of bidding or attending the auction and may revoke such privilege at any time.
- 3. Payment in full must be made immediately after the conclusion of the auction. Deposit payments or payments on account may be made in advance of the auction by way of bank wire transfer and any balance in excess of the balance owing will be refunded to the Bidder or Purchaser (as the case may be) after the auction. For International (Non-Canadian and U.S. Residents) Purchasers. Webcast Remote Purchasers & Online Purchasers, payments shall be by way of bank wire transfer. For Canadian and U.S. On-site Purchasers, all payments shall be by way of wire transfer, certified cheque, bank draft, Interac, cash or company cheque accompanied with a valid bank letter of authorization guaranteeing irrevocable payment to Corporate Assets Inc. in the following format: "Name of Bank hereby quarantees irrevocable payment of cheques payable to Corporate Assets Inc. up to Amount in Words & Currency for purchases 12. No Purchasers may assign, transfer or dispose of their rights in any article made by our client Name of Client. This letter is valid for purchases made at the auction of Name of Auction being held in City. State/Province on Date."
- 4. Payments by way of Visa or Mastercard will be accepted for purchases from Purchasers whose total invoice does not exceed \$2,500. An Administration Fee 13. Where available, documents of transfer, including motor vehicle ownership may apply subject to the Auctioneer's discretion.
- 5. A Buyer's Premium as posted on our website or announced, will apply at this
- 6. All applicable sales taxes arising on a sale shall be paid to the Auctioneer at the time of sale
- 7. All Articles will be sold to the highest bidder conforming to the bid process, provided that the Auctioneer reserves the right to sell articles by individual, grouped lots and "in bulk", as the Auctioneer deems appropriate. The Auctioneer reserves the right to sell on behalf of third parties, on its own account or on the account of others. Should any dispute arise between two or more bidders or as to any bid, the lot in question may, at the Auctioneer's discretion, be immediately put up again and resold. The Auctioneer shall regulate all matters relating to the conduct of the auction and the Auctioneer's decision shall be final and binding on all bidders. The records kept by the clerk of the sale, shall in all cases be accepted by the bidder as final.
- 8. The Auctioneer reserves the right to sell subject to reserve and to bid for its own account and for the account of others, whether by verbal or written proxy, and may sell or remove articles without notice before the auction and shall have no further liability to any person whosoever, including without limitation, any damages for loss of profits.
- 9. All sales shall be concluded as indicated by the Auctioneer and no Bidder/ Purchaser may thereafter revoke their bid. Title to the articles purchased shall not pass until payment in full of the purchase price is received.
- 10. ALL SALES ARE FINAL. ON AN "AS IS WHERE IS". "IN PLACE" "WITH ALL FAULTS" BASIS WITH NO CONDITIONS OR WARRANTIES WHETHER EXPRESSED IMPLIED STATUTORY OR OTHERWISE INCLUDING WITHOUT LIMITATION. WARRANTIES OR CONDITIONS AS TO TITLE. DESCRIPTION. FITNESS FOR PURPOSE. QUANTITY. QUALITY. MERCHANTABILITY, STATE, CONDITION, LOCATION OR OTHERWISE, NO SALE SHALL BE INVALIDATED AND THE AUCTIONEER SHALL HAVE NO

- LIABILITY FOR A MISDESCRIPTION OF ANY ARTICLE OR LOT WHETHER CONTAINED IN A CATALOGUE ADVERTISEMENT ORAL ANNOUNCEMENT OR OTHERWISE DESCRIPTIONS HAVE BEEN PREPARED FOR GUIDE PURPOSES ONLY AND SHALL NOT BE RELIED UPON BY THE PURCHASER FOR ACCURACY OR COMPLETENESS. PLEASE INSPECT ALL ITEMS BEFORE BIDDING. PURCHASERS SHALL BE DEEMED TO HAVE RELIED ENTIRELY UPON THEIR OWN INSPECTIONS AND INVESTIGATIONS.
- . No article shall be removed unless paid for in full and all articles purchased shall be removed within the guidelines and terms stipulated. The Purchaser shall be responsible for all costs of removal and shall be liable for any damages. including without limitation, any environmental damage, caused during or as a result of the removal. Purchasers shall comply with all environmental laws and regulations and all requirements established by the Auctioneer for the removal of articles, including providing proper insurance and which Riggers may operate on site: please refer to the "REMOVAL REQUIREMENTS" on the inside back cover.
- purchased before they have paid the purchase price in full. Notwithstanding, these terms and conditions shall continue to be in effect and automatically transferred to any assignee or transferee.
- documents, which are in possession of the Auctioneer, will be provided to the Purchaser following the auction or as soon thereafter as such documents become available.
- 14. The Auctioneer assumes no responsibility or any liability once title passes, which occurs at time of payment in full. Purchasers are advised to prearrange for insurance coverage of their purchase(s). Without limiting the generality of the foregoing, the Auctioneer shall not be liable for any insurable risk, including but not limited to fire or theft (an "insurable risk").
- 15. If the Purchaser is unable to retrieve an article sold to the Purchaser due to any default of the Auctioneer other than loss due to an insurable risk, the Auctioneer's liability shall be limited to the reimbursement of the Purchaser for all monies paid to the Auctioneer by the Purchaser in respect of an article purchased, and the Auctioneer shall have no further liability to the Purchaser including without limitation, any damages for loss of profits.
- 16. Time shall be of the essence. Title may revert to seller in the event Purchaser does not remove their purchase by the time specified. If a Purchaser fails to make payment or remove goods within the time periods hereinabove provided. the Auctioneer may resell the article purchased by auction, private contract or otherwise, as the Auctioneer in his discretion deems advisable. If the Auctioneer makes a good faith attempt to resell the article but cannot, he may dispose or scrap the article.
- 17. The Purchaser shall be liable for the shortfall and all costs and expenses incurred in such resale or scrapping, as described in paragraph 16. These costs and expenses include, but are not limited to, attorney fees, court costs. law enforcement costs, moving and storage costs, and any other commissions incurred or fees assessed by the Auctioneer. Attorney fees and costs include, but are not limited to, such fees and costs incurred in the pursuit of a claim. iudgment or a citation against the Purchaser(s) and/or any Guarantor(s).

#### REMOVAL REQUIREMENTS

The following are terms & conditions to abide by for all Purchasers, their employees, riggers, machinery movers, contractors and agents; (who will be further referred to as "Purchasers/Movers/ Riggers"), who participate in the disconnection and/or removal of items purchased at auction.

- 1. Purchasers/Movers/Riggers are responsible to remove all articles purchased. "CI" on the purchaser's invoice designates that a proper certificate of insurance is required before any item marked "CI" can be mechanically removed. Furthermore. properly authorized rigger release instructions, in writing, are required by Corporate Assets Inc.'s office before a Purchaser/Mover/Rigger can commence removal of these items. This form can be downloaded from www.corpassets.com.
- 2. PURCHASERS/MOVERS/RIGGERS SHALL BE RESPONSIBLE FOR PROPER DISCONNECTION AND TERMINATION OF ALL ELECTRICAL. WATER AND/OR AIR LINES TO YOUR EQUIPMENT/ARTICLE AS STIPULATED BY CORPORATE ASSETS INC'S ON-SITE REPRESENTATIVE OR AS ANNOUNCED BY THE AUCTIONEER: THE SHEARING OF ANCHOR BOLTS FLUSH WITH THE FLOOR: LEAVING YOUR WORK AREA IN A BROOM SWEPT MANNER. THE ERECTING OF SAFETY BARRIERS ARE REQUIRED WHERE PITS OR HOLES HAVE BEEN CREATED AS A RESULT OF EQUIPMENT/ARTICLE REMOVAL: THE REMOVAL. OFF THE PREMISES. OF ALL HAZARDOUS WASTE OR OIL CONTAMINANTS CONTAINED WITHIN OR ON THE PURCHASED ASSETS AND IN CONJUNCTION WITH ALL ENVIRONMENTAL LAWS: ANY SPECIFIC TERMS OR CONDITIONS INDICATED BY THE AUCTIONEER AT THE TIME OF SALE.
- 3. All GAS line terminations are to be disconnected by a licensed gas fitter and done in accordance with any federal, state/provincial or local codes.
- 4. All ELECTRICAL disconnects at entry point of machine/equipment, are to be done in accordance with any federal, state/provincial or local codes.
- 5. Riggers must quote their customers in writing and shall be liable for all costs in order to comply with the above.
- 6. Purchasers/Movers/Riggers must provide to Corporate Assets Inc., a certificate of insurance, adding Corporate Assets Inc. as an Additional insured, but only with respect to the operations of the Named Insured (i.e., Purchasers/Movers/ Riggers) at the Named Auction and Named Location, of not less than \$2,000,000.00 evidencing statutory workers' compensation (or state/provincial clearance certificate if applicable). employer's liability insurance, automotive and comprehensive liability insurance coverage (bodily injury and property damage) per person and occurrence.
- 7. Where available, bridge cranes and/or other lifting device hoists may only be used by certified crane operators with insurance in place and only with the expressed written permission of the crane owner and/or Corporate Assets Inc. The amount of the Rigger's insurance deductible may be required by Corporate Assets Inc. as a security deposit.
- 8. Corporate Assets Inc.'s on-site representative must examine all articles being loaded out of the premises.
- 9. Purchasers/Movers/Riggers shall be held liable for all costs relating to damages and repairs to personal property and/or premises as a result of their negligence and/or their activities.
- 10. General hours of removal at the premises are Monday to Friday from 8:00 A.M. to 5:00 P.M., unless otherwise specified. Anyone requiring access outside of these hours or beyond our published deadlines is subject to a non-negotiable per diem rate at Corporate Assets Inc.'s sole discretion.
- 11. No articles shall be removed while the auction is in progress
- 12. NO EQUIPMENT/ARTICLE(S) SHALL LEAVE THE PREMISES UNTIL ALL THE AFOREMENTIONED HAVE BEEN COMPLETED TO THE SATISFACTION OF CORPORATE ASSETS INC 'S ON-SITE REPRESENTATIVE

These terms and conditions together with any amendments or modifications expressly made by the Auctioneer at the time of the auction constitute all the terms and conditions with respect to the sale of articles at this auction. There are no representations, warranties, terms, conditions, undertakings or collateral agreements except as hereinabove provided.

All invoices must be paid in full before commencement of removal. Check with Corporate Assets Inc.'s site representative and Accounting Department if you have any guestions.

Lot Description  1 LINCOLN ELECTRIC SQUARE WAVE TIG 175 TIG WELDER S/N: U1020458615  1A GIANT TOOL LGK 60 PLASMA CUTTER  2 MILLER DIALARC HF AC/DC ARC WELDER S/N: JF879475  3 MILLER DIALARC HF AC/DC ARC WELDER S/N: JF879469  4 MILLER DIALARC HF AC/DC ARC WELDER S/N: KD498668  5 HOBART RC256 MIG WELDER WITH SGA 100 SPOOLMATE ADAPTER S/N: 8RT-13042  6 LINDE PCM-31 TIG WELDER POWER SOURCE S/N: N/A  7 MILLER COOLMATE 3 WELDING CHILLER S/N: LJ310228F  8 NELSON NSA-80A STUD WELDER WITH CART S/N: N/A  9 WELD-O-MATIC AF-2A 75KVA SPOT WELDER WITH 35.5" THROAT, MEDAR MEDWELD 300S POWER SOURCE S/N: 3025 (CI)  10 THE MITCHELL ENGINEERING CO. DOUBLE END PEDESTAL GRINDER/POLISHER S/N: A525  11 WEBSTER 5 HP AIR COMPRESSOR S/N: 30163J5 (CI)  12 DASHIN CHAMPION CP1250 GAP BED ENGINE LATHE WITH 17" SWING OVER BED, 28" SWING OVER GAP, 51" BETWEEN CENTERS, 2" BORE, 10" 3 JAW CHUCK, SPEEDS UP TO 2000RPM S/N: 4166 (CI)  13 GIANT TOOL INC. 50 TON HYDRAULIC SHOP PRESS S/N: N/A (CI)  14 SIMASV AF-B CORNER NOTCHER WITH 8.75" X 8.75" BLADES S/N: C3662 (CI)  15 TRUMPF TAS 500 CURVE, CUTTING-OUT AND NIBBLING SHEAR WITH 50" THROAT, AND CABINET WITH TOOLING S/N: N/A (CI)  16 STRIPPIT CUSTOM 30/30 PUNCH WITH 30 TON CAPACITY, 30" THROAT S/N: 24762774 (CI) (LOCATED AT 1097 PARISIEN ST)  17 STRIPPIT PUNCH AND DIE GRINDERW WITH 5" 3 JAW CHUCK AND 5" GRINDING WHEEL S/N: 85010-000 (LOCATED AT 1097 PARISIEN ST)			
TIG WELDER S/N: U1020458615  1A GIANT TOOL LGK 60 PLASMA CUTTER  2 MILLER DIALARC HF AC/DC ARC WELDER S/N: JF879475  3 MILLER DIALARC HF AC/DC ARC WELDER S/N: JF879469  4 MILLER DIALARC HF AC/DC ARC WELDER S/N: KD498668  5 HOBART RC256 MIG WELDER WITH SGA 100 SPOOLMATE ADAPTER S/N: 8RT-13042  6 LINDE PCM-31 TIG WELDER POWER SOURCE S/N: N/A  7 MILLER COOLMATE 3 WELDING CHILLER S/N: LJ310228F  8 NELSON NSA-80A STUD WELDER WITH CART S/N: N/A  9 WELD-O-MATIC AF-2A 75KVA SPOT WELDER WITH 35.5" THROAT, MEDAR MEDWELD 300S POWER SOURCE S/N: 3025 (CI)  10 THE MITCHELL ENGINEERING CO. DOUBLE END PEDESTAL GRINDER/POLISHER S/N: A525  11 WEBSTER 5 HP AIR COMPRESSOR S/N: 30163J5 (CI)  12 DASHIN CHAMPION CP1250 GAP BED ENGINE LATHE WITH 17" SWING OVER BED, 28" SWING OVER GAP, 51" BETWEEN CENTERS, 2" BORE, 10" 3 JAW CHUCK, SPEEDS UP TO 2000RPM S/N: 4166 (CI)  13 GIANT TOOL INC. 50 TON HYDRAULIC SHOP PRESS S/N: N/A (CI)  14 SIMASV AF-B CORNER NOTCHER WITH 8.75" X 8.75" BLADES S/N: C3662 (CI)  15 TRUMPF TAS 500 CURVE, CUTTING-OUT AND NIBBLING SHEAR WITH 50" THROAT, AND CABINET WITH TOOLING S/N: N/A (CI)  16 STRIPPIT CUSTOM 30/30 PUNCH WITH 30 TON CAPACITY, 30" THROAT S/N: 24762774 (CI) (LOCATED AT 1097 PARISIEN ST)  17 STRIPPIT PUNCH AND DIE GRINDER WITH 5" 3 JAW CHUCK AND 5" GRINDING WHEEL S/N:	Lot	Description	
2 MILLER DIALARC HF AC/DC ARC WELDER S/N: JF879475 3 MILLER DIALARC HF AC/DC ARC WELDER S/N: JF879469 4 MILLER DIALARC HF AC/DC ARC WELDER S/N: KD498668 5 HOBART RC256 MIG WELDER WITH SGA 100 SPOOLMATE ADAPTER S/N: 8RT-13042 6 LINDE PCM-31 TIG WELDER POWER SOURCE S/N: N/A 7 MILLER COOLMATE 3 WELDING CHILLER S/N: LJ310228F 8 NELSON NSA-80A STUD WELDER WITH CART S/N: N/A 9 WELD-O-MATIC AF-2A 75KVA SPOT WELDER WITH 35.5" THROAT, MEDAR MEDWELD 300S POWER SOURCE S/N: 3025 (CI) 10 THE MITCHELL ENGINEERING CO. DOUBLE END PEDESTAL GRINDER/POLISHER S/N: A525 11 WEBSTER 5 HP AIR COMPRESSOR S/N: 30163J5 (CI) 12 DASHIN CHAMPION CP1250 GAP BED ENGINE LATHE WITH 17" SWING OVER BED, 28" SWING OVER GAP, 51" BETWEEN CENTERS, 2" BORE, 10" 3 JAW CHUCK, SPEEDS UP TO 2000RPM S/N: 4166 (CI) 13 GIANT TOOL INC. 50 TON HYDRAULIC SHOP PRESS S/N: N/A (CI) 14 SIMASV AF-B CORNER NOTCHER WITH 8.75" X 8.75" BLADES S/N: C3662 (CI) 15 TRUMPF TAS 500 CURVE, CUTTING-OUT AND NIBBLING SHEAR WITH 50" THROAT, AND CABINET WITH TOOLING S/N: N/A (CI) 16 STRIPPIT CUSTOM 30/30 PUNCH WITH 30 TON CAPACITY, 30" THROAT S/N: 24762774 (CI) (LOCATED AT 1097 PARISIEN ST) 17 STRIPPIT PUNCH AND DIE GRINDER WITH 5" 3 JAW CHUCK AND 5" GRINDING WHEEL S/N:	1		
S/N: JF879475  3 MILLER DIALARC HF AC/DC ARC WELDER S/N: JF879469  4 MILLER DIALARC HF AC/DC ARC WELDER S/N: KD498668  5 HOBART RC256 MIG WELDER WITH SGA 100 SPOOLMATE ADAPTER S/N: 8RT-13042  6 LINDE PCM-31 TIG WELDER POWER SOURCE S/N: N/A  7 MILLER COOLMATE 3 WELDING CHILLER S/N: LJ310228F  8 NELSON NSA-80A STUD WELDER WITH CART S/N: N/A  9 WELD-O-MATIC AF-2A 75KVA SPOT WELDER WITH 35.5" THROAT, MEDAR MEDWELD 300S POWER SOURCE S/N: 3025 (CI)  10 THE MITCHELL ENGINEERING CO. DOUBLE END PEDESTAL GRINDER/POLISHER S/N: A525  11 WEBSTER 5 HP AIR COMPRESSOR S/N: 30163J5 (CI)  12 DASHIN CHAMPION CP1250 GAP BED ENGINE LATHE WITH 17" SWING OVER BED, 28" SWING OVER GAP, 51" BETWEEN CENTERS, 2" BORE, 10" 3 JAW CHUCK, SPEEDS UP TO 2000RPM S/N: 4166 (CI)  13 GIANT TOOL INC. 50 TON HYDRAULIC SHOP PRESS S/N: N/A (CI)  14 SIMASV AF-B CORNER NOTCHER WITH 8.75" X 8.75" BLADES S/N: C3662 (CI)  15 TRUMPF TAS 500 CURVE, CUTTING-OUT AND NIBBLING SHEAR WITH 50" THROAT, AND CABINET WITH TOOLING S/N: N/A (CI)  16 STRIPPIT CUSTOM 30/30 PUNCH WITH 30 TON CAPACITY, 30" THROAT S/N: 24762774 (CI) (LOCATED AT 1097 PARISIEN ST)  17 STRIPPIT PUNCH AND DIE GRINDER WITH 5" 3 JAW CHUCK AND 5" GRINDING WHEEL S/N:	1A	GIANT TOOL LGK 60 PLASMA CUTTER	
S/N: JF879469  4 MILLER DIALARC HF AC/DC ARC WELDER S/N: KD498668  5 HOBART RC256 MIG WELDER WITH SGA 100 SPOOLMATE ADAPTER S/N: 8RT-13042  6 LINDE PCM-31 TIG WELDER POWER SOURCE S/N: N/A  7 MILLER COOLMATE 3 WELDING CHILLER S/N: LJ310228F  8 NELSON NSA-80A STUD WELDER WITH CART S/N: N/A  9 WELD-O-MATIC AF-2A 75KVA SPOT WELDER WITH 35.5" THROAT, MEDAR MEDWELD 300S POWER SOURCE S/N: 3025 (CI)  10 THE MITCHELL ENGINEERING CO. DOUBLE END PEDESTAL GRINDER/POLISHER S/N: A525  11 WEBSTER 5 HP AIR COMPRESSOR S/N: 30163J5 (CI)  12 DASHIN CHAMPION CP1250 GAP BED ENGINE LATHE WITH 17" SWING OVER BED, 28" SWING OVER GAP, 51" BETWEEN CENTERS, 2" BORE, 10" 3 JAW CHUCK, SPEEDS UP TO 2000RPM S/N: 4166 (CI)  13 GIANT TOOL INC. 50 TON HYDRAULIC SHOP PRESS S/N: N/A (CI)  14 SIMASV AF-B CORNER NOTCHER WITH 8.75" X 8.75" BLADES S/N: C3662 (CI)  15 TRUMPF TAS 500 CURVE, CUTTING-OUT AND NIBBLING SHEAR WITH 50" THROAT, AND CABINET WITH TOOLING S/N: N/A (CI)  16 STRIPPIT CUSTOM 30/30 PUNCH WITH 30 TON CAPACITY, 30" THROAT S/N: 24762774 (CI) (LOCATED AT 1097 PARISIEN ST)  17 STRIPPIT PUNCH AND DIE GRINDER WITH 5" 3 JAW CHUCK AND 5" GRINDING WHEEL S/N:	2		
S/N: KD498668  5 HOBART RC256 MIG WELDER WITH SGA 100 SPOOLMATE ADAPTER S/N: 8RT-13042  6 LINDE PCM-31 TIG WELDER POWER SOURCE S/N: N/A  7 MILLER COOLMATE 3 WELDING CHILLER S/N: LJ310228F  8 NELSON NSA-80A STUD WELDER WITH CART S/N: N/A  9 WELD-O-MATIC AF-2A 75KVA SPOT WELDER WITH 35.5" THROAT, MEDAR MEDWELD 300S POWER SOURCE S/N: 3025 (CI)  10 THE MITCHELL ENGINEERING CO. DOUBLE END PEDESTAL GRINDER/POLISHER S/N: A525  11 WEBSTER 5 HP AIR COMPRESSOR S/N: 30163J5 (CI)  12 DASHIN CHAMPION CP1250 GAP BED ENGINE LATHE WITH 17" SWING OVER BED, 28" SWING OVER GAP, 51" BETWEEN CENTERS, 2" BORE, 10" 3 JAW CHUCK, SPEEDS UP TO 2000RPM S/N: 4166 (CI)  13 GIANT TOOL INC. 50 TON HYDRAULIC SHOP PRESS S/N: N/A (CI)  14 SIMASV AF-B CORNER NOTCHER WITH 8.75" X 8.75" BLADES S/N: C3662 (CI)  15 TRUMPF TAS 500 CURVE, CUTTING-OUT AND NIBBLING SHEAR WITH 50" THROAT, AND CABINET WITH TOOLING S/N: N/A (CI)  16 STRIPPIT CUSTOM 30/30 PUNCH WITH 30 TON CAPACITY, 30" THROAT S/N: 24762774 (CI) (LOCATED AT 1097 PARISIEN ST)  17 STRIPPIT PUNCH AND DIE GRINDER WITH 5" 3 JAW CHUCK AND 5" GRINDING WHEEL S/N:	3		
SPOOLMATE ADAPTER S/N: 8RT-13042  6 LINDE PCM-31 TIG WELDER POWER SOURCE S/N: N/A  7 MILLER COOLMATE 3 WELDING CHILLER S/N: LJ310228F  8 NELSON NSA-80A STUD WELDER WITH CART S/N: N/A  9 WELD-O-MATIC AF-2A 75KVA SPOT WELDER WITH 35.5" THROAT, MEDAR MEDWELD 300S POWER SOURCE S/N: 3025 (CI)  10 THE MITCHELL ENGINEERING CO. DOUBLE END PEDESTAL GRINDER/POLISHER S/N: A525  11 WEBSTER 5 HP AIR COMPRESSOR S/N: 30163J5 (CI)  12 DASHIN CHAMPION CP1250 GAP BED ENGINE LATHE WITH 17" SWING OVER BED, 28" SWING OVER GAP, 51" BETWEEN CENTERS, 2" BORE, 10" 3 JAW CHUCK, SPEEDS UP TO 2000RPM S/N: 4166 (CI)  13 GIANT TOOL INC. 50 TON HYDRAULIC SHOP PRESS S/N: N/A (CI)  14 SIMASV AF-B CORNER NOTCHER WITH 8.75" X 8.75" BLADES S/N: C3662 (CI)  15 TRUMPF TAS 500 CURVE, CUTTING-OUT AND NIBBLING SHEAR WITH 50" THROAT, AND CABINET WITH TOOLING S/N: N/A (CI)  16 STRIPPIT CUSTOM 30/30 PUNCH WITH 30 TON CAPACITY, 30" THROAT S/N: 24762774 (CI) (LOCATED AT 1097 PARISIEN ST)  17 STRIPPIT PUNCH AND DIE GRINDER WITH 5" 3 JAW CHUCK AND 5" GRINDING WHEEL S/N:	4		
S/N: N/A  7 MILLER COOLMATE 3 WELDING CHILLER S/N: LJ310228F  8 NELSON NSA-80A STUD WELDER WITH CART S/N: N/A  9 WELD-O-MATIC AF-2A 75KVA SPOT WELDER WITH 35.5" THROAT, MEDAR MEDWELD 300S POWER SOURCE S/N: 3025 (CI)  10 THE MITCHELL ENGINEERING CO. DOUBLE END PEDESTAL GRINDER/POLISHER S/N: A525  11 WEBSTER 5 HP AIR COMPRESSOR S/N: 30163J5 (CI)  12 DASHIN CHAMPION CP1250 GAP BED ENGINE LATHE WITH 17" SWING OVER BED, 28" SWING OVER GAP, 51" BETWEEN CENTERS, 2" BORE, 10" 3 JAW CHUCK, SPEEDS UP TO 2000RPM S/N: 4166 (CI)  13 GIANT TOOL INC. 50 TON HYDRAULIC SHOP PRESS S/N: N/A (CI)  14 SIMASV AF-B CORNER NOTCHER WITH 8.75" X 8.75" BLADES S/N: C3662 (CI)  15 TRUMPF TAS 500 CURVE, CUTTING-OUT AND NIBBLING SHEAR WITH 50" THROAT, AND CABINET WITH TOOLING S/N: N/A (CI)  16 STRIPPIT CUSTOM 30/30 PUNCH WITH 30 TON CAPACITY, 30" THROAT S/N: 24762774 (CI) (LOCATED AT 1097 PARISIEN ST)  17 STRIPPIT PUNCH AND DIE GRINDER WITH 5" 3 JAW CHUCK AND 5" GRINDING WHEEL S/N:	5		
LJ310228F  8 NELSON NSA-80A STUD WELDER WITH CART S/N: N/A  9 WELD-O-MATIC AF-2A 75KVA SPOT WELDER WITH 35.5" THROAT, MEDAR MEDWELD 300S POWER SOURCE S/N: 3025 (CI)  10 THE MITCHELL ENGINEERING CO. DOUBLE END PEDESTAL GRINDER/POLISHER S/N: A525  11 WEBSTER 5 HP AIR COMPRESSOR S/N: 30163J5 (CI)  12 DASHIN CHAMPION CP1250 GAP BED ENGINE LATHE WITH 17" SWING OVER BED, 28" SWING OVER GAP, 51" BETWEEN CENTERS, 2" BORE, 10" 3 JAW CHUCK, SPEEDS UP TO 2000RPM S/N: 4166 (CI)  13 GIANT TOOL INC. 50 TON HYDRAULIC SHOP PRESS S/N: N/A (CI)  14 SIMASV AF-B CORNER NOTCHER WITH 8.75" X 8.75" BLADES S/N: C3662 (CI)  15 TRUMPF TAS 500 CURVE, CUTTING-OUT AND NIBBLING SHEAR WITH 50" THROAT, AND CABINET WITH TOOLING S/N: N/A (CI)  16 STRIPPIT CUSTOM 30/30 PUNCH WITH 30 TON CAPACITY, 30" THROAT S/N: 24762774 (CI) (LOCATED AT 1097 PARISIEN ST)  17 STRIPPIT PUNCH AND DIE GRINDER WITH 5" 3 JAW CHUCK AND 5" GRINDING WHEEL S/N:	6		
S/N: N/A  9 WELD-O-MATIC AF-2A 75KVA SPOT WELDER WITH 35.5" THROAT, MEDAR MEDWELD 300S POWER SOURCE S/N: 3025 (CI)  10 THE MITCHELL ENGINEERING CO. DOUBLE END PEDESTAL GRINDER/POLISHER S/N: A525  11 WEBSTER 5 HP AIR COMPRESSOR S/N: 30163J5 (CI)  12 DASHIN CHAMPION CP1250 GAP BED ENGINE LATHE WITH 17" SWING OVER BED, 28" SWING OVER GAP, 51" BETWEEN CENTERS, 2" BORE, 10" 3 JAW CHUCK, SPEEDS UP TO 2000RPM S/N: 4166 (CI)  13 GIANT TOOL INC. 50 TON HYDRAULIC SHOP PRESS S/N: N/A (CI)  14 SIMASV AF-B CORNER NOTCHER WITH 8.75" X 8.75" BLADES S/N: C3662 (CI)  15 TRUMPF TAS 500 CURVE, CUTTING-OUT AND NIBBLING SHEAR WITH 50" THROAT, AND CABINET WITH TOOLING S/N: N/A (CI)  16 STRIPPIT CUSTOM 30/30 PUNCH WITH 30 TON CAPACITY, 30" THROAT S/N: 24762774 (CI) (LOCATED AT 1097 PARISIEN ST)  17 STRIPPIT PUNCH AND DIE GRINDER WITH 5" 3 JAW CHUCK AND 5" GRINDING WHEEL S/N:	7		
WITH 35.5" THROAT, MEDAR MEDWELD 300S POWER SOURCE S/N: 3025 (CI)  10 THE MITCHELL ENGINEERING CO. DOUBLE END PEDESTAL GRINDER/POLISHER S/N: A525  11 WEBSTER 5 HP AIR COMPRESSOR S/N: 30163J5 (CI)  12 DASHIN CHAMPION CP1250 GAP BED ENGINE LATHE WITH 17" SWING OVER BED, 28" SWING OVER GAP, 51" BETWEEN CENTERS, 2" BORE, 10" 3 JAW CHUCK, SPEEDS UP TO 2000RPM S/N: 4166 (CI)  13 GIANT TOOL INC. 50 TON HYDRAULIC SHOP PRESS S/N: N/A (CI)  14 SIMASV AF-B CORNER NOTCHER WITH 8.75" X 8.75" BLADES S/N: C3662 (CI)  15 TRUMPF TAS 500 CURVE, CUTTING-OUT AND NIBBLING SHEAR WITH 50" THROAT, AND CABINET WITH TOOLING S/N: N/A (CI)  16 STRIPPIT CUSTOM 30/30 PUNCH WITH 30 TON CAPACITY, 30" THROAT S/N: 24762774 (CI) (LOCATED AT 1097 PARISIEN ST)  17 STRIPPIT PUNCH AND DIE GRINDER WITH 5" 3 JAW CHUCK AND 5" GRINDING WHEEL S/N:	8		
END PEDESTAL GRINDER/POLISHER S/N: A525  11 WEBSTER 5 HP AIR COMPRESSOR S/N: 30163J5 (CI)  12 DASHIN CHAMPION CP1250 GAP BED ENGINE LATHE WITH 17" SWING OVER BED, 28" SWING OVER GAP, 51" BETWEEN CENTERS, 2" BORE, 10" 3 JAW CHUCK, SPEEDS UP TO 2000RPM S/N: 4166 (CI)  13 GIANT TOOL INC. 50 TON HYDRAULIC SHOP PRESS S/N: N/A (CI)  14 SIMASV AF-B CORNER NOTCHER WITH 8.75" X 8.75" BLADES S/N: C3662 (CI)  15 TRUMPF TAS 500 CURVE, CUTTING-OUT AND NIBBLING SHEAR WITH 50" THROAT, AND CABINET WITH TOOLING S/N: N/A (CI)  16 STRIPPIT CUSTOM 30/30 PUNCH WITH 30 TON CAPACITY, 30" THROAT S/N: 24762774 (CI) (LOCATED AT 1097 PARISIEN ST)  17 STRIPPIT PUNCH AND DIE GRINDER WITH 5" 3 JAW CHUCK AND 5" GRINDING WHEEL S/N:	9	WITH 35.5" THROAT, MEDAR MEDWELD 300S	
30163J5 (CI)  12 DASHIN CHAMPION CP1250 GAP BED ENGINE LATHE WITH 17" SWING OVER BED, 28" SWING OVER GAP, 51" BETWEEN CENTERS, 2" BORE, 10" 3 JAW CHUCK, SPEEDS UP TO 2000RPM S/N: 4166 (CI)  13 GIANT TOOL INC. 50 TON HYDRAULIC SHOP PRESS S/N: N/A (CI)  14 SIMASV AF-B CORNER NOTCHER WITH 8.75" X 8.75" BLADES S/N: C3662 (CI)  15 TRUMPF TAS 500 CURVE, CUTTING-OUT AND NIBBLING SHEAR WITH 50" THROAT, AND CABINET WITH TOOLING S/N: N/A (CI)  16 STRIPPIT CUSTOM 30/30 PUNCH WITH 30 TON CAPACITY, 30" THROAT S/N: 24762774 (CI) (LOCATED AT 1097 PARISIEN ST)  17 STRIPPIT PUNCH AND DIE GRINDER WITH 5" 3 JAW CHUCK AND 5" GRINDING WHEEL S/N:	10	END PEDESTAL GRINDER/POLISHER S/N:	
ENGINE LATHE WITH 17" SWING OVER BED, 28" SWING OVER GAP, 51" BETWEEN CENTERS, 2" BORE, 10" 3 JAW CHUCK, SPEEDS UP TO 2000RPM S/N: 4166 (CI)  13 GIANT TOOL INC. 50 TON HYDRAULIC SHOP PRESS S/N: N/A (CI)  14 SIMASV AF-B CORNER NOTCHER WITH 8.75" X 8.75" BLADES S/N: C3662 (CI)  15 TRUMPF TAS 500 CURVE, CUTTING-OUT AND NIBBLING SHEAR WITH 50" THROAT, AND CABINET WITH TOOLING S/N: N/A (CI)  16 STRIPPIT CUSTOM 30/30 PUNCH WITH 30 TON CAPACITY, 30" THROAT S/N: 24762774 (CI) (LOCATED AT 1097 PARISIEN ST)  17 STRIPPIT PUNCH AND DIE GRINDER WITH 5" 3 JAW CHUCK AND 5" GRINDING WHEEL S/N:	11		
PRESS S/N: N/A (CI)  14 SIMASV AF-B CORNER NOTCHER WITH 8.75" X 8.75" BLADES S/N: C3662 (CI)  15 TRUMPF TAS 500 CURVE, CUTTING-OUT AND NIBBLING SHEAR WITH 50" THROAT, AND CABINET WITH TOOLING S/N: N/A (CI)  16 STRIPPIT CUSTOM 30/30 PUNCH WITH 30 TON CAPACITY, 30" THROAT S/N: 24762774 (CI) (LOCATED AT 1097 PARISIEN ST)  17 STRIPPIT PUNCH AND DIE GRINDER WITH 5" 3 JAW CHUCK AND 5" GRINDING WHEEL S/N:	12	ENGINE LATHE WITH 17" SWING OVER BED, 28" SWING OVER GAP, 51" BETWEEN CENTERS, 2" BORE, 10" 3 JAW CHUCK,	
X 8.75" BLADES S/N: C3662 (CI)  15 TRUMPF TAS 500 CURVE, CUTTING-OUT AND NIBBLING SHEAR WITH 50" THROAT, AND CABINET WITH TOOLING S/N: N/A (CI)  16 STRIPPIT CUSTOM 30/30 PUNCH WITH 30 TON CAPACITY, 30" THROAT S/N: 24762774 (CI) (LOCATED AT 1097 PARISIEN ST)  17 STRIPPIT PUNCH AND DIE GRINDER WITH 5" 3 JAW CHUCK AND 5" GRINDING WHEEL S/N:	13		
NIBBLING SHEAR WITH 50" THROAT, AND CABINET WITH TOOLING S/N: N/A (CI)  16 STRIPPIT CUSTOM 30/30 PUNCH WITH 30 TON CAPACITY, 30" THROAT S/N: 24762774 (CI) (LOCATED AT 1097 PARISIEN ST)  17 STRIPPIT PUNCH AND DIE GRINDER WITH 5" 3 JAW CHUCK AND 5" GRINDING WHEEL S/N:	14		
TON CAPACITY, 30" THROAT S/N: 24762774 (CI) (LOCATED AT 1097 PARISIEN ST)  17 STRIPPIT PUNCH AND DIE GRINDER WITH 5" 3 JAW CHUCK AND 5" GRINDING WHEEL S/N:	15	NIBBLING SHEAR WITH 50" THROAT, AND CABINET WITH TOOLING S/N: N/A (CI)	
3 JAW CHUCK AND 5" GRINDING WHEEL S/N:		TON CAPACITY, 30" THROAT S/N: 24762774 (CI) (LOCATED AT 1097 PARISIEN ST)	
, , ,	17	3 JAW CHUCK AND 5" GRINDING WHEEL S/N:	

Lot Description  18 DIE TOOL VISE (LOCATED AT 1097 PARISIEN ST)  19 LOT/ CONTENTS OF DRAWER CONSISTING OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  20 LOT/ CONTENTS OF DRAWER CONSISTING OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  21 LOT/ CONTENTS OF DRAWER CONSISTING OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  22 LOT/ CONTENTS OF DRAWER CONSISTING OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  23 LOT/ CONTENTS OF DRAWER CONSISTING OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  24 LOT/ CONTENTS OF DRAWER CONSISTING OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  25 LOT/ CONTENTS OF DRAWER CONSISTING OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  26 LOT/ CONTENTS OF DRAWER CONSISTING OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  27 GASPARINI CO 3004 10' HYDRAULIC SHEAR WITH UP TO 20 GAGE CAPACITY S/N: 687948 (CI) (LOCATED AT 1097 PARISIEN ST)  28 GASPARINI POA 105 10' HYDRAULIC CNC BRAKE PRESS WITH 105 TON CAPACITY, HURCO AUTOBEND 5C CONTROL, AUTOBEND AB5/S7 BACK GAGE, 8" STROKE, 11/32" WORK SPEED PER MIN, 14" THROAT, 10 HP MOTOR S/N: 387891 (CI) (LOCATED AT 1097 PARISIEN ST)  29 10' 4 WAY BRAKE DIE (LOCATED AT 1097 PARISIEN ST)  30 LOT/ BRAKE DIES (LOCATED AT 1097 PARISIEN ST)  31 REX 65FR 20 KVA SPOT WELDER WITH 8-30" THROAT S/N: N/A (CI) (LOCATED AT 1097 PARISIEN ST)  32 PROGRESS 10' BELT SAND WITH 5 HP MOTOR S/N: N/A (CI) (LOCATED AT 1097 PARISIEN ST)			
ST)  19 LOT/ CONTENTS OF DRAWER CONSISTING OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  20 LOT/ CONTENTS OF DRAWER CONSISTING OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  21 LOT/ CONTENTS OF DRAWER CONSISTING OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  22 LOT/ CONTENTS OF DRAWER CONSISTING OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  23 LOT/ CONTENTS OF DRAWER CONSISTING OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  24 LOT/ CONTENTS OF DRAWER CONSISTING OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  25 LOT/ CONTENTS OF DRAWER CONSISTING OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  26 LOT/ CONTENTS OF DRAWER CONSISTING OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  27 GASPARINI CO 3004 10' HYDRAULIC SHEAR WITH UP TO 20 GAGE CAPACITY S/N: 687948 (CI) (LOCATED AT 1097 PARISIEN ST)  28 GASPARINI POA 105 10' HYDRAULIC CNC BRAKE PRESS WITH 105 TON CAPACITY, HURCO AUTOBEND 5C CONTROL, AUTOBEND AB5/S7 BACK GAGE, 8" STROKE, 11/32" WORK SPEED PER MIN, 14" THROAT, 10 HP MOTOR S/N: 387891 (CI) (LOCATED AT 1097 PARISIEN ST)  29 10' 4 WAY BRAKE DIE (LOCATED AT 1097 PARISIEN ST)  30 LOT/ BRAKE DIES (LOCATED AT 1097 PARISIEN ST)  31 REX 65FR 20 KVA SPOT WELDER WITH 8-30" THROAT S/N: N/A (CI)(LOCATED AT 1097 PARISIEN ST)  32 PROGRESS 10' BELT SAND WITH 5 HP	Lot	Description	
OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  20 LOT/ CONTENTS OF DRAWER CONSISTING OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  21 LOT/ CONTENTS OF DRAWER CONSISTING OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  22 LOT/ CONTENTS OF DRAWER CONSISTING OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  23 LOT/ CONTENTS OF DRAWER CONSISTING OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  24 LOT/ CONTENTS OF DRAWER CONSISTING OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  25 LOT/ CONTENTS OF DRAWER CONSISTING OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  26 HEAVY DUTY METAL WORK BENCH (LOCATED AT 1097 PARISIEN ST)  27 GASPARINI CO 3004 10' HYDRAULIC SHEAR WITH UP TO 20 GAGE CAPACITY S/N: 687948 (CI) (LOCATED AT 1097 PARISIEN ST)  28 GASPARINI POA 105 10' HYDRAULIC CNC BRAKE PRESS WITH 105 TON CAPACITY, HURCO AUTOBEND 5C CONTROL, AUTOBEND AB5/S7 BACK GAGE, 8" STROKE, 11/32" WORK SPEED PER MIN, 14" THROAT, 10 HP MOTOR S/N: 387891 (CI) (LOCATED AT 1097 PARISIEN ST)  29 10' 4 WAY BRAKE DIE (LOCATED AT 1097 PARISIEN ST)  30 LOT/ BRAKE DIES (LOCATED AT 1097 PARISIEN ST)  31 REX 65FR 20 KVA SPOT WELDER WITH 8-30" THROAT S/N: N/A (CI)(LOCATED AT 1097 PARISIEN ST)  32 PROGRESS 10' BELT SAND WITH 5 HP	18		
OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  21 LOT/ CONTENTS OF DRAWER CONSISTING OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  22 LOT/ CONTENTS OF DRAWER CONSISTING OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  23 LOT/ CONTENTS OF DRAWER CONSISTING OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  24 LOT/ CONTENTS OF DRAWER CONSISTING OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  25 LOT/ CONTENTS OF DRAWER CONSISTING OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  26 HEAVY DUTY METAL WORK BENCH (LOCATED AT 1097 PARISIEN ST)  27 GASPARINI CO 3004 10' HYDRAULIC SHEAR WITH UP TO 20 GAGE CAPACITY S/N: 687948 (CI) (LOCATED AT 1097 PARISIEN ST)  28 GASPARINI POA 105 10' HYDRAULIC CNC BRAKE PRESS WITH 105 TON CAPACITY, HURCO AUTOBEND 5C CONTROL, AUTOBEND AB5/S7 BACK GAGE, 8" STROKE, 11/32" WORK SPEED PER MIN, 14" THROAT, 10 HP MOTOR S/N: 387891 (CI) (LOCATED AT 1097 PARISIEN ST)  29 10' 4 WAY BRAKE DIE (LOCATED AT 1097 PARISIEN ST)  30 LOT/ BRAKE DIES (LOCATED AT 1097 PARISIEN ST)  31 REX 65FR 20 KVA SPOT WELDER WITH 8-30" THROAT S/N: N/A (CI)(LOCATED AT 1097 PARISIEN ST)  32 PROGRESS 10' BELT SAND WITH 5 HP	19	OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)	
OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  22 LOT/ CONTENTS OF DRAWER CONSISTING OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  23 LOT/ CONTENTS OF DRAWER CONSISTING OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  24 LOT/ CONTENTS OF DRAWER CONSISTING OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  25 LOT/ CONTENTS OF DRAWER CONSISTING OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  26 HEAVY DUTY METAL WORK BENCH (LOCATED AT 1097 PARISIEN ST)  27 GASPARINI CO 3004 10' HYDRAULIC SHEAR WITH UP TO 20 GAGE CAPACITY S/N: 687948 (CI) (LOCATED AT 1097 PARISIEN ST)  28 GASPARINI POA 105 10' HYDRAULIC CNC BRAKE PRESS WITH 105 TON CAPACITY, HURCO AUTOBEND 5C CONTROL, AUTOBEND AB5/S7 BACK GAGE, 8" STROKE, 11/32" WORK SPEED PER MIN, 14" THROAT, 10 HP MOTOR S/N: 387891 (CI) (LOCATED AT 1097 PARISIEN ST)  29 10' 4 WAY BRAKE DIE (LOCATED AT 1097 PARISIEN ST)  30 LOT/ BRAKE DIES (LOCATED AT 1097 PARISIEN ST)  31 REX 65FR 20 KVA SPOT WELDER WITH 8-30" THROAT S/N: N/A (CI)(LOCATED AT 1097 PARISIEN ST)  32 PROGRESS 10' BELT SAND WITH 5 HP	20	OF PUNCH TOOLING (LOCATED AT 1097	
OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  23 LOT/ CONTENTS OF DRAWER CONSISTING OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  24 LOT/ CONTENTS OF DRAWER CONSISTING OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  25 LOT/ CONTENTS OF DRAWER CONSISTING OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  26 HEAVY DUTY METAL WORK BENCH (LOCATED AT 1097 PARISIEN ST)  27 GASPARINI CO 3004 10' HYDRAULIC SHEAR WITH UP TO 20 GAGE CAPACITY S/N: 687948 (CI) (LOCATED AT 1097 PARISIEN ST)  28 GASPARINI POA 105 10' HYDRAULIC CNC BRAKE PRESS WITH 105 TON CAPACITY, HURCO AUTOBEND 5C CONTROL, AUTOBEND AB5/S7 BACK GAGE, 8" STROKE, 11/32" WORK SPEED PER MIN, 14" THROAT, 10 HP MOTOR S/N: 387891 (CI) (LOCATED AT 1097 PARISIEN ST)  29 10' 4 WAY BRAKE DIE (LOCATED AT 1097 PARISIEN ST)  30 LOT/ BRAKE DIES (LOCATED AT 1097 PARISIEN ST)  31 REX 65FR 20 KVA SPOT WELDER WITH 8-30" THROAT S/N: N/A (CI)(LOCATED AT 1097 PARISIEN ST)  32 PROGRESS 10' BELT SAND WITH 5 HP	21	OF PUNCH TOOLING (LOCATED AT 1097	
OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  24 LOT/ CONTENTS OF DRAWER CONSISTING OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  25 LOT/ CONTENTS OF DRAWER CONSISTING OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  26 HEAVY DUTY METAL WORK BENCH (LOCATED AT 1097 PARISIEN ST)  27 GASPARINI CO 3004 10' HYDRAULIC SHEAR WITH UP TO 20 GAGE CAPACITY S/N: 687948 (CI) (LOCATED AT 1097 PARISIEN ST)  28 GASPARINI POA 105 10' HYDRAULIC CNC BRAKE PRESS WITH 105 TON CAPACITY, HURCO AUTOBEND 5C CONTROL, AUTOBEND AB5/S7 BACK GAGE, 8" STROKE, 11/32" WORK SPEED PER MIN, 14" THROAT, 10 HP MOTOR S/N: 387891 (CI) (LOCATED AT 1097 PARISIEN ST)  29 10' 4 WAY BRAKE DIE (LOCATED AT 1097 PARISIEN ST)  30 LOT/ BRAKE DIES (LOCATED AT 1097 PARISIEN ST)  31 REX 65FR 20 KVA SPOT WELDER WITH 8-30" THROAT S/N: N/A (CI)(LOCATED AT 1097 PARISIEN ST)  32 PROGRESS 10' BELT SAND WITH 5 HP	22	OF PUNCH TOOLING (LOCATED AT 1097	
OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  25 LOT/ CONTENTS OF DRAWER CONSISTING OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  26 HEAVY DUTY METAL WORK BENCH (LOCATED AT 1097 PARISIEN ST)  27 GASPARINI CO 3004 10' HYDRAULIC SHEAR WITH UP TO 20 GAGE CAPACITY S/N: 687948 (CI) (LOCATED AT 1097 PARISIEN ST)  28 GASPARINI POA 105 10' HYDRAULIC CNC BRAKE PRESS WITH 105 TON CAPACITY, HURCO AUTOBEND 5C CONTROL, AUTOBEND AB5/S7 BACK GAGE, 8" STROKE, 11/32" WORK SPEED PER MIN, 14" THROAT, 10 HP MOTOR S/N: 387891 (CI) (LOCATED AT 1097 PARISIEN ST)  29 10' 4 WAY BRAKE DIE (LOCATED AT 1097 PARISIEN ST)  30 LOT/ BRAKE DIES (LOCATED AT 1097 PARISIEN ST)  31 REX 65FR 20 KVA SPOT WELDER WITH 8-30" THROAT S/N: N/A (CI)(LOCATED AT 1097 PARISIEN ST)  32 PROGRESS 10' BELT SAND WITH 5 HP	23	OF PUNCH TOOLING (LOCATED AT 1097	
OF PUNCH TOOLING (LOCATED AT 1097 PARISIEN ST)  26 HEAVY DUTY METAL WORK BENCH (LOCATED AT 1097 PARISIEN ST)  27 GASPARINI CO 3004 10' HYDRAULIC SHEAR WITH UP TO 20 GAGE CAPACITY S/N: 687948 (CI) (LOCATED AT 1097 PARISIEN ST)  28 GASPARINI POA 105 10' HYDRAULIC CNC BRAKE PRESS WITH 105 TON CAPACITY, HURCO AUTOBEND 5C CONTROL, AUTOBEND AB5/S7 BACK GAGE, 8" STROKE, 11/32" WORK SPEED PER MIN, 14" THROAT, 10 HP MOTOR S/N: 387891 (CI) (LOCATED AT 1097 PARISIEN ST)  29 10' 4 WAY BRAKE DIE (LOCATED AT 1097 PARISIEN ST)  30 LOT/ BRAKE DIES (LOCATED AT 1097 PARISIEN ST)  31 REX 65FR 20 KVA SPOT WELDER WITH 8-30" THROAT S/N: N/A (CI)(LOCATED AT 1097 PARISIEN ST)  32 PROGRESS 10' BELT SAND WITH 5 HP	24	OF PUNCH TOOLING (LOCATED AT 1097	
(LOCATED AT 1097 PARISIEN ST)  27 GASPARINI CO 3004 10' HYDRAULIC SHEAR WITH UP TO 20 GAGE CAPACITY S/N: 687948 (CI) (LOCATED AT 1097 PARISIEN ST)  28 GASPARINI POA 105 10' HYDRAULIC CNC BRAKE PRESS WITH 105 TON CAPACITY, HURCO AUTOBEND 5C CONTROL, AUTOBEND AB5/S7 BACK GAGE, 8" STROKE, 11/32" WORK SPEED PER MIN, 14" THROAT, 10 HP MOTOR S/N: 387891 (CI) (LOCATED AT 1097 PARISIEN ST)  29 10' 4 WAY BRAKE DIE (LOCATED AT 1097 PARISIEN ST)  30 LOT/ BRAKE DIES (LOCATED AT 1097 PARISIEN ST)  31 REX 65FR 20 KVA SPOT WELDER WITH 8-30" THROAT S/N: N/A (CI)(LOCATED AT 1097 PARISIEN ST)  32 PROGRESS 10' BELT SAND WITH 5 HP	25	OF PUNCH TOOLING (LOCATED AT 1097	
WITH UP TO 20 GAGE CAPACITY S/N: 687948 (CI) (LOCATED AT 1097 PARISIEN ST)  28 GASPARINI POA 105 10' HYDRAULIC CNC BRAKE PRESS WITH 105 TON CAPACITY, HURCO AUTOBEND 5C CONTROL, AUTOBEND AB5/S7 BACK GAGE, 8" STROKE, 11/32" WORK SPEED PER MIN, 14" THROAT, 10 HP MOTOR S/N: 387891 (CI) (LOCATED AT 1097 PARISIEN ST)  29 10' 4 WAY BRAKE DIE (LOCATED AT 1097 PARISIEN ST)  30 LOT/ BRAKE DIES (LOCATED AT 1097 PARISIEN ST)  31 REX 65FR 20 KVA SPOT WELDER WITH 8-30" THROAT S/N: N/A (CI)(LOCATED AT 1097 PARISIEN ST)  32 PROGRESS 10' BELT SAND WITH 5 HP	26		
BRAKE PRESS WITH 105 TON CAPACITY, HURCO AUTOBEND 5C CONTROL, AUTOBEND AB5/S7 BACK GAGE, 8" STROKE, 11/32" WORK SPEED PER MIN, 14" THROAT, 10 HP MOTOR S/N: 387891 (CI) (LOCATED AT 1097 PARISIEN ST)  29 10' 4 WAY BRAKE DIE (LOCATED AT 1097 PARISIEN ST)  30 LOT/ BRAKE DIES (LOCATED AT 1097 PARISIEN ST)  31 REX 65FR 20 KVA SPOT WELDER WITH 8-30" THROAT S/N: N/A (CI)(LOCATED AT 1097 PARISIEN ST)  32 PROGRESS 10' BELT SAND WITH 5 HP	27	WITH UP TO 20 GAGE CAPACITY S/N: 687948	
PARISIEN ST)  30 LOT/ BRAKE DIES (LOCATED AT 1097 PARISIEN ST)  31 REX 65FR 20 KVA SPOT WELDER WITH 8-30" THROAT S/N: N/A (CI)(LOCATED AT 1097 PARISIEN ST)  32 PROGRESS 10' BELT SAND WITH 5 HP	28	BRAKE PRESS WITH 105 TON CAPACITY, HURCO AUTOBEND 5C CONTROL, AUTOBEND AB5/S7 BACK GAGE, 8" STROKE, 11/32" WORK SPEED PER MIN, 14" THROAT, 10 HP MOTOR S/N: 387891 (CI) (LOCATED AT	
PARISIEN ST)  31 REX 65FR 20 KVA SPOT WELDER WITH 8-30" THROAT S/N: N/A (CI)(LOCATED AT 1097 PARISIEN ST)  32 PROGRESS 10' BELT SAND WITH 5 HP	29	,	
THROAT S/N: N/A (CI)(LOCATED AT 1097 PARISIEN ST)  32 PROGRESS 10' BELT SAND WITH 5 HP	30	PARISIEN ST)	
	31	THROAT S/N: N/A (CI)(LOCATED AT 1097	
PARISIEN ST)	32	MOTOR S/N: N/A (CI) (LOCATED AT 1097	

Lot	Description	
33	LOT/ SANDING BELTS (LOCATED AT 1097 PARISIEN ST)	
34	MFG UNKNOWN 46" BELT SANDER WITH SPARE BELTS (LOCATED AT 1097 PARISIEN ST)	
35	STEEL CITY 17" VS DRILL PRESS WITH SPEEDS UPTO 2500 RPM S/N: NL100008 (LOCATED AT 1097 PARISIEN ST)	
36	MFG UNKNOWN 35" MANUAL BENDING ROLLS S/N: N/A (LOCATED AT 1097 PARISIEN ST)	

SURPLUS ASSETS OF P.E. RAIL & SON