

# ONLINE AUCTION

# **G.S. DIE & DESIGN INC.**





Wednesday, June 14

MARK YOUR
CALENDARS!
260 Superior Blvd

Mississauga, Ontario, L5T 2L2

INSPECTION: Tuesday, June 13 from 9 AM to 5 PM or by appointment.

LIVE WEBCAST ONLY BIdSpotter

#### MARK YOUR CALENDARS FOR THIS EVENT!





**AUCTION CONDUCTED BY:** 

# CORPORATE ASSETS INC

"Let Our Experience Be Your #1 Asset"TM

373 Munster Avenue, Toronto, ON, Canada M8Z 3C8

www.corpassets.com • 416.962.9600 • info@corpassets.com

#### VERY WELL MAINTAINED HEAVY STAMPING PRESSES AVAILABLE



**DANLY** D4-800/500-120x84 QDC 800 ton capacity mechanical straight side stamping press



**VERSON** S2-600-120-72T 600 ton capacity mechanical straight side stamping press



**CLEARING** F-4600-132 600 ton capacity mechanical straight side stamping press



**CLEARING** F-4400-108 400 ton capacity mechanical straight side stamping press

#### STAMPING PRESSES

**DANLY** D4-800/500-120x84 QDC 800 ton capacity mechanical straight side stamping REFLEX with (retrofit 2003) INTEGRATION COMMAND STAMP PLC control, 84"x142" ram, 84"x142" left-to-right rollin bolster, 42" stroke, 82" shut height, 18" adjustment, 8.75-14.88 SPM (continuous), 6.7-11.9 SPM (single stroke), 96"x107" window, TOLEDO PWI digital tonnage monitor, FAGOR DRO, safety light curtains, s/n: 77364701

CLEARING F-4400-108 400 ton capacity mechanical straight side stamping press with (retrofit) REFLEX.INTEGRATION COMMAND STAMP PLC control 60"x103" ram, 60"x108" bed, 14" stroke, 35" shut height, 13" adjustment, 16 SPM, 52"x26" window, air clutch, palm button control, FAGOR DRO, safety light curtains, s/n: 36-2664

#### 1000 TON CAPACITY STAMPING PRESS & SERVO FEED EQUIPMENT



**USI CLEARING** S4-1000-144-84 1000 ton capacity



**COLT** CHDR-2000-65 20,000 lb. capacity motorized traveling uncoilers



COLT CERFS-40-60 60" servo feeder/straightener



**COLT** CHDR-2000-60 20,000 lb. capacity motorized traveling uncoiler



**AMERICAN STEEL LINE** MODEL 1000 capacity motorized uncoiler



**COLT** 38" servo feeder/straightener

#### **STAMPING PRESSES**

USI CLEARING S4 1000-144-84 1000 ton capacity mechanical straight side stamping press with (retrofit 2004) REFLEX INTEGRATION COMMAND STAMP PLC control, 84"x144" ram, 84"x144" front to-back roll in bolster, 14" stroke, 72" shut height, 14" adjustment, 20 SPM, 67"x42" window, air clutch, palm button control, TOLEDO PWI digital tonnage monitor, safety light curtains, s/n: n/a SOLD!

VERSON (REBUILT 2008) S2-600-120-72T 600 ton capacity mechanical straight side stamping press with (retrofit) REFLEX INTEGRATION COMMAND STAMP PLC control 72"x120" ram/bed, 20" stroke, 42" shut height, 10" adjustment, 40 SPM, 43"x38" window, air clutch, palm button control, TOLEDO PWI digital tonnage monitor, FAGOR DRO, safety light curtains, s/n: 17237

CLEARING F-4600-132 600 ton capacity mechanical straight side stamping press with (retrofit) REFLEX INTEGRATION COMMAND STAMP PLC control 78"x126" ram, 84"x133" bed, 14" stroke, 40" shut height with spacers, 56" shut height without spacers, 14" adjustment, 10 SPM, 61"x30" window, palm button control, TOLEDO PWI digital tonnage monitor, FAGOR DRO, safety light curtains, s/n: 49-16436-P

#### LATE MODEL CNC BRIDGE TYPE VERTICAL MACHINING CENTERS AVAILABLE



AWEA LP4021 CNC bridge-type vertical machining center



AWEA SP2016 CNC bridge-type vertical machining center

#### CNC MULTI-AXIS HORIZONTAL BORING & MILLING MACHINES AVAILABLE



**AWEA** BL3018FM CNC horizontal boring/milling machine



SORALUCE SP-6000 CNC travelling column milling machine



Large selection of 40 & 50 taper tooling available

#### **CNC HORIZONTAL BORING/MILLING MACHINE**

AWEA (2007) BL3018FM CNC horizontal boring/milling machine with FANUC SERIES 18i-MB CNC control, 71"x63" rotary table, 1,760 lb. max. table load, travels: X - 118.1"; Y - 70.8"; Z -39.3"; W - 23.6"; B - 360 deg., spindle speeds to 2400 RPM, 20 HP spindle motor, CAT 50 spindle taper, 40 station ATC, coolant, chip conveyor, s/n: 061170

#### **CNC TRAVELLING COLUMN MILLING MACHINE**

SORALUCE (2002) SP-6000 CNC travelling column milling machine with HEIDENHAIN CNC control, 43"x237" table, travels: X - 177.16"; Y - 47.24"; Z - 78.74", spindle speeds to 4000 RPM, automatic positioning universal head, through-spindle coolant with magnetic filtration, chip conveyor, s/n: 8649

#### LATE MODEL HIGH SPEED CNC VERTICAL MACHINING CENTERS AVAILABLE



PINNACLE LV-137 high speed CNC vertical machining center



AWEA AF-1600 high speed CNC vertical machining center



HAAS VF-3D APC high speed CNC twin pallet vertical machining center

# HIGH-SPEED CNC VERTICAL MACHINING CENTERS

**PINNACLE** (2016) LV-137 high-speed CNC vertical machining center with MTTUBISHI M80 CNC control, 58"x28" table, travels: X – 51.1"; Y – 27.9"; Z – 24", 28.3" max. distance spindle nose to table top, spindle speeds to 10,000 RPM, 15 HP spindle motor, CAT 40 spindle taper, 30 station ATC, RENISHAW OMI-2 optical receiver/machine interface, coolant, chip conveyor, s/n: 4P11184H8

**AWEA** (2013) AF-1600 high-speed CNC vertical machining center with MITSUBISHI M70 CNC control, 32"x67" table, travels: X – 62.9"; Y – 31.4"; Z – 31.4", 37.9" max. distance spindle nose to table top, spindle speeds to 15,000 RPM, CAT 40 spindle taper, 40 station ATC, RENISHAW OTS optical tool setter, coolant, chip conveyor, s/n: 1600-13012

# HIGH-SPEED CNC TWIN PALLET VMC

**HAAS** (2004) VF-3D APC high-speed CNC twin pallet vertical machining center with HAAS CNC control, (2) 40"x18" pallets, travels: X – 40"; Y – 20"; Z – 25", spindle speeds to 15,000 RPM, CAT 40 spindle taper, 24 station ATC, HAAS automatic pallet changer, through-spindle coolant, chip auger, s/n: 39485

# CNC BRIDGE-TYPE VERTICAL MACHINING CENTERS

**AWEA** (2009) LP4021 CNC bridge-type vertical machining center with FANUC SERIES 18i-MB CNC control, 79"x158" table, travels: X – 157.5"; Y – 82.6"; Z – 30", 39.4" max. distance spindle nose to table top, spindle speeds to 6000 RPM, 30 HP spindle motor, CAT 50 spindle taper, 30 station ATC, M&H laser tool setter, coolant, chip conveyor, 29,056 hours (recorded on meter at time of listing), s/n: 091780

**AWEA** (2005) SP2016 CNC bridge-type vertical machining center with FANUC SERIES 18i-MB CNC control, travels: X – 82.7"; Y – 63"; Z – 30", 39.4" max. distance spindle nose to table top, spindle speeds to 6000 RPM, 30 HP spindle motor, CAT 50 spindle taper, 32 station ATC, coolant, chip conveyor, s/n: 5860

# CNC WATERJET CUTTING SYSTEM

**FLOW** (2006) MODEL 713633-1 CNC integrated flying bridge waterjet cutting machine with FLOWMASTER PC-based CNC control, 86"x168" table, travels: X – 143.7"; Y – 71.8"; Z – 6", 2.5" material thickness, media recovery, EBBCO CLS-36000IL-3 inline chiller unit (may be sold separately), s/n: 350864

#### PARTIAL LISTING ONLY. VISIT WWW.CORPASSETS.COM FOR DETAILS.



2004 Q535L 1,760 LB. MAX. WORKPIECE WEIGHT **SODICK** AQ535L CNC wire EDM

SODICK VL400Q CNC wire EDM



NTC TLM610 5-axis CNC bridgetype laser cutting machine



FLOW MODEL 713633-1 CNC integrated flying bridge waterjet cutting machine

#### **CNC WIRE EDMs**

SODICK (2017) VL400Q CNC wire EDM with SODICK LN2W CNC control, travels: X - 15.75"; Y - 11.8"; Z - 8.6"; U&V - 3.15"x3.15", 27"x34"x26"D tank dimensions, 1,102 lb. max. workpiece weight, dielectric tank with filtration, s/n: T0166

**SODICK** (2004) AO535L CNC wire EDM with SODICK LO33W CNC control, travels: X – 21.6"; Y – 13.7"; Z – 11.8", 30"x44"x14"D tank dimensions, 31"x23" work table, 1,760 lb. max. workpiece weight, dielectric tank with filtration, s/n: 1049

#### **5-AXIS CNC BRIDGE-TYPE LASER CUTTING MACHINE**

NTC TLM610 2000 WATT capacity 5-axis CNC bridge-type laser cutting machine with TDLC-04R CNC control, 74.80" x 122" table, travels: X -122.04", Y - 74.80", Z - 31.49", B - 200 deg., W - 360 deg., PRC 2200 laser power source with 51,285 hours (recorded on meter at time of listing), AAF INTERNATIONAL cartridge-type dust collector (may be sold separately), KOOLANT KOOLERS liquid chiller (may be sold separately), s/n: 500388

#### **TOOL PRE-SETTERS**

ZOLLER (2007) SMILE 400 digital tool pre-setter with touch screen control, s/n: SM14/4-00271

SECO EPB EASYSHRINK 20 heat shrink tool pre-setter, s/n: n/a

#### AIR COMPRESSORS

ATLAS COPCO (2002) GA55 75 HP rotary screw air compressor with 132 PSI, 324 CFM, 3600 RPM, 58,182 hours (recorded on meter at time of listing), s/n: AII476755

KAESER (2000) BS61 50 HP rotary screw air compressor with 110 PSIG, 240 CFM, 1800 RPM, s/n: 1013

#### LARGE SELECTION OF WELL MAINTAINED CONVENTIONAL MACHINE TOOLS



LIAN FENG & CHEVALIER surface grinders



FIRST LC-185VS vertical milling machines



CHEVALIER FSG-1640AD hydraulic surface grinder



CHEVALIER FSG-16040ADII hydraulic surface grinder



**DAHLIH** DL-V1600 bed-type universal milling machine



**DAHLIH** DL-V1600 bed-type universal milling machine



**BYJC** XAE5750/63 universal milling machine



POWERTURN 18"X60" gap bed engine lathe



RAM horizontal band saw



**ZJ DRILLMASTER** 6' radial arm drill

#### COMPLETE QC DEPARTMENT AND LATE MODEL INSPECTION EQUIPMENT




**BROWN & SHARPE** XCEL 9.15.9 CMM



**HEXAGON METROLOGY** RA-7525 SEI ROMER ABSOLUTE portable CMM arm



ANCHOR LAMINA hydraulic die setter



**ZOLLER** SMILE 400 digital tool pre-setter



**SECO** EPB EASYSHRINK 20 heat shrink tool pre-setter

#### LARGE CAPACITY CANADIAN CRANE OVERHEAD BRIDGE CRANES AVAILABLE



CANADIAN CRANE 20/14-ton capacity double girder top-running overhead bridge crane



CANADIAN CRANE 25-ton capacity double girder top-running overhead bridge crane



CANADIAN CRANE & HOIST 20-ton capacity double girder top-running overhead bridge crane



CANADIAN CRANE & HOIST 15-ton capacity double girder top-running overhead bridge crane



CANADIAN CRANE 10-ton capacity single girder top-running overhead bridge crane

#### **OVERHEAD BRIDGE CRANES AND MATERIAL HANDLING EQUIPMENT**



CANADIAN CRANE & HOIST 10-ton capacity single girder top-running overhead bridge crane



CANADIAN CRANE & HOIST 10-ton capacity single girder top-running overhead bridge crane



**DETROIT HOIST** 5-ton capacity single girder top-running overhead bridge crane





HYSTER S150A LPG forklift



TOYOTA 42-6FGCU25 LPG forklifts



YALE A409611 LPG forklift



**CLARK** ST30B 24V electric walk-behind stacker forklift



**UPRIGHT** MX19 24V electric scissor lift



ATLAS COPCO GA55 75 HP rotary screw air compressor



KAESER BS61 50 HP rotary screw air compressor



MOTIVATION free standing jib arm with **JET** ¼ ton capacity electric hoist



**MILLER SYNCROWAVE 250** DX digital TIG welder



LINCOLN ELECTRIC POWER MIG 260 portable MIG welder



**NEDERMAN** FILTERCART portable welding fume extractor



Cartridge-type dust collector

ALSO: HUGE QTY of CAT 50 & CAT 40 conventional & heat shrink tool holders; machine tool accessories including 72"x72" heavy duty angle plate, (2) 98"x40" heavy duty angle plates, machine vises, rotary tables, setup blocks and fixtures; INSPECTION EQUIPMENT including granite surface plates, precision vises, height gauges, gauge blocks; machine. LRG SELECTION of LISTA-type multi-drawer tool cabinets; (50+) engineered steel saw horses; lifting magnets; lifting chains; swivel eyebolts; lifting shackles; power tools; hand tools; PERISHABLE TOOLING comprising drills, end mills, reamers, carbide insert cutters, carbide insert face mills, carbide insert boring bars, carbide inserts; work benches; shop carts; die racks & MUCH MORE!

THIS IS A PARTIAL LISTING ONLY! FOR FURTHER INFORMATION, PLEASE VISIT WWW.CORPASSETS.COM

#### **AUCTION DETAILS**

**LIVE WEBCAST ONLY** 

#### INSPECTION

Tuesday, June 13 from 9 AM to 5 PM or by appointment. Please email info@corpassets.com to arrange.

#### REMOVAL

All assets must be removed no later than Friday, July 21 BY APPOINTMENT ONLY. Please email info@corpassets.com to arrange.

#### **TERMS**

Corporate Assets Inc. assumes no liability for errors or omissions in this brochure. Corporate Assets Inc. expressly reserves the right to determine the manner of conducting the auction as it may deem appropriate. All subject to prior sale.

#### PAYMENT

A Buyer's Premium will apply at this sale. International & online bidders may need a refundable deposit to bid. SALE WILL BE CONDUCTED IN USD.

Please refer to our website at www.corpassets.com 416.962.9600 for further information. Pour les services en français, composez le 1.855.583.5551

#### We Accept







Please visit our website as specific terms and conditions may apply.

BID ONLINE AT:

BidSpotter

#### **AFFILIATIONS**





















corpassets.com/newsletter-signup

AT FAIR MARKET VALUE. CONTACT US TODAY TO LEARN MORE! 416.962.9600

**TURN IDLE ASSETS INTO** 

**WE BUY & SELL YOUR** 

SURPLUS MACHINERY

ONE MACHINE OR ENTIRE

PLANTS, WE HAVE OVER

**60 YEARS EXPERIENCE TO** 

SELL YOUR EQUIPMENT



©2023 CORPORATE ASSETS INC. ALL RIGHTS RESERVED.