



**CORPORATE  
ASSETS INC**

# ONLINE AUCTION

**ESSITY PROFESSIONAL  
HYGIENE NORTH AMERICA LLC**



**essity**



**Tuesday, April 30  
Wednesday, May 1  
Thursday, May 2  
9:00 AM EDT**

**MARK YOUR  
CALENDARS!**

**1 River Street,  
South Glens Falls, NY, 12803**

**INSPECTION:** April 29, 30 & May 1  
from 8 AM to 4 PM.

**LIVE WEBCAST ONLY BidSpotter**

**MAJOR 3-DAY & MULTI-MILLION DOLLAR PAPER MILL EVENT!**



AUCTION CONDUCTED BY:

**CORPORATE ASSETS INC**

**“Let Our Experience Be Your #1 Asset”™**

373 Munster Avenue, Toronto, ON, Canada M8Z 3C8

www.corpassets.com • 416.962.9600 • info@corpassets.com

# 50 TPD OCC & RECYCLED FIBRE DE-INK PLANT 1 (INSTALLED NEW IN 2019 FOR OVER \$ 3.5M)



3960 GPM CAP.



63" DIA X 137" L



(3) SS PULPERS AVAILABLE



2 AVAILABLE



SS TRASH TOWER AVAILABLE

## 50 TPD OCC & RECYCLED FIBRE DE-INK PLANT 1

**ANDRITZ** (2019) FWD3 stainless steel rotary type fibre wash drum with 63" DIA x 137" L perforated stainless steel drum, 64.5 sq/ft effective gross screening area, screening drum speeds to 14 rpm, 10 hp drive motor, 706 gal/min @ 29 psi shower flow, bottom accept discharge, stainless steel front reject chute, s/n 133152501; **ANDRITZ** (2019) FG 02 FIBREGUARD stainless steel light and small heavy reject detrapper centrifugal screen with 70.62 cu/ft capacity, 46.45" DIA rotor, 107.48" height, 36.25 psi max internal pressure, rotor speeds to 283 rpm, 100 hp drive motor, s/n 133152490; **ANDRITZ** (2019) MODUSCREEN T2D stainless steel continuously operated sorter with simultaneous screening, deflaking, fibre recovery and reject de-watering capability, designed for recycled fibre and OCC application, steel frame-mounted, bottom driven with 100 hp drive motor, s/n 133152506; **ANDRITZ** (2019) DETRASHER DP350-650 detraging pump with up to 3960 gal/min design capacity, 14" DIA delivery, 14" DIA reject, 25.5" DIA rotor, 100 hp drive motor, s/n 133170764; **ANDRITZ - SATURN** (2019) trash tower monorail hydraulic grapple hoist with ALLEN BRADLEY touchscreen PLC control, 6,000 lbs. capacity, s/n 9107-19 & MORE!



CONTACT 416.962.9600 TO CONSIGN EQUIPMENT AT AN UPCOMING AUCTION

## 300 TPD OCC & RECYCLED FIBRE DE-INK PLANT 2



### 300 TPD OCC & RECYCLED FIBRE DE-INK PLANT 2 (PARTIAL LISTING OF EQUIPMENT AVAILABLE)

**AQUAFINE** (2015) MP4L12 12" DIA stainless steel medium pressure raw water U.V. reactor with VISION T30 digital microprocessor control, (4) 3KW lamps, 150 psi max design pressure, s/n J1007/2015001; **COMER PULPER** #6 HDP-50 stainless steel, direct entry, recycled fiber and OCC high consistency pulper with 339 tons/day @ 15% consistency capacity, 1765 cu/ft usable capacity, approx. 30 min batch cycle time, 181" DIA x 150" H stainless steel tub, 82.67" DIA x 94.48" H MIDCON high consistency rotor, 28" DIA discharge gate, bottom driven with drive gearbox and 1250 hp drive motor, s/n 4850; **MFG UNKNOWN** approx. 100'L x 12"W steel belt direct entry pulper feed conveyor with controls, PRECISION DIGITAL load cells with DRO; **COMERTEK VOITH** (2008) EPUREX PS-5 detaching pump with CMS style backing plate, DURAPLATE screen plate with 0.27" perforation hole size, top driven with 200hp drive motor; (2) **DAF** (1999) POSIDENS 14'L x 26"W stainless steel water clarifiers & MORE!

**TO SCHEDULE AN AUCTION CONTACT 416.962.9600**

**OVERMECCANICA CRESCENT OVER FORMER CR HIGH SPEED TISSUE & NAPKIN PAPER MACHINE**



**UPGRADED & RETROFIT 2016-2018**



**2016**

**PURCHASED NEW OVER \$2.5+ MIL**



**2016**



**2014**



**2016**



**2018**



**2016**

**OVERMECCANICA CRESCENT OVER FORMER CR HIGH SPEED TISSUE & NAPKIN PAPER MACHINE**

**OVERMECCANICA** (UPGRADED & RETROFIT 2016-2018) CRESCENT OVER FORMER CR high speed tissue and napkin paper machine with HONEYWELL DA VINCI quality control system, ALLEN BRADLEY touch screen PLC controls, ROCKWELL & ALLEN BRADLEY (NEW-2017) VFD drives, 147 5/8" pond width, 150" wire width, 144" Trim, 13-25 GSM rated, 8.8#-9.3# - 60% bleached bath tissue/napkins rated, 10.5# - 5% bleached bath tissue rated, 11.75# - 35% bleached napkins rated, 5000 ft/minute @ 8.8# (bath tissue) operational speed, 4300 ft/min @ 11.75# (napkin) operational speed consisting of: **OVERMECCANICA** OVER FORMER CR stainless steel pressurized hydraulic headbox with HONEYWELL (2006) DaVinci QCS AUTO SLICE CD cross direction dry weight control automated headbox slice lip control, 144" trim width, 1500-5000 ft/min operational speed range, 0.24" - 0.79" slice opening, s/n C571; **OVERMECCANICA** CRESCENT FORMER single wire former table with 150" wire width, 598.5" - 617" wire length range, stainless steel & clad construction, auto tensioning device; **PREMAIR** (RETROFIT 2006) SPR RAUK03 press suction roll with 40,95" DIA x 151.70" face, 5,300 ft/min max design speed; **PREMAIR** (upgrade 2018) ULTRA HOOD natural gas fired closed YANKEE dryer hood with up to 1200 deg F rated capacity, ALLEN BRADLEY PLC control, HONEYWELL digital temp controllers, MAXON OVENPAK II burner; **HONEYWELL** MEASUREX multifunction scanner & MORE!

**CONTACT 416.962.9600 TO CONSIGN EQUIPMENT AT AN UPCOMING AUCTION**

## SANDY HILL - BLACK CLAWSON TISSUE AND NAPKIN PAPER MACHINE



## SANDY HILL - BLACK CLAWSON TISSUE AND NAPKIN PAPER MACHINE

**SANDY HILL - BLACK CLAWSON** tissue and napkin paper machine with ALLEN BRADLEY touch screen PLC controls and GE drives, 144" pond width, 150" wire width, 139" trim width, 13-25 GSM design, 11.75# napkin rated, 20 - 26# - 55% bleached tissue rated, 20 - 25.5# - 45% KRAFT rated, approx. 2000 ft/min rated and 1750 ft/min average operational speed consisting of: SGF MACHINERY SENECA stainless steel air padded headbox; **FOURDRINIER** table; **GL&V** PRESS AUTOMATION & CONTROL (2017) felt stretcher; **MAIN** PRESS BDR suction roll; **JAMES ROSS** (2008) SUPERFLEX double doctor; **PREMAIR** (upgrade 2018) ULTRA HOOD natural gas fired closed YANKEE dryer hood with up to 1200 deg F rated capacity, ALLEN BRADLEY PLC control, HONEYWELL digital temp controllers, MAXON OVENPAK II burner; **SAMYANG HEAVY MACHINERY** cast iron smooth bore YANKEE dryer with 149.61" face x 144.09" DIA, 147" max paper width, 4,800 ft/minute rated capacity, approx. 1.983" current thickness as of 2022 with -0.087" remaining to de-rate, JAEGER YC35 (NOV 2021) metal coating, 125 psi @ 450 deg F MAWP rated capacity, operated at 105 psi in current configuration & MORE!

**TO SCHEDULE AN AUCTION CONTACT 416.962.9600**

## 50 TPD HIGH YIELD BROKE HANDLING SYSTEM

2019



2013



R&R 2014



2013



2013



2013



2013



### 50 TPD HIGH YIELD BROKE HANDLING SYSTEM

**METSO (2013) PROFS-40 HHC stainless steel horizontal high consistency primary screen with 4.30 sq/ft total basket area, 0.00787" (0.20mm) basket slot size, 15-87 psi operating range, top horizontal driven with 60 hp drive motor, steel frame support, s/n STOD-146188**

**METSO (2013) PROFS-25LC stainless steel horizontal low consistency secondary screen with 2.70 sq/ft total basket area, 0.015" (0.40mm) basket slot size, 15-100 psi operating range, top horizontal driven with 30 hp drive motor, steel frame support, s/n n/a**

**METSO (2013) DF-0 OPTIFINER DEFLAKER horizontal low consistency deflaker refiner with 29-87 psi operating range, rotor speeds to 1800 rpm, top horizontal driven with 250 hp drive motor, steel frame support, s/n n/a**

**METSO (2013) HC-200B continuous high-density cyclonic cleaner with 4" DIA inlet, 4" DIA outlet, 87 psi max design pressure, 15-22 psi pressure drop over the cleaner s/n STOD-149437**

**CONTACT 416.962.9600 TO CONSIGN EQUIPMENT AT AN UPCOMING AUCTION**

**PARTIAL VIEW OF ANCILLARY & PROCESS SUPPORT EQUIPMENT AVAILABLE**



**7+ AVAILABLE**



**24X30-32 & 17,500 GPM CAP.**



**2 AVAILABLE**



**200+ PUMPS AVAILABLE**



**TO SCHEDULE AN AUCTION CONTACT 416.962.9600**

# HUGE SELECTION OF DRIVES, MCCs AND ELECTRICAL INFRASTRUCTURE



2018



2018

2016



2013

2020



2019

CONTACT 416.962.9600 TO CONSIGN EQUIPMENT AT AN UPCOMING AUCTION



# LATE MODEL & IMMACULATE PACKAGING DEPARTMENT

2015

HIGH SPEED 60ROLL/HR CAP.



EXTENDED HEIGHT WITH 45"-72" DIA X 19.5"-142" W ROLL CAP.

MECHADYNE AW200 automatic cocoon wrap rotary arm type axial roll packaging system

2008



ELLETRIC 80 L0580 automatic gantry type robotic packaging and palletizing line



ELLETRIC 80 twin pallet AGV shuttle car



660 LB. CAP.

FANUC M-410 iB/300 4-axis palletizing robot



2000+ FT AVAILABLE

Partial view of out-feed roller conveyors



PHOENIX PRT-2250 automatic pallet wrapper



2021

LANTECH QL400XT rotary table type pallet wrapper

TO SCHEDULE AN AUCTION CONTACT 416.962.9600

# LATE MODEL OFFERING OF MATERIAL HANDLING EQUIPMENT

**2017**



**(2) TINK BUCKETS AVAILABLE**

**JOHN DEERE 624K II HIGH LIFT articulating front end wheel loader**

**2011**



**10,000 LBS CAPACITY**

**JLG G10-55A diesel telehandler forklift**



**7,250 LBS CAPACITY**

**HYSTER H80XL2 LPG forklift**



**2016**

**CATERPILLAR LPG forklift**



**2016**

**CATERPILLAR LPG forklifts**



**11+ AVAILABLE AS NEW AS 2016**

Partial view of **CATERPILLAR** forklifts available



**3,000 LBS CAP.**

**BIG JOE** electric walkie type pallet stacker



**12,000 LBS CAPACITY**

**2 AVAILABLE**

**RICO R-LPRH-R-120** electric upright ride-on roll handler



**TENNANT 6200** electric ride-on floor sweeper

## PARTIAL LISTING OF ROLLING STOCK AVAILABLE

**JOHN DEERE (2017) 624K II HIGH LIFT** articulating front end wheel loader with digital load scale, (2) TINK hydraulic roll-out buckets, fork attachment, approx. 10,300 hours recorded on meter at the time of listing, (attachments may be sold separately, s/n 1DW624KHCHF682629

**JLG (2011) G10-55A 10,000 lbs.** capacity diesel telehandler forklift with 56' max vertical lift, 42' max horizontal reach, 5,000 lbs. max load @ max lift, 3,000 lbs. max load @ max reach, 128 hp turbo-diesel engine, auto transmission, landing gear, run flat tires, approx. 9,500 hrs recorded on meter at time of listing, s/n 0160042949

**CONTACT 416.962.9600 TO CONSIGN EQUIPMENT AT AN UPCOMING AUCTION**

# LATE MODEL OFFERING OF FACTORY SUPPORT EQUIPMENT



**29" X 42" X 50" MAX BALE SIZE**

**BALEMASTER 5650G-12 AUTO-TIE open chamber stationary horizontal hydraulic baler**



**HARMONY SYSTEM TEN SIXTY front loading hyd. baler compactor**



**2021 150 HP**

**ONLY 4,600 HRS**

**SULLAIR LS110 LS11009/A/PFG/460/60/YD/STS rotary screw type air compressor**



**2012**

**175 HP**

**SULLAIR V200S 150AC rotary screw type air compressor**



**2015**

**175 HP**

**SULLAIR TS20 150 AC rotary screw type air compressor**



**2021**

**ZEKS 3000HSGA40G000 refrigerated air dryer**



**2020**

**SPX HANKISON HES3000 refrigerated air dryer**



**INGERSOLL RAND SSR-EP150 150 hp rotary screw type air compressor**

**150 HP**



**2020**

**Oil mist eliminator unit**

## PARTIAL LISTING OF AIR COMPRESSORS & DRYERS AVAILABLE

**SULLAIR (2021) LS110 LS11009/A/PFG/460/60/YD/STS 150 hp rotary screw type air compressor with 702 CFM @ 125 psi capacity, air cooled, ONLY approx. 4,625 hours recorded on meter at the time of listing, full enclosure, s/n US0122120018**

**SULLAIR (2015) TS20 150 AC 175 hp rotary screw type air compressor with 763 CFM @ 125 psi capacity, air cooled, approx. 64,665 hours recorded on meter at the time of listing, full enclosure, s/n 201508110066**

**SULLAIR (2012) V200S 150AC 175 hp rotary screw type air compressor with 696 CFM @ 125 psi capacity, air cooled, approx. 70,500 hours recorded on meter at the time of listing, full enclosure, s/n 201211100006**

**INGERSOLL RAND SSR-EP150 150 hp rotary screw type air compressor with 670 CFM @ 125 psi capacity, air cooled, approx. 4,552 hours recorded on meter at the time of listing, full enclosure, s/n F13836U96332**

**INGERSOLL RAND SSR-EP100 100 hp rotary screw type air compressor with 446 CFM @ 125 psi capacity, air cooled, approx. 54,850 hours recorded on meter at the time of listing, full enclosure, s/n F7142U93022**

**TO SCHEDULE AN AUCTION CONTACT 416.962.9600**

**COMBISORTER**

**VOITH** (2006) CSM 12 COMBISORTER stainless steel vertical sorter screen with 50 BDSTPD design throughput capacity, 0.079" DIA screen plate perforation holes, 0.071" DIA screen top & bottom perforation holes, vertical driven with 125 hp drive motor, steel frame mount, s/n 20055 (Deink -2)

**PRESSURE SCREENS**

**BLACK CLAWSON SELECTIFIER MODEL 24P** stainless steel screen with approx. 24" DIA basket, steel frame-mounted, bottom driven with 150 hp drive motor, s/n 3358 (Deink -1)

**VOITH SULZER VPS 25/2** stainless steel vertical pressure screen with approx. 39" DIA basket, steel frame-mounted, bottom driven with 125 hp drive motor, s/n 21346 (Deink -1)

**VOITH** (2005) VPS 10R stainless steel vertical pressure screen with 0,006" C-bar screen basket, steel frame-mounted, bottom driven with 40 hp drive motor, s/n 28992 (Deink -2)

**VOITH** (2005) VPS 20 stainless steel vertical pressure screen with 0,006" holed screen basket, steel frame-mounted, bottom driven with 70 hp drive motor, s/n 28991 (Deink -2)

**VOITH** (2005) MSS 15/15 MULTISCREEN stainless steel vertical pressure screen with 0,006" slotted screen basket, steel frame-mounted, bottom driven with 200 hp drive motor, s/n 28990 (Deink -2)

**KADANT - BLACK CLAWSON SIZE 30P NP SCREEN** stainless steel vertical pressure screen with 0,006" holed screen basket, steel frame-mounted, bottom driven with 200 hp drive motor, s/n 104092 (Deink -2)

**BIRD MODEL 200** stainless steel vertical pressure screen with screen basket, steel frame-mounted, bottom driven with 60 hp drive motor, s/n STB-849 (Deink -2)

**BIRD JONSSON MODEL 24** stainless steel vibrating screen with (2) 18" x 70" stainless steel plates with approx. 1/8" perforation holes, 3 hp drive motor, speeds to 1450 rpm, 14" DIA bottom discharge, splash guard, s/n JS2205 (PM9)

(3) **BIRD MODEL 18 CENTRISCREEN** stainless steel vertical pressure screens with 2500-8000 gal/min rated capacity, 60 psi max operating pressure @ 200 deg F, speeds to 225 rpm, CW rotation, steel frame-mounted, bottom driven with 100 hp drive motor, s/n CNS-711 (PM9); s/n CNS-1202 (PM11); s/n CNS-1075 (PM11)

**ANDRITZ VOITH VS 20** stainless steel vertical pressure screen with screen basket, steel frame-mounted, bottom driven with drive motor, s/n A81956 (some assembly required)

**PLATE REFINERS**

**JONES BELOIT** (2017 installed in 2019) DD3600 R SIZE 20" refiner, direct driven with 300 hp drive motor, variable speed control, equipped w/ GL&V 20105BJK / 20106BJK refiner plate, s/n N01221-R17 (PM11)

(2) **SPROUT WALDRON 20"** refiners, direct driven with 200 hp drive motor, s/n n/a (PM 9 East Refiner); (PM 9 West Refiner)

**AUTOMATIC PAPER ROLL LOG SAW**

**PACIFIC TRAIL MANUFACTURING MODEL 200-8** automatic paper roll log saw with 60" DIA x 10' L max roll capacity, 108" chain bar, direct driven with 20 hp drive motor, hydraulic driven powered turning rolls, BLO-APCO 10 hp dust collector, HALIFAX FAN IBIS 15 hp transport blower with DV-10-M diverter valve, safety cage enclosure with interlocks, s/n 98009

**CORE MACHINES**

**FABIO PERINI** (2000) 280F automatic core winder harmonizer with CUTLER HAMMER PANEL MATE PLC control, hopper, feeder, s/n 41301

**FABIO PERINI TIPO 211** automatic core winder, hopper, feeder, s/n 5999

**SONOCO MODEL 59PM** up-acting circular core cutting machine with 2.25" - 17" DIA core capacity, s/n 393368800

**AUTOMATIC ROLL WRAPPER**

**MECHADYNE** (2015) AW200 automatic cocoon wrap rotary arm type axial roll packaging system with ALLEN BRADLEY PANELVIEW PLUS 1000 touch screen PLC control, up to 60 rolls per hour rated production capacity, 45" - 72" roll diameter capacity; 19.5" - 142" roll width range, up to 10,000 lbs. max roll weight capacity, 16" DIA x 30' L film supply rolls, auto roll sizing, auto film cut-off, auto in-feed and out-feed conveyors, weigh scale, LAMB hydraulic up-ender, full safety cage enclosure with light curtains and interlocks, s/n 275-059

**AUTOMATIC PALLETIZING LINE**

**ELLETRIC 80** (2008) L0580 automatic gantry type robotic packaging and palletizing line with ALLEN BRADLEY PLC controls consisting of FANUC M-410 iB/300 4-axis pick & place palletizing robot with touch screen teach pendant control, 660 lbs. capacity, 123.5" max reach; (2) overhead pick & place gantries with (6) lanes per gantry, roller conveyor; ELLETRIC 80 twin pallet AGV shuttle car; in-feed and out-feed roller conveyors with safety light curtains; control cabinets and integration; safety cage enclosure

**VACUUM PUMPS**

**NASH** (REBUILT 2016) 904-S2 large capacity liquid ring single stage full clad vacuum pump with 11,500 CFM rated capacity @ 600 hp, 14" inlet and 12" outlet ports, no drive motor, s/n 03D0962 (Stores)

**NASH** (REBUILT 2014) 904-S2 large capacity liquid ring single stage vacuum pump with 11,500 CFM rated capacity @ 600 hp, 14" inlet and 12" outlet ports, direct driven with 700 hp drive motor, s/n 00X0043 (PM11)

**NES NBE SERIES MODEL NBE3-526** single stage liquid ring vacuum pump with 7,500 CFM rated capacity @ 350 hp, 14" inlet and outlet ports, direct driven with 350 hp drive motor, s/n N11679-1 (PM11)

**SIEMENS ELMO-F UHLE MODEL 2BE 42 2BE3426-2BY3-3** single stage vacuum pump with 6,000 CFM rated capacity @ 250 hp, 10" inlet and outlet ports, side belt driven with 250 hp drive motor (PM9)

**NASH** (2007) CL-4002 liquid ring single stage vacuum pump with 3,700 CFM rated capacity @ 200 hp, 10" inlet and outlet ports, side belt driven with 200 hp drive motor, s/n 07613216 (suction press vac pump) (PM9)

**NASH** (2002) CL-3001 liquid ring single stage vacuum pump with 2,000 CFM rated capacity @ 200 hp, 10" inlet and outlet ports, side belt driven with 200 hp drive motor, s/n BH2929 (pickup shoe vac pump) (PM9)

**CENTRIFUGAL FAN PUMPS**

**GOULDS 3420 L SIZE 24x30-32** large capacity double suction centrifugal fan pump with 17,500 gal/min rated capacity, 200' head, 29.625" DIA rotor, CW rotation, 1,500 hp drive motor, s/n 236C013 (PM11)

**GOULDS 3450-16 SIZE 16x18-17 1/8** centrifugal fan pump with 7,500 gal/min rated capacity, 50' head, 17 1/8" DIA rotor with 6 staggered vanes, speeds to 1765 rpm, CW rotation, 150 hp drive motor, s/n 203B145 (PM9)

**GOULDS 3415 SIZE 14x16-18** centrifugal fan pump with 7,000 gal/min rated capacity, 60' head, 18" DIA rotor, CW rotation, 150 hp drive motor, s/n n/a (former PM10)

**PROCESS ELECTRICAL**

**ROCKWELL AUTOMATION – ALLEN BRADLEY** (2016) POWERFLEX 7000 SERIES R VFD with 1500HP rating, ALLEN BRADLEY PANELVIEW PLUS 1000 touch screen HMI, s/n n/a

**ROCKWELL AUTOMATION – ALLEN BRADLEY** (2016) POWERFLEX AFE 20YD1K3N0ANNNNA0 active front end regenerative power bus module with up to 1400 HP @ 480V AC input rating, s/n 14428935

**ROCKWELL AUTOMATION – ALLEN BRADLEY** (2015) TRAFOTEK 3KU210/110 three phase reactor, s/n 1575386

(2) **ROCKWELL AUTOMATION – ALLEN BRADLEY** (2016) POWERFLEX 755 VFD with 700HP rating, s/n n/a

(2) **ROCKWELL AUTOMATION – ALLEN BRADLEY** (2019) POWERFLEX 755 VFD with 350HP rating, s/n n/a

(2) **ROCKWELL AUTOMATION – ALLEN BRADLEY** (2017) POWERFLEX 755 VFD with 350HP rating, s/n n/a

**ROCKWELL AUTOMATION – ALLEN BRADLEY** (2016) POWERFLEX 755 VFD with 200HP rating, s/n n/a

(2) **ROCKWELL AUTOMATION – ALLEN BRADLEY** (2018) POWERFLEX 755 VFD with 30HP rating, s/n n/a

**ROCKWELL AUTOMATION – ALLEN BRADLEY** (2019) POWERFLEX 753 VFD with 25HP rating, s/n n/a

**ROCKWELL AUTOMATION – ALLEN BRADLEY** (2013) POWERFLEX 753 VFD with 25HP rating, s/n n/a

**ROCKWELL AUTOMATION – ALLEN BRADLEY** (2013) POWERFLEX 753 VFD with 15HP rating, s/n n/a

(2) **ROCKWELL AUTOMATION – ALLEN BRADLEY** (2019) POWERFLEX 753 VFD with 10HP rating, s/n n/a

(3) **ITT** (2014) POWERFLEX 753 VFD with 7.5HP rating, s/n n/a

**MOTRONICS VMX-275-BP-E** 250 HP rated motor controller, s/n 230900

**GE INDUSTRIAL CONTROLS** D8CX VFD with 550HP rating,

(5) **GE INDUSTRIAL CONTROLS** D8CX VFD with 350HP

(3) **GE INDUSTRIAL CONTROLS** D8CX VFD with 75HP rating

(3) **GE INDUSTRIAL CONTROLS** D8CX VFD with 50HP rating

(2) **ABB** VFD with 40HP rating, s/n n/a

(2) **FUJI FRENIC AF-300 P11** VFD with 200HP rating, s/n n/a

(2) **BENSHAW** (2019) 500 HP rated motor controllers, s/n n/a

(3) **GE** (2016) LIMITAMP 300 HP rated motor controllers

**ABB SACE T8V 2000 AMP**, 3-pole circuit breaker, s/n n/a

**ABB SACE T8V 2500 AMP**, 3-pole circuit breaker, s/n n/a

(4) **CUTLER HAMMER** SPB 100 1200 AMP, 3-pole circuit breakers, s/n n/a

**EATON** 9355-30 heavy duty uninterruptible power supply, s/n BK285KXX01

**ALSTOM** (2000) 2500KVA/34,500-480-277/3PH/60HZ oil cooled transformer, s/n PFJ-1142

**VIRGINIA TRANSFORMER** (1999) CLASS AA 1500KVA/4160-860V/3PH/60HZ dry type transformer, s/n 321500B529-9299

**PARTIAL LISTING OF ROLLING STOCK AVAILABLE**

**CATERPILLAR** (2016) GC55K 7,200 lbs. capacity LPG forklift with 172" max vertical reach, 3-stage high visibility mast, cushion tires, CASCADE 90F-RCP-457 6,000 lbs. capacity hydraulic roll clamp and rotator attachment, approx. n/a hours recorded on meter at the time of listing, s/n AT88B00469

**CATERPILLAR** (2015) GC55KS 7,600 lbs. capacity LPG forklift with 172" max vertical reach, 3-stage high visibility mast, cushion tires, KOKE CR4-8-84-8K roll carrier pole attachment, approx. 16,110 hours recorded on meter at the time of listing, s/n AT88A30682

**CATERPILLAR** (2015) GC55KPRSTR 7,000 lbs. capacity LPG forklift with 172" max vertical reach, 3-stage high visibility mast, cushion tires, CASCADE 90F-RCP-596 6,000 lbs. capacity hydraulic roll clamp and rotator attachment, approx. n/a hours recorded on meter at the time of listing, s/n AT88B00306

**CATERPILLAR** (2013) GC55KPRSTR 7,000 lbs. capacity LPG forklift with 172" max vertical reach, 3-stage high visibility mast, cushion tires, CASCADE 90F-RCP-03C 6,000 lbs. capacity hydraulic roll clamp and rotator attachment, approx. n/a hours recorded on meter at the time of listing, s/n AT88B00061

**CATERPILLAR** (2013) GC55KPRSTR 7,000 lbs. capacity LPG forklift with 172" max vertical reach, 3-stage high visibility mast, cushion tires, CASCADE 90F-RCP-03C 6,000 lbs. capacity hydraulic roll clamp and rotator attachment, approx. n/a hours recorded on meter at the time of listing, s/n AT88B00062

**HYSTER** H80XL2 7,250 lbs. capacity LPG forklift with 121" max vertical reach, 2-stage high visibility mast, side shift, pneumatic tires, approx. 7300 hours recorded on meter at the time of listing, s/n G005D05124S

**CATERPILLAR** 2C6000 6,000 lbs. capacity LPG forklift with 185" max vertical reach, 3-stage high visibility mast, cushion tires, RINSTRUM R320 digital load scale, approx. n/a hours recorded on meter at the time of listing, s/n AT83F42648

**CATERPILLAR** 2C6000 6,000 lbs. cap. LPG forklift with 185" max vertical reach, 3-stage high visibility mast, cushion tires, RINSTRUM R320 digital load scale, approx. n/a hours recorded on meter at the time of listing, s/n AT83F42647

**CATERPILLAR** 2C6000 5,750 lbs. capacity LPG forklift with 185" max vertical reach, 3-stage high visibility mast, cushion tires, approx. n/a hours recorded on meter at the time of listing, s/n AT83F32302

**CATERPILLAR** 2C5000 4,950 lbs. capacity LPG forklift with 187" max vertical reach, 3-stage high visibility mast, cushion tires, approx. n/a hours recorded on meter at the time of listing, s/n AT9044332

**CATERPILLAR** P5000 4,600 lbs. cap. LPG forklift with 170" max vertical reach, 3-stage high visibility mast, cushion tires, side shift, approx. 17,683 hrs recorded on meter at the time of listing, s/n AT3520591

**CATERPILLAR** P5000-LP 4,500 lbs. capacity LPG forklift with 188" max vertical reach, 3-stage high visibility mast, pneumatic tires, approx. n/a hours recorded on meter at the time of listing, s/n AT3521024

**CATERPILLAR** GC25 4,650 lbs. capacity LPG LOW PROFILE forklift with 80" max vertical reach, 2-stage high visibility mast, cushion tires, approx. 17,437 hours recorded on meter at the time of listing, s/n AT82C06428

**CATERPILLAR** GC25 4,650 lbs. capacity LPG LOW PROFILE forklift with 80" max vertical reach, 2-stage high visibility mast, cushion tires, approx. 1,760 hours recorded on meter at the time of listing, s/n AT82D03873

(2) **RICO** R-LPRH-R-120 electric upright ride on roll handlers with 12,000 lbs. capacity, 128" forks, 13.75" max vertical lift, 24 volt battery, s/n R-13804; R-13805

**MILLIONS OF DOLLARS WORTH OF MRO & SPARES AVAILABLE**



**ENTIRE CONTENTS of STORES building featuring MULTI-MILLION DOLLAR AT COST MRO inventory including a HUGE (300+) SELECTION of ELECTRIC MOTORS up to 1,500 HP**

**CONTACT 416.962.9600 TO CONSIGN EQUIPMENT AT AN UPCOMING AUCTION**

**MILLIONS OF DOLLARS WORTH OF MRO & SPARES AVAILABLE**



**HUGE INVENTORY of STAINLESS STEEL valves BRAND NEW AND RECONDITIONED ranging from 2" to 32" diameter, LARGE QTY of stainless steel and titanium GOULDS SPX high shear pump impellers and pump housings, GOULDS 3196 high volume corrosion resistant pumps**

**TO SCHEDULE AN AUCTION CONTACT 416.962.9600**

# ESSITY PROFESSIONAL HYGIENE NORTH AMERICA LLC

April 30, May 1 & 2  
South Glens Falls, NY, USA



**42 TON**

**UNI-HYDRO 42-14**  
ironworker



**JET VBS-2012**  
vertical band saw



**2010**

**JET JTM-1 turret**  
milling machine



**100 HP**

**OTC H-frame**  
shop press



**2023**

**RIDGID 14" abrasive**  
cut off saw



**GREENLEE pipe &**  
conduit bender



**JET JE24X100 gap bed engine lathe**



**2010**

**JET GH-1440ZX gap bed**  
engine lathe



**MSC INDUSTRIAL**  
portable horizontal band saw



**ECONOLINE CB floor**  
type shot blast cabinet



**2022**

**LINCOLN PRECISION**  
TIG 275 TIG welder



**10,500 WATT**

**MILLER BOBCAT 250 LPG powered CV-AC/DC welder generator**



**2 AVAILABLE**

**ESAB PCM-500i**  
plasma cutter



**2022**

**WACKER NEUSON W PT3 gas**  
powered trash pump

**THIS IS A PARTIAL LISTING ONLY! FOR FURTHER INFORMATION, PLEASE VISIT [WWW.CORPASSETS.COM](http://WWW.CORPASSETS.COM)**

## AUCTION DETAILS

**LIVE WEBCAST ONLY**

### INSPECTION

April 29, 30 & May 1 from 8 AM to 4 PM or by appointment. Please email [info@corpassets.com](mailto:info@corpassets.com) to arrange.

### REMOVAL

All assets must be removed no later than Friday, June 7 BY APPOINTMENT ONLY. Please email [info@corpassets.com](mailto:info@corpassets.com) to arrange.

### TERMS

Corporate Assets Inc. assumes no liability for errors or omissions in this brochure. Corporate Assets Inc. expressly reserves the right to determine the manner of conducting the auction as it may deem appropriate. All subject to prior sale.

### PAYMENT

A Buyer's Premium will apply at this sale. International & online bidders may need a refundable deposit to bid. **SALE WILL BE CONDUCTED IN USD.**

Please refer to our website at [www.corpassets.com](http://www.corpassets.com) or call 416.962.9600 for further information. Pour les services en français, composez le 1.855.583.5551

We Accept



Please visit our website as specific terms and conditions may apply.

**BID ONLINE AT: BidSpotter**

### AFFILIATIONS



©2024 CORPORATE ASSETS INC. ALL RIGHTS RESERVED.

## SURPLUS EQUIPMENT?

TURN IDLE ASSETS INTO CASH!

## WE BUY & SELL YOUR SURPLUS MACHINERY

ONE MACHINE OR ENTIRE PLANTS, WE HAVE OVER 60 YEARS EXPERIENCE TO SELL YOUR EQUIPMENT AT FAIR MARKET VALUE.

**CONTACT US TODAY TO LEARN MORE! 416.962.9600**

**SUBSCRIBE TO OUR NEWSLETTER AND GET THE LATEST AUCTION UPDATES**

**CORPORATE ASSETS INC**

[corpassets.com/newsletter-signup](http://corpassets.com/newsletter-signup)