

**CORPORATE
ASSETS INC**

ONLINE AUCTION

2500+ LOT LARGE PAPERMILL EVENT



**MARK YOUR
CALENDARS!**

Tuesday, May 6 • 9:30 AM EDT
Wednesday, May 7 • 9:30 AM EDT
Thursday, May 8 • 9:30 AM EDT

801 Rue des Papetiers, Amos, QC, J9T 3X5

INSPECTION: May 3, 4, 5 & 6 from 9 AM to 4 PM EDT.

LIVE WEBCAST ONLY BidSpotter

MAJOR 3-DAY MULTI-MILLION DOLLAR PAPER MILL EVENT!



AUCTION CONDUCTED BY:

CORPORATE ASSETS INC

“Let Our Experience Be Your #1 Asset”™

373 Munster Avenue, Toronto, ON, Canada M8Z 3C8

www.corpassets.com • 416.962.9600 • info@corpassets.com

DOMINION ENGINEERING 300" HIGH SPEED PAPER MACHINE



450 TPD @ 3500 FPM



VIEW OF PRESS SECTION



VIEW OF MAIN DRYER SECTION



VIEW OF AFTER DRYER




VIEW OF REEL

CONTACT 416.962.9600 TO CONSIGN EQUIPMENT AT AN UPCOMING AUCTION

DOMINION ENGINEERING 300" HIGH SPEED PAPER MACHINE



VIEW OF DRYERS



VIEW OF SLITTER



VIEW OF WINDER



VIEW OF BACK END



VIEW OF CONSOLES

300" HIGH SPEED PAPER MACHINE

DOMINION ENGINEERING 41C-00 HARRICANA left hand drive, high speed, groundwood specialty paper and newsprint machine with up to 3500 FPM normal operating speed, 4000 FPM max balance speed, 464 TPD @ 3250 FPM rated normal operating capacity, 637 TPD @ 3850 FPM max theoretical capacity, 48.8 GSM basis weight, 326" wire width, 304" reel trim, 300" winder trim, s/n 00002-278 41C-00. Partial listing of assets include:

DOMINION ENGINEERING DYNAPLO hydraulic headbox with 318" slice width, 4000 FPM design speed, rectangular retractable header with 28" diameter inlet and 10" diameter outlet, slice, showers and instrumentation, s/n 41C-01

DOMINION ENGINEERING PAPIRFORMER TWIN WIRE FORMER with 326" wire width, 68' wire length, 4000 FPM design speed, 36.75" diameter x 330" face breast roll, 48" diameter forming roll, (9) 330" face wire rolls, automatic wire guide, oscillating showers, power actuated reversible tail cutter, stainless steel save-alls, s/n 41C-02

DOMINION ENGINEERING 48" diameter x 322" face couch roll with two compartment stainless steel suction box, s/n 41C-03

DOMINION ENGINEERING 1ST DRYER section with (1) 42" diameter x 321" face BABY steam dryer with 75 PSIG design pressure, 11"x15" front head mounted manhole cover, rear steam supply, front condensate removal; (8) 72" diameter x 321" face steam dryers with 75 PSIG design pressure, 11"x15" front head mounted manhole cover, rear steam supply, front condensate removal; (7) 24" felt rolls; (1) felt stretcher; short draw design; ROSS steam hood; s/n 41G-08

DOMINION ENGINEERING 2ND DRYER section with (8) 72" diameter x 321" face steam dryers with 75 PSIG design pressure, 11"x15" front head mounted manhole cover, rear steam supply, front condensate removal; (7) 24" felt rolls; (1) felt stretcher; ROSS steam hood; s/n 41G-03

TO SCHEDULE AN AUCTION CONTACT 416.962.9600

LAMB 21E8E-5 PAPER ROLL HANDLING AND PACKAGING SYSTEM



FINISHING & PACKAGING SYSTEM

LAMB 21E8E-5 paper roll handling and packaging system with 28"-50" roll diameter handling capacity, 28"-96" roll length handling capacity, max 105 rolls/hour design capacity, consisting of: roll transfer system with conveyor and lowering unit; pallet loading and handling system; arm lifter and roll placing system; weigh station; wrapping station; strapping station; labeling system; out-feed and exit conveyor; control consoles and machine integration; s/n n/a

CONTACT 416.962.9600 TO CONSIGN EQUIPMENT AT AN UPCOMING AUCTION



THERMO-MECHANICAL PULPING TMP REFINERS

CENTRIFUGAL VACUUM PUMPS

HYMAC-JYLHA (REBUILT – ANDRITZ 2015) HSD 6056/54 TMP plate type thermo-mechanical pulping refiner with 53.93" disc diameter, speeds to 1800 RPM, 8,500 HP rating, pressurized steam separator, ribbon screw feeder, electro-mechanical plate positioning, instrumentation, vibration monitor, plate protection system, s/n 5354 (26B-38)

HYMAC-JYLHA (REBUILT – ANDRITZ 2014) HSD 6056 TMP plate type thermo-mechanical pulping refiner with 53.93" disc diameter, speeds to 1800 RPM, 8,500 HP rating, pressurized steam separator, ribbon screw feeder, electro-mechanical plate positioning, instrumentation, vibration monitor, plate protection system, s/n 5351 (26E-03)

NASH CL9002G liquid ring single stage vacuum pump with 11,250 CFM @ 277 rpm rated capacity, NASH integrated gear drive with 450 hp @ 1800 rpm rated input, s/n MCO01937 (41-Q04)

NASH CL9002G liquid ring single stage vacuum pump with 11,250 CFM @ 277 rpm rated capacity, NASH integrated gear drive with 450 hp @ 1800 rpm rated input, s/n MCO0601 (41-Q05)

NASH CL9002G liquid ring single stage vacuum pump with 11,250 CFM @ 277 rpm rated capacity, NASH integrated gear drive with 450 hp @ 1800 rpm rated input, s/n 81C0057 (41-Q06)

TO SCHEDULE AN AUCTION CONTACT 416.962.9600

PROCESS ELECTRICAL INFRASTRUCTURE, TRANSFORMERS AND SWITCHGEAR



8 AVAILABLE

2000KVA/13,800-600-347V

Partial view of **BROWN BOVERI** dry type transformers



4 AVAILABLE

2000KVA/13,800-550-318V

Partial view of **POLYGON** dry type transformers



20+ AVAILABLE

GE MULTILIN RELAYS

Partial view of **ALLEN BRADLEY** CENTERLINE-HVC motor starter controllers



2 AVAILABLE

NEVER INSTALLED

POLYGON and **BROWN BOVERI** transformer coils




NEVER INSTALLED

EVI CLT transformer coil



200+ AVAILABLE

View of **ALLEN BRADLEY** BUL 2100 MCCs



View of **ALLEN BRADLEY** CENTERLINE BUL 2100 MCCs

CONTACT 416.962.9600 TO CONSIGN EQUIPMENT AT AN UPCOMING AUCTION

LARGE CAPACITY DRY TYPE TRANSFORMERS, MCC CABINETS, VFDs & SPARES

30+ AVAILABLE



25 HP TO 1250 HP

GE SILPAC VFD machine drive cabinets



60 HP
SIEMENS VFD



4 AVAILABLE

Partial view of **BROWN BOVERI** dry type transformers



15+ AVAILABLE

ALLEN BRADLEY CENTERLINE-HVC 52823 motor starter controllers



15 AVAILABLE

WESTINGHOUSE QS switchgear units



50 HP
EATON SVX9000 VFD

PARTIAL LISTING OF PROCESS ELECTRICAL EQUIPMENT

(2) **BROWN BOVERI** CANADA 2500kva/13,800-2400-1386v/3ph/60hz dry type transformers, s/n 77B-19-P221; 77B-20-222

(5) **BROWN BOVERI** CANADA dry type transformers with 2000kva/13,800-600-347v/3ph/60hz capacity, s/n 77B-14-211; 77B-15-P212; 77B-16-P213; 77B-17-P214; 77B-18-P251

(7) **WESTINGHOUSE** AWP-2 load interrupter switchgear with 13,800v/1200amp/3ph/60hz rating, s/n IT-211; IT-212; IT-213; IT-214; IT-251; IT-221; IT-222

(8) **ALLEN BRADLEY** CENTERLINE-HVC 52822-C switchgear unit with 5000v/1200amp/3ph/60hz bus rating, s/n IT-2221

(8) **ALLEN BRADLEY** CENTERLINE-HVC 52823-C dual motor starter controllers with 5000v/1200amp/3ph/60hz bus rating, (2) **GE** MULTILIN digital motor management relays, 300 amp top starter, 340 amp bottom starter, 600 amp combined rating, s/n n/a

(4) **SCHNEIDER ELECTRIC** PLC controller cabinet w/ **SCHNEIDER ELECTRIC** MODICON DDI PLC modules, s/n PLC1-26-I; PLC1-26-8; PLC1-26-27; PLC5-26-2

1 HP TO 50 HP



15+ AVAILABLE

Partial view of **EATON** SVX VFDs

TO SCHEDULE AN AUCTION CONTACT 416.962.9600

THUNE SCREW PRESSES, CLOVE ROTOR PUMP & SS PROCESS PUMPS


REBUILT 2017

3 AVAILABLE



60 TPD WITH PRE-DRAIN

THUNE EUREKA SP32L ss de-watering screw presses



NEVER INSTALLED

View of **THUNE** SS spare screen

DE-WATERING SCREW PRESSES

THUNE EUREKA (rebuilt VALMET) SP32L 3-section stainless steel de-watering screw press with 60 TPD capacity, 12.59" diameter screen with 27 sq/ft screen area, pre-drain section with 0.31" diameter screen holes, pressing section with 0.05" diameter perforation holes, compression section with 0.31" cylindrical screen, 50 hp drive motor, s/n n/a (26-C-31)



NEVER INSTALLED

View of **THUNE** SS spare casing



2 AVAILABLE

25 X 30

RADER ESW rotary type feeders

THUNE EUREKA (rebuilt 2017 VALMET) SP32L 3-section stainless steel de-watering screw press with 60 TPD capacity, 12.59" diameter screen with 27 sq/ft screen area, pre-drain section with 0.31" diameter screen holes, pressing section with 0.05" diameter perforation holes, compression section with 0.31" cylindrical screen, 50 hp drive motor, s/n 520271 (26-C-32)

REBUILT 2020



COMPLETE R&R BY VALMET

INGERSOLL RAND SERIES 1200 CLOVE rotor pump

THUNE EUREKA (rebuilt 2017 VALMET) SP32L 3-section stainless steel de-watering screw press with 60 TPD capacity, 12.59" diameter screen with 27 sq/ft screen area, pre-drain section with 0.31" diameter screen holes, pressing section with 0.05" diameter perforation holes, compression section with 0.31" cylindrical screen, 50 hp drive motor, s/n 520262 (26-C-61)


CONTACT 416.962.9600 TO CONSIGN EQUIPMENT AT AN UPCOMING AUCTION



HAYWARD TYLER DG stainless steel centrifugal fan pump



ALLIS CHALMERS SH stainless steel centrifugal fan pump



Partial view of **ALLIS CHALMERS** centrifugal pumps



PEABODY HOLMES 10x33 positive displacement blowers



INGERSOLL RAND MODEL 14LB CENTRI-SCREEN pressure screen



FAN PUMP

HAYWARD TYLER MODEL 24X24-28 DG large capacity stainless steel centrifugal fan pump with 28,150 gal/min rated capacity, 121' head, 28.5" diameter rotor, CCW rotation, horizontal split design, 1,250 hp drive motor, s/n 6518401 (41-A-08)


TO SCHEDULE AN AUCTION CONTACT 416.962.9600

MAJORITY OF ASSETS ARE AVAILABLE FOR PRE-SALE—CONTACT FOR DETAILS!



94 TON/HR

RADER 504 cu/ft cap stainless steel chip surge bin



View of chip bin twin auger feed screws



2003

700 TPD CAPACITY

METSO 140-04 stainless steel inclined twin screw press



1,770 TPD CAPACITY

HYMAC JYLHA MODEL 200 rotating drum type chip washer



REBUILT METSO 2019

SPARE/NEVER INSTALLED

HYMAC MODEL 6610 325 TPD cap. rotary valve



2 AVAILABLE

View of stainless steel de-watering screen



8" HEAD

150+ AVAILABLE

Partial view of **HYMAC** RB 200 EH stainless steel cyclone cleaners

Inspection days are Saturday, May 3, Sunday, May 4, Monday, May 5 & Tuesday, May 6 from 9 AM to 4 PM EDT.

CONTACT 416.962.9600 TO CONSIGN EQUIPMENT AT AN UPCOMING AUCTION

COMPLETE THERMO-MECHANICAL PULPING PLANT WITH 650 TPD CAPACITY

2 AVAILABLE



12 X 30/30

IMPCO INGERSOLL RAND stainless steel rotary type disc filters



4-72" X 0.040"

(R&R 2019 ANDRITZ)

CE BAUER MODULAR HYDRASIEVE MODEL 552 SS vertical de-watering screen



View of **HYMAC** TMP atmospheric side equilibrium tanks



HYMAC TMP pressurized side equilibrium tanks



8500 HP

9 AVAILABLE

View of **HYMAC** JYLHA TMP pressurized feeder and plate refiner



View of **HYMAC** JYLHA TMP cyclones



REBUILT 2019

SPARES - NOT INSTALLED

View of **HYMAC** JYLHA TMP plate refiners



View of **IMPCO** disk filter leaves

TO SCHEDULE AN AUCTION CONTACT 416.962.9600



ENTIRE CONTENTS of STORES WAREHOUSE featuring MULTI-MILLION DOLLAR AT COST MRO inventory including a **HUGE (200+) SELECTION of ELECTRIC MOTORS** up to 1,250 HP, **HUGE INVENTORY** of **STAINLESS STEEL valves BRAND NEW AND RECONDITIONED** ranging from 2" to 24" diameter, **LARGE QTY** of stainless steel pump impellers and pump housings, **ALLIS CHALMERS** high volume corrosion resistant pumps, high shear stainless steel transfer pumps, large quantity of gear boxes, sheaves, sprockets, driveline components, huge inventory of transformers, high and medium voltage wire; spare parts inventory, flow meters, valves, fastening hardware, worm gear boxes, speed reducers, electrical, electronic supplies and components!

CONTACT 416.962.9600 TO CONSIGN EQUIPMENT AT AN UPCOMING AUCTION

COMPLETE STATE OF THE ART MAINTENANCE DEPARTMENT

63" X 352" CAPACITY



RETROFIT VOITH SULZER CNC CONTROL

FARREL MODEL 50/63x352 two wheel CNC roll grinder



6" TO 24" DIA. CAPACITY

HANCHETT SK-24 circular slitter knife grinder



89" X 78" CAPACITY

IRD MECHANALYSIS MODEL B50
dynamic balancing machine



View of retrofit **ENTEK IRD SERIES 290**
digital controls



HVMAC portable in-place refiner plate
milling machine

TO SCHEDULE AN AUCTION CONTACT 416.962.9600

LARGE CAPACITY CONVENTIONAL MACHINE TOOLS




63" X 393" CAPACITY

POREBA TR-135B1/10M gap bed engine lathe



28" X 157" CAPACITY

CM TORTONA FERRO 20 gap bed engine lathe



21" X 44" CAPACITY

KHM TLS gap bed engine lathe



CSEPEL RFH 75/2000 radial arm drill



STANKO 6R83SH universal milling machine



INFRAȚIREA ORADEA floor type gear head drill

CONTACT 416.962.9600 TO CONSIGN EQUIPMENT AT AN UPCOMING AUCTION



HANSFORD DAVIS MODEL 5 keyseater



17.7" DIA MAX CAP
KASTO EBS 450 power hacksaw



36" X 19" CAP
GROB 6V-36 heavy duty floor type vertical bandsaw



WADKIN BURGSEEN C9 heavy duty bandsaw



13" X 19" CAP
TRAJAN GARANT RF-1319DR swivel head horizontal metal cutting bandsaw



6"PIPE - 2" BOLT CAP
RIDGID MODEL 535 powered portable pipe threader



10' SPAN
3 AVAILABLE
TRANSCRANE 2 ton cap. freestanding jib crane



20" X 9" CAP
DELTA RC51 heavy duty floor type planer



KING INDUSTRIAL 6"belt 12" disc sander



WADKIN BURGSEEN 12AGS 21" tilting arbor table saw

WELDERS

MILLER SPECTRUM 1250 portable plasma cutter with cables and gun, s/n KF764085

MILLER SPECTRUM 500 portable plasma cutter with cables and gun, s/n JK730863

HYPERTHERM POWERMAX 1650 G3 SERIES portable plasma cutter with cables and gun, s/n 1650-001075

THERMAL ARC PAK 5XR portable plasma cutter with cables and gun, s/n C62447A18323A

THERMAL ARC PAK 44 portable plasma cutter with cables and gun, s/n M12603A176840D

MILLER SYNCROWAVE 350LX portable digital TIG welder with cables and gun, **MILLER COOLMATE 3** liquid chiller, s/n LF046869

MILLER portable suitcase welder, s/n n/a



MILLER 350LX digital TIG welder



COMPU SPOT CPS-400 16KVA portable spot welder



HYPERTHERM POWERMAX 1650 G3 SERIES plasma cutter

FABRICATION EQUIPMENT, ROLLING STOCK & MATERIAL HANDLING AVAILABLE



12 GA X 8' CAP

PEXTO ROPER WHITNEY MODEL 812 conventional brake



10 GA X 100" CAP

EDWARDS 3.25/2500 DD power shear



12 GA X 4' CAP

BARER 450 power bending rolls



7/16" X 4' CAP

WEBB R3L-R 8004 3-roll mechanical initial pinch plate rolls



17' BOOM

DROTT 3330 6 ton cap. carry deck mobile crane



20' REACH

SKYJACK SJ3220 electric scissor lift

PARTIAL LISTING OF ROLLING STOCK AND MATERIAL HANDLING AVAILABLE

DROTT 3330 6 ton carry deck mobile crane with 12,000 lbs. capacity, 3-section boom with 17.2' max reach, s/n 6224875 (84-A-72)

SKYJACK SJ3220 electric scissor lift with 500 lbs. capacity, 20' max vertical reach, s/n 64658 (84-A-95)

HYSTER S80XLBCS LPG forklift with 8,000 lbs. capacity, 3-stage mast with 258" max vertical reach, cushion tires, CASCADES hydraulic paper roll clamp attachment, (may be sold separately), s/n D004V03553L (84-A-8)

CONTACT 416.962.9600 TO CONSIGN EQUIPMENT AT AN UPCOMING AUCTION

STOCK PREP EQUIPMENT

INGERSOLL RAND (2020 R&R VALMET) SERIES 1200 CLOVE ROTOR pump with 533 TPD dry capacity @ 8% consistency, 75 hp drive motor, s/n 489-R13 (34-A-01)

(4) **INGERSOLL RAND** MODEL 14LB CENTRI-SCREEN vertical centrifugal pressure screens with 10,000 gal/min accept capacity, 14" diameter inlet, 14" diameter accepts outlet, 4" diameter rejects outlet, 0.0625" plate perforations, 3-15% adjustable rejects flow rate, bottom driven with 75 hp drive motor, s/n 97H422 (41-A-39); 5783-L (41-A-38); 5781-L (41-A-37); 5782-L (41-A-36)

(2) **IMPCO INGERSOLL RAND** 12x30/30 stainless steel rotary type disc filter with 280 TPD design rated capacity at 0.5% feed consistency, 55-82 degree C stock temperature, 90-120 CSF freeness; (30) * 12" diameter discs; knock off shower, sluicing shower and fixed face cleaning shower, INGERSOLL RAND 50 hp helical shaft reducers; bottom discharge with 30" stainless steel screw conveyor; s/n 208 LH (26-C-20); 209 RH (26-C-22)

(2) **S.P. KINNEY** 8" MODEL A stainless steel automatic self cleaning strainers with 3/4 hp drive motor, 1/16" slotted cone strainer, 152 psi MAWP, s/n n/a (26-C-80) (26-C-71)

HYMAC P20 single row reject cleaner stand with (20) HYMAC RB 200 EH 8" head stainless steel cyclones, s/n 1ST STAGE 6201 (26-C-40)

HYMAC P6 single row reject cleaner stand with (6) HYMAC RB 200 EH 8" head stainless steel cyclones, s/n 2ND STAGE 6201 (26-C-41)

HYMAC P2 single row reject cleaner stand with (2) HYMAC RB 200 EH 8" head stainless steel cyclones, s/n 3RD STAGE 6201 (26-C-42)

HYMAC P48 single row reject cleaner stand with (48) HYMAC RB 200 EH 8" head stainless steel cyclones, s/n n/a (26-C-52)

HYMAC P22 single row reject cleaner stand with (22) HYMAC RB 200 EH 8" head stainless steel cyclones, s/n n/a (26-C-54)

HYMAC P4 single row reject cleaner stand with (4) HYMAC RB 200 EH 8" head stainless steel cyclones, s/n n/a (26-C-55)

CE BAUER (R&R 2019 ANDRITZ) MODULAR HYDRASIEVE MODEL 552 stainless steel static vertical rejects de-watering screen with 4-72" x 0.040" stainless steel screening surface, 12" diameter inlets, 14" diameter discharge ports, s/n n/a (26-C-33)

TMP THERMO-MECHANICAL PULPING PLANT

(2) **PEABODY HOLMES** RBST4 SIZE 10x33 positive displacement blowers with 150 hp drive motor, s/n 46500; n/a (26-A-23) (26-A-28)

(2) **SPROUT BAUER** HYDRASIEVE MODEL 554 stainless steel static vertical wash water de-watering screen with 4-72" x 0.020" stainless steel screening surface, s/n n/a (26-A-21)

(2) **RADER** ESW 25X30 rotary valve type chip feeders, s/n n/a (26-A-24) (26-A-29)

THUNE EUREKA (rebuilt VALMET) SP32L 3-section stainless steel de-watering screw press with 60 TPD capacity, 12.59" diameter screen with 27 sq/ft screen area, pre-drain section with 0.31" diameter screen holes, pressing section with 0.05" diameter perforation holes, compression section with 0.31" cylindrical screen, 50 hp drive motor, s/n n/a (26-C-31)

THUNE EUREKA (rebuilt 2017 VALMET) SP32L 3-section stainless steel de-watering screw press with 60 TPD capacity, 12.59" diameter screen with 27 sq/ft screen area, pre-drain section with 0.31" diameter screen holes, pressing section with 0.05" diameter perforation holes, compression section with 0.31" cylindrical screen, 50 hp drive motor, s/n 520271 (26-C-32)

THUNE EUREKA (rebuilt 2017 VALMET) SP32L 3-section stainless steel de-watering screw press with 60 TPD capacity, 12.59" diameter screen with 27 sq/ft screen area, pre-drain section with 0.31" diameter screen holes, pressing section with 0.05" diameter perforation holes, compression section with 0.31" cylindrical screen, 50 hp drive motor, s/n 520262 (26-C-61)

RADER 504 cu/ft capacity stainless steel chip surge bin with 94 ton/hour rated handling capacity for 1.5"x 3" x 3" size chips, 18-25 lbs. cu/ft weight range, 12"x8"x7" stainless steel hopper bin, (2) 16" diameter stainless steel discharge auger conveyors, s/n n/a (26-A-11)

METSO (2003) 140-04 stainless steel inclined twin screw press chip drainer separator with 700 TPD design capacity, (2) 29.5" diameter X 14'11" L stainless steel augers, speeds to 34 rpm, dual perforate screen troughs with 3/16" diameter hole plates, (2) 25 hp drive motors with gear reducers, s/n P08582 (26-A-51)

AUTOMATIC PAPER ROLL SAW

PACIFIC TRAIL MANUFACTURING MODEL PRS207FM automatic floor type paper roll log saw with 60" diameter roll capacity, direct driven with 20 hp drive motor, dust collector, safety cage enclosure with interlocks, 575v/3ph/60hz, s/n 201111

CORE ROOM EQUIPMENT

SONOCO core measuring stand with MITUTOYO DRO, s/n n/a (46-M-41)

LAR MACHINERIE 2461-S core cap hydraulic crimper, s/n 22011 (46-M-08)

CNC ROLL GRINDER

FARREL MODEL 50/63x352 two wheel CNC roll grinder with (RETROFIT VOITH SULZER) UNIOP CNC control, 50" max roll diameter capacity on-center grinding configuration, 63" max roll diameter offset grinding configuration, 352" max roll face length capacity, 376.75" grinding wheel traverse length, 20" diameter x 3" face max wheel size with 1885-5560 rpm speed range, crowning system, diamond wheel dresser, coolant with deep bed filtration, neck rests and roll support stands, 575v/3ph/60hz, s/n D21-4507 A1272 (81-M-92)

CNC DYNAMIC BALANCER

IRD MECHANALYSIS MODEL B50 dynamic balancing machine with retrofit ENTEK IRD SERIES 290 digital balancing instrument, 5,000 lbs. max workpiece weight, 89" swing over frame, 59" swing over the drive system, 10"-78" working length range, 13" max shaft journal diameter, s/n 0154 (81-M-13)

SLITTER KNIFE GRINDER

HANCHETT SK-24 circular slitter knife grinder with 6"-24" diameter slitter knife capacity, 6"x0.5"x1.25" wheel, speeds to 3,600 rpm, 0-90 degree grinding wheel bevel capability, 11" vertical spindle travel, 12.7" horizontal spindle travel, incremental down feed, coolant, 575v/3ph/60hz, s/n A78

ALSO:

LARGE QTY of stainless steel pump impellers and pump housings, ALLIS CHALMERS high volume corrosion resistant pumps, high shear stainless steel transfer pumps, LRG QTY of gear boxes, sheaves, sprockets, driveline components, huge inventory of transformers, high and medium voltage wire; spare parts inventory, flow meters, fastening hardware, worm gear boxes, speed reducers, electronic supplies & components; LISTA cabinets; LRG QTY of factory support equipment & MUCH MORE!

2500+ LOT LARGE PAPERMILL EVENT

May 6, 7 & 8
Amos, Quebec, Canada



PACIFIC TRAIL Mfg
PRS207FM paper roll saw



LAR MACHINERIE 2461-S core cap hydraulic crimper



Partial view of stock material available



Partial view of stock material available



Partial view of stock material available

THIS IS A PARTIAL LISTING ONLY! FOR FURTHER INFORMATION, PLEASE VISIT WWW.CORPASSETS.COM

AUCTION DETAILS

LIVE WEBCAST ONLY

INSPECTION

Saturday, May 3, Sunday, May 4, Monday, May 5 & Tuesday, May 6 from 9 AM to 4 PM EDT.

REMOVAL

All assets must be removed no later than Friday, June 27 by appointment only. Please email info@corpassets.com to arrange.

TERMS

Corporate Assets Inc. assumes no liability for errors or omissions in this brochure. Corporate Assets Inc. expressly reserves the right to determine the manner of conducting the auction as it may deem appropriate. All subject to prior sale.

PAYMENT

A Buyer's Premium will apply at this sale. International & online bidders may need a refundable deposit to bid. **SALE WILL BE CONDUCTED IN USD.**

Please refer to our website at www.corpassets.com or call 416.962.9600 for further information. Pour les services en français, composez le 1.855.583.5551

We Accept



Please visit our website as specific terms and conditions may apply.

BID ONLINE AT: BidSpotter

AFFILIATIONS



©2024 CORPORATE ASSETS INC. ALL RIGHTS RESERVED.

SURPLUS EQUIPMENT?

TURN IDLE ASSETS INTO CASH!

WE BUY & SELL YOUR SURPLUS MACHINERY

ONE MACHINE OR ENTIRE PLANTS, WE HAVE OVER 60 YEARS EXPERIENCE TO SELL YOUR EQUIPMENT AT FAIR MARKET VALUE.

CONTACT US TODAY TO LEARN MORE! 416.962.9600

SUBSCRIBE TO OUR NEWSLETTER AND GET THE LATEST AUCTION UPDATES

CORPORATE ASSETS INC

corpassets.com/newsletter-signup