

**CORPORATE ASSETS INC**

# ONLINE AUCTION

(Court Approved)

## FORMULA SOLUTIONS INC.



**Wednesday, June 25  
10:00 AM EDT**

**MARK YOUR CALENDARS!**

1550 Appleby Line,  
Burlington, Ontario, L7L 6V1

**INSPECTION:** Tuesday, June 24 from 9 AM to 4 PM EDT.



**LIVE WEBCAST ONLY BidSpotter**

**STATE-OF-THE-ART AEROSPACE COMPONENTS MANUFACTURING EVENT**



AUCTION CONDUCTED BY:

# CORPORATE ASSETS INC

“Let Our Experience Be Your #1 Asset”™

373 Munster Avenue, Toronto, ON, Canada M8Z 3C8

www.corpassets.com • 416.962.9600 • info@corpassets.com

# MARK YOUR CALENDARS FOR THIS EXCEPTIONAL OPPORTUNITY

2021



## DYNAMIC ACTIVE FORCE FEEDBACK

ROBOTICOM SANDROB robotic sanding, polishing and finishing system



39.25" X 78.25"

SANDROB T-slot Table




## 4-STATION ATC

View of SANDROB auto end-effector & paper disc storage



## 88 LBS PAYLOAD

View of ABB IRB 4600 40/2.55 6-axis robot



View of ROBOTICOM tool pre-setting laser

## ADVANCED ROBOTIC SURFACE FINISHING SYSTEM

ROBOTICOM (2021) SANDROB robotic sanding, polishing and finishing system with ROBOTICOM ARPP DYNAMIC ACTIVE force feedback system, ABB IRB 4600 40/2.55 6-axis robot with 88 lbs. payload capacity, IRC5 robot control with wired touch screen teach pendant, pre-setting laser, 4-station ATC, automatic end-effector tool selector, end-effector & paper disc storage, t-slot fixed work table, ROBOTICOM 16.4"W x 16.4"L x 11.5"H full work enclosure with 72" x 80" double access door with safety interlocks, 480v/3ph/60Hz, s/n: R21000259D

CONTACT 416.962.9600 TO CONSIGN EQUIPMENT AT AN UPCOMING AUCTION

# MAJOR AEROSPACE MANUFACTURING EVENT NOT TO BE MISSED

2022




2 AVAILABLE

40" W X 112" L X 6" H TABLE

88,000 LBS CAPACITY

**PROMOTION ENGINEERING** PX2008-SP2 high efficiency robotic core casting & finishing cell with (2) **HANEL LEAN-LIFT** twin tower automatic vertical lift storage retrieval systems



View of **HANEL LEAN-LIFT** touch screen control



2022

**PROMOTION ENGINEERING** 6-station auto casting machine



DEC-2021

220 LBS PAYLOAD CAP

**YASKAWA** GP110 YR-1-06VX110-A00 6-axis robot



DEC-2021

**YASKAWA** GP110 YR-1-06VX110-A00 6-axis robot



3,500 LBS CAPACITY

**CHARLES A HONES** 1017-B BUZZER electric rectangular pot melting oven

**HIGH EFFICIENCY AUTOMATIC CORE CASTING LINE** (VISIT [WWW.CORPASSETS.COM](http://WWW.CORPASSETS.COM) FOR MORE DETAILS)

**PROMOTION ENGINEERING** (2022) PX2008-SP2 high efficiency robotic core casting & finishing cell with **SIEMENS** HMI touch-screen PLC control (may be offered as a complete line or by components), s/n 20220410MCP Consisting of: (2) **HANEL** (2022) **LEAN-LIFT** twin tower automatic vertical lift storage retrieval systems with digital touch screen PLC control, (61) 40" W x 112" L x 6" H shelves with 1,103 lbs. capacity per shelf, 88,200 lb. max. total loading capacity, front & rear operator access points with automatic roll up doors and light curtain safety interlocks, s/n: n/a; n/a; (2) **YASKAWA** (DEC 2021) GP110 YR-1-06VX110-A00 6-axis robots with 220 lbs. payload capacity, (6) mold gripper and transfer attachment, YRC1000 controls with touch screen wired teach pendants, s/n R21020-432-1, R21020-352-1 etc. (Please visit our [www.corpassets.com](http://www.corpassets.com) for further details.)

**TO SCHEDULE AN AUCTION CONTACT 416.962.9600**

## (4) CMS 5-AXIS HIGH SPEED GANTRY MACHINING CENTERS AVAILABLE

2022

3 AVAILABLE



5-AXIS TWIN PALLET

**CMS ARES 4818 APC PX5-Z1200** 5-axis, high speed twin pallet gantry-type CNC machining center



View of **FANUC 31i SERIES B** CNC touch screen control



View of **HSK** high speed spindle and ATC



2 AVAILABLE

**AEROEX ARO-2500** mist extractors



85.04" X 53.54"

View of drilled and tapped shuttle pallet

**5-AXIS HIGH SPEED TWIN PALLET GANTRY TYPE CNC MACHINING CENTER**

**CMS (2022) ARES 4818 APC PX5-Z1200** 5-axis, high speed twin pallet gantry-type CNC machining center with **FANUC 31i SERIES B** CNC touch screen control and remote assistance ready, (2) 85.04"x53.54" drilled and tapped shuttle pallets, travels: X - 188.98"; Y - 70.87"; Z - 47.24"; B - +/- 120 degrees; C - +/- 270 degrees, liquid cooled spindle, spindle speeds to 24,000 RPM, HSK63F spindle taper, 8-station ATC, RENISHAW tool calibration system, full enclosure with safety light curtains, 400v/3ph/50-60hz, s/n: BD33

**CONTACT 416.962.9600 TO CONSIGN EQUIPMENT AT AN UPCOMING AUCTION**

2019

5-AXIS HIGH SPEED



CMS ANTARES 2615 PX5 5-axis, high speed gantry-type CNC machining center



24,000 RPM

View of high speed spindle and ATC



96.42" X 55.04"

View of T-slot table

**5-AXIS HIGH SPEED GANTRY TYPE CNC MACHINING CENTER**

CMS (2019) ANTARES 2615 PX5 5-axis, high speed gantry-type CNC machining center with FANUC 31i SERIES B CNC touch screen control, 96.42" x 55.04" T-slot table, vacuum clamping assist ready with pump and manifold options installed, travels: X - 102.36"; Y - 59.05"; Z - 47.24"; B - +/- 120 degrees; C - +/- 270 degrees, liquid cooled spindle, spindle speeds to 24,000 RPM, HSK63F spindle taper, 8-station ATC, RENISHAW tool calibration system, full enclosure w/ safety interlocks, 400v/3ph/50-60hz, s/n: 9757

TO SCHEDULE AN AUCTION CONTACT 416.962.9600

**THESE ASSETS HAVE BEEN MAINTAINED IN CLEAN ROOM ENVIRONMENTS**

**2023**



**72" X 144" TABLE**

**LECTRA GERBER TECHNOLOGY DCS 2600 high speed low ply cutting CNC system**

**2018**

**2 AVAILABLE**



**72" X 144" TABLE**

**XYZ AUTOMATION INC SERIES 5012 CNC table router**



View of **XYZ HSD** high speed spindle



View of **XYZ** tangential cutting heads

**2023**



**13" X 9.4" X 11.8" BUILD VOLUME**

View of **ULTIMAKER** 3-D prototyping printers

**INSPECTION DAY IS TUESDAY, JUNE 24  
FROM 9 AM TO 4 PM EDT.**

**CONTACT 416.962.9600 TO CONSIGN EQUIPMENT AT AN UPCOMING AUCTION**



**47.24" X 78.74" X 39.37" MEASURING ENVELOPE**

**CMM XYZ 12.20.10 MICRON II** slant bridge coordinate measuring machine

**2024**



**2-ZONE 2 AVAILABLE**

**METAL PRESS THC-D-24** hot oil temperature controllers

**2023**



**2 AVAILABLE**

**WET TECHNOLOGIES** high pressure wet blasting cabinet

**1300 PSI**

**2022**



**KEERTEK JET-FE78** stainless steel rotary parts washer



**2018**

**LASER SCANNING**

**HEXAGON RA8 V1 ABSOLUTE** 7-axis CMM arm



View of **HEXAGON RS5 LASER** 3D scanner

**2023**



**2 AVAILABLE**

**DCA MODEL 230238** alloy recovery systems



**2022** **42" X 96"**  
**2 AVAILABLE**  
**DIVERSITECH DD3X8 (HEPA) down draft sanding table**



**2022-2023**  
**8 AVAILABLE**  
**EUROVAC cyclonic type dust collector systems**



**2023**  
**PARK THERMAL 60 kW electric batch oven**



**2023**  
**GRIEVE WRC686-500 60 kW electric convection oven**



**2023**  
**72" W X 96" L X 78"H**  
**View of GRIEVE chamber**



**2018**  
**RAYMAR INDUSTRIAL cross draft paint booth**



**2018**  
**View of interior RAYMAR INDUSTRIAL paint booth**



**2023**  
**13.5' W X 28' L X 8' H**  
**SUMIT SSW-C-L thermo-insulating temperature controlled room**



**2023**  
**OILON P220 SU HC+ industrial heat pump heat - chill system**

A unique acquisition opportunity of a state-of-the-art carbon fibre composites engineering & manufacturing facility, specializing in Vacuum Assisted Resin Transfer Moulding (VARTM).

**REACH TRUCKS, PALLET STACKERS & ORDER PICKERS AVAILABLE**



**2012**

**3,000 LB. CAPACITY**

**TOYOTA 7FBEU18 electric counterbalance forklift**



**3,000 LB. CAPACITY**

**RAYMOND 4100-C30TT stand-up type electric counterbalance forklift**



**2010**

**8,000 LB. CAPACITY**

**RAYMOND 5600-OPC30TT electric order picker**



**4,500 LB. CAPACITY**

**RAYMOND 7400-R45TT electric reach truck**



**540 HRS**

**4,000 LB. CAPACITY**

**RAYMOND RCS20 electric walk behind stacker**



**8,000 LB. CAPACITY**

**RAYMOND 8410 ride on electric pallet truck**



**WURTH storage cabinets**



**2014**

**OPTIMA DMF steamer / pressure washer**



View of **OPTIMA DMF steamer / pressure washer accessories**



**84" L X 48" W X 36" H**

**Welding table**

**TO SCHEDULE AN AUCTION CONTACT 416.962.9600**

**5-AXIS HIGH SPEED TWIN PALLET GANTRY TYPE CNC MACHINING CENTERS**

**CMS (2022) ARES 4818 APC PX5-Z1200** 5-axis, high speed twin pallet gantry-type CNC machining center with FANUC 31i SERIES B CNC touch screen control and remote assistance ready, (2) 85.04"x53.54" drilled and tapped shuttle pallets, travels: X - 188.98"; Y - 70.87"; Z - 47.24"; B - +/- 120 degrees; C - +/- 270 degrees, liquid cooled spindle, spindle speeds to 24,000 RPM, HSK63F spindle taper, 8-station ATC, RENISHAW tool calibration system, full enclosure with safety light curtains, 400v/3ph/50-60hz, s/n: BD35

**CMS (2022) ARES 4818 APC PX5-Z1200** 5-axis, high speed twin pallet gantry-type CNC machining center with FANUC 31i SERIES B CNC touch screen control and remote assistance ready, (2) 85.04"x53.54" drilled and tapped shuttle pallets, travels: X - 188.98"; Y - 70.87"; Z - 47.24"; B - +/- 120 degrees; C - +/- 270 degrees, liquid cooled spindle, spindle speeds to 24,000 RPM, HSK63F spindle taper, 8-station ATC, RENISHAW tool calibration system, full enclosure with safety light curtains, 400v/3ph/50-60hz, s/n: BD36

**CNC TABLE ROUTERS**

**LECTRA GERBER TECHNOLOGY (2023) DCS 2600** high speed low ply cutting CNC system with GERBER TECHNOLOGY WINDOWS PC based CNC control, 72" x 144" table, tangential rotary shear head and punch attachment, vacuum clamping with centrifugal vacuum blower, 220v/3ph/50-60hz, s/n: D26-2606369

**AXYZ AUTOMATION INC (2018) AXYZ SERIES 5012** CNC table router with AXYZ CNC control, digital pendant control, 72"x144" table, ISM tangential knife attachment, ISM tangential rotary shear attachment, vacuum clamping with BUSCH vacuum pump, 208V/3PH/60HZ, s/n: 6687-6577

**AXYZ AUTOMATION INC (2018) PACER 5010** high speed CNC table router with AXYZ CNC control, digital pendant control, 72"x120" table, HSD high speed spindle with speeds to 24,000 rpm, 12 HP spindle motor, vacuum clamping with BUSCH MINK vacuum pump, 208V/3PH/60HZ, s/n: 6688-6578

**QC DEPARTMENT**

**HEXAGON (DEC 2018) RA8 V1 ABSOLUTE** 7-axis arm with HEXAGON R55 LASER 3D scanner, magnetic base attachment, touch probes, fixed base attachment, hard shell travel case, USB dongle, s/n: 8525-7-8761-UC

**CMM XYZ 12.20.10 MICRON II** slant bridge coordinate measuring machine with RENISHAW UCC WINDOWS-BASED PC control and data acquisition, RENISHAW PH20 touch probe with RENISHAW 6-station stylus changer rack, 47.24" x 78.74" x 39.37" measuring envelope, RENISHAW joystick controller, s/n: 0662 (CI)

**OVENS**

**GRIEVE (2022) WRC686-500** 60 kW electric convection oven with 60 KW capacity, 500 degrees F. max temperature, WATLOW digital temperature control, WATLOW digital overtemperature control, 72" W x 96" L x 78"H chamber, 72" W x 78" H double doors, 575V/3PH/60HZ, s/n: 131078A0422

**PARK THERMAL** 60 kW electric batch oven with 60 KW capacity, 500 degrees F. max temperature, WATLOW digital temperature control, WATLOW digital overtemperature control, 100" W x 80" L x 74"H chamber, 80" W x 74" H double doors, HONEYWELL chart recorder, 575V/3PH/60HZ, s/n: 18727

**PARTS WASHERS**

**WET TECHNOLOGIES (2023)** slurry and high pressure wet blasting cabinet with 1300 PSI pump, full stainless steel enclosure with screen wiper and closed loop recovery system, 460V/3PH/60HZ, s/n: WT23-0270599

**KEERTEK (2022) JET-FE78** stainless steel front-loading rotary type parts washer with 30" diameter x 45" stainless steel rotary basket, variable temperature control, variable timer control, oil skimmer, rolling configuration, portable, 7.9 kw heating element, 240v/1ph/60hz, s/n: 1264607

**ALLOY RECOVERY SYSTEM**

(2) **DCA (2023) MODEL 230238** alloy recovery system with AUTOMATION DIRECT touch screen PLC control, (5) zone digital temperature controllers, glycerin dip tank, core carousel, alloy deposition and recovery system, valves and instruments, full enclosure with flip-up door, 208v/3ph/60hz, s/n n/a

**RITEHETE** vacuum metal melting system with (2) electric melting pots, TIGER-VAC vacuum pump, s/n n/a

(8) **RITEHETE (2021) VSR 120** round VSR type cast iron solder melting pots with 120 lbs. capacity, 6" dia. x 9.75" H cast iron melting pot, 1800 W capacity, adjustable temperature control, 110v/1ph/60hz

**PAINT BOOTH**

**RAYMAR INDUSTRIAL (2018)** 12' W x 21' L x 9' H cross draft paint booth with 107" X 108" double door opening, side man door, lights, exhaust blower, all bolted construction, 3M breathing air supply (may be sold separately) s/n: n/a

**DOWNDRAFT SANDING TABLES**

(2) **DIVERSITECH (2022) DD3X8 (HEPA)** down draft sanding table with 42"x96" effective table size, 7.5 HP blower, exhaust mufflers, 230v/3ph/60Hz, s/n: W000001053 - CA000817; W000001053 - CA000818

(2) **DIVERSITECH FRED CARBO** flex snorkel arm type portable fume extractor with 1 HP blower, 110v/1ph/60hz, s/n: W00001999; 4/164

**REVERSE AIR SYSTEMS 72" x 36"** portable down draft sanding table, 2 HP blower, 240v/1ph/60hz, s/n n/a

**DUST COLLECTORS**

(3) **EUROVAC (NOV-2022) CPA-401-83AP0262** cyclonic type industrial central dust collector vacuum systems with AUTOMATION DIRECT touch screen PLC controls, 40 HP multi stage blower, 575v/3ph/60hz, s/n: n/a

**EUROVAC (NOV-2022) CPA-200-5753E580** cyclonic type industrial central dust collector vacuum systems with 20 HP multi stage blower, 402 hours recorded on meter at the time of listing, 575v/3ph/60hz, s/n: 73582-1

**EUROVAC (NOV-2022) CPA-200-5753E580** cyclonic type industrial central dust collector vacuum systems with 20 HP multi stage blower, 1104 hours recorded on meter at the time of listing, 575v/3ph/60hz, s/n: 73582

**EUROVAC (NOV-2022) CPA-200-5753E580** cyclonic type industrial central dust collector vacuum systems with 20 HP multi stage blower, 3136 hours recorded on meter at the time of listing, 575v/3ph/60hz, s/n: 73582

**EUROVAC (DEC-2022) CPA-150-5753E543** skid-mounted cyclonic type industrial central dust collector vacuum systems with 15 HP multi stage blower, 4968 hours recorded on meter at the time of listing, 575v/3ph/60hz, s/n: 73582

**EUROVAC (DEC-2022) CPA-150-5753E543** skid-mounted cyclonic type industrial central dust collector vacuum systems with 15 HP multi stage blower, 0916 hours recorded on meter at the time of listing, 575v/3ph/60hz, s/n: 73582-2

**MATERIAL HANDLING**

(3) **O'BRIEN** (2023) 2 ton capacity single girder top running overhead bridge cranes with 25.5' span, 15' height under the hook, STREET 2 ton electric chain hoists, wireless pendant control, variable speed all directions, s/n: 102618-01A, 102618-01B, 102618-01C

**O'BRIEN** (2023) 125' L free standing crane gantry system with uprights, runway, busbar & I-beams, s/n n/a

**GLOBAL** (2021) SIZE 8X120 8,000 lbs. capacity portable A-frame gantry with KITO 2 ton electric chain hoist, 8' W x 10' H adjustable height, s/n S2114878

(2) **GLOBAL** (2022) SIZE 8X120 4,000 lbs. capacity portable A-frame gantry with KITO 2 ton electric chain hoist, 8' W x 10' H adjustable height, s/n S2246643; S2246643-1

**ROLLING STOCK**

**TOYOTA** 8FBCU25 electric forklift with 4,400 LB capacity, 189" max. vertical reach, side-shift, solid tires, 48v battery, 8,900 hours recorded on meter at the time of listing, s/n: 69478

**SKYJACK** (2008) SJ3226 24V electric scissor lift with 26' maximum lift height, 500 LB capacity, s/n: 27003839

**RAYMOND** (2005) 740-05-BA03723 36V electric reach truck with 4,500 LB. Capacity, 132" mast height, 301" max vertical lift, 54,974 key hours (recorded on meter at time of listing), Unit 3900, s/n 740-05-BA03723

**TOYOTA** (2012) 7FBEU18 48V electric sit down counterbalance forklift with 3,000 lb capacity, 87" mast height, 189" max vertical reach, Unit KR-1, s/n 24399

**RAYMOND** (2008) 4100-C30TT 36V electric stand up counterbalance forklift with 3,000 lb capacity, 83" mast, 188" max vertical reach, 58,503 key hours (recorded on meter at time of listing), Unit 3963, s/n 410-08-15791

**RAYMOND** (2010) 5600-OPC30TT 36V order picker forklift with 3000 lb capacity, 118" mast, 273" max vertical reach, 26,346 key hours (recorded on meter at time of listing), Unit 3888, s/n 560-10-A10539

**RAYMOND** (2012) 8410 24V ride on electric pallet truck with 8,000 lb capacity, 6,721 key hours (recorded on meter at time of listing), Unit 3920, s/n 841-12-10922

**RAYMOND** (2008) RCS20 24V electric walk-behind stacker with 4,000 lb capacity, 83" mast height, 128" max vertical reach, 540 key hours (recorded on meter at time of listing), Unit 3956, s/n RCS-08-01381

**FACTORY EQUIPMENT**

**METAL PRESS** (2024) THC-D-24 hot oil temperature controller with OMRON touchscreen PLC control, 140 - 570 DEG F temperature range, (2) 2 HP pumps, (2) 24 KW heaters, 575V/3PH/60HZ, s/n 81008

**METALPRESS** (2024) THC-D-24 hot oil temperature controller with OMRON touchscreen PLC control, 140 - 570 DEG F temperature range, (2) 2 HP pumps, (2) 24 KW heaters, 575V/3PH/60HZ, s/n: 81006

**REGLOPLAS** (2023) PL160L-51-CRI5H-SK-RT200 digital pressurized water temperature control unit with 160 deg. C. max. temperature, s/n: 1192-000004-23-0001

**REGLOPLAS** (2019) P200M/18/SM75H/2SK/RT100 digital pressurized water temperature control unit with 200 deg. C. max. temperature, s/n: 118300420007

**TEMPERATURE CORPORATION** ACP-SSZV-SP 5HP air cooled portable chiller, s/n: 0723-2840

**SINGLE** (2012) STW 200/1-72-200-H3.1 digital temperature controller with 7.5 KW motor, 575V/3PH/60HZ, s/n: 121047

(2) **AEROEX** (2023) ARO-2500 multi-stage oil mist collectors, s/n n/a

**COLD JET** (2022) PCS 60 - C001 dry ice blasting machine with 145 PSI max. operating pressure, 0.5 KW motor, 100-240V/1PH/50-60HZ, s/n: 02892

**COLD JET** (2020) PCS 60 - C001 dry ice blasting machine with 145 PSI max. operating pressure, 0.5 KW motor, 100-240V/1PH/50-60HZ, s/n: 2A0339

**KAESER** (2023) BSD 50 rotary screw air compressor with 125 PSIG max. working pressure, 7,374 run hours (recorded on meter at time of inspection), 575V/3PH/60HZ, s/n: 1061-93225120

**US AIR COMPRESSOR** (2022) US50/X26 50 HP rotary screw air compressor with MAM-SS0 screw compressor controller, 125 max. air pressure, 575V/3PH/60HZ, s/n: 270522

**US AIR COMPRESSOR** (2020) US50 refrigerated air dryer with 145 PSI inlet pressure, 575V/3PH/60HZ, s/n: N/A

**MFG UNKNOWN** air receiver tank, s/n: N/A

**GRACO** mixing station consisting of GRACO VISON HP heater unit, GRACO PR70 posi-ratio fixed-ratio metering system & (2) GRACO T3 3:1 transfer pumps, s/n n/a

**MODULAR CLEAN ROOMS**

**STRONGCO** 136' L x 28.5' W x 10' H modular rectangular clean room enclosure with (16) 72" W x 84" H bi-directional opening double swing doors; (2) 14' W x 16' L office partitions; power and lights; all bolted modular panel construction with modular 40" W x 156" H x 3" Thick metal sandwich panels, s/n n/a (may be sold by the linear ft.)

**SUMIT** SSW-C-L 13.5' W X 28' L x 8' H modular walk-in thermo-insulating temperature controlled room with 120" W x 84" H double doors, side man door, modular all bolted construction, s/n: 12109-21-1791J

**MODULAR ROOM HEAT PUMP TEMPERATURE CONTROL SYSTEM**

**OILON** (2023) P220 SU HC+ ZGWP industrial heat pump heat - chill system with BEIJER X2PRO touch screen control 743 KW rated heating capacity, 517 KW rated cooling capacity, (2) pressure vessels, associated piping & centrifugal pumps, VFDs and integration, s/n: 19102150 (may be offered by component)

**CONVENTIONAL MACHINE TOOLS**

(2) **PALMGREEN** POWERGRIND 9682404A bench type 4" single sided belt sander with 3/4 HP, 3450 rpm, 120-240V/1ph/60hz, s/n n/a

**KENT INDUSTRIAL CO** KTM-380 vertical milling machine with 2-axis DRO

**CYCLONE** sandblast cabinet with cyclonic type media recovery, s/n: n/a

**KING INDUSTRIAL** (2017) KC-10KX 10" cabinet table saw, 230V/1PH/60HZ, s/n: 17023062

**MAGNUM INDUSTRIAL** vertical bandsaw w/ digital speed control, s/n: n/a

**MAKITA** abrasive cut off saw, s/n: n/a

(4) **ULTIMAKER** S5 prototyping 3D printers with 13" x 9.4" x 11.8" max build volume, s/n n/a

**ALSO:**

(26+) heavy duty closed die holder carts (3) sections of adjustable pallet racking storage cabinets, fireproof cabinets, stainless steel work benches, worktables, rolling lab bench, toolboxes with hand tools, shop carts and supplies, sanding perishables, bench-type combination sander/grinder, banding cart, paint pumps & mixers, spare EUROVAC components, digital floor scale, material cage, propane cage, 2 TON engine hoist, parts system, DEWALT miter saw, drill press, floor scrubber, and MUCH MORE!

(Court Approved)

**FORMULA SOLUTIONS INC.**

**Wednesday, June 25  
Burlington, Ontario, Canada**

**2023**



**(3) 2 TON CAP BRIDGE CRANES**

**25.5' SPAN X 125' L**

O'BRIEN free standing crane gantry system



**4,400 LBS CAPACITY**

TOYOTA 8FBCU25 electric forklift



SKYJACK SJ3226 electric scissor lift

**THIS IS A PARTIAL LISTING ONLY! FOR FURTHER INFORMATION, PLEASE VISIT WWW.CORPASSETS.COM**

## AUCTION DETAILS

**LIVE WEBCAST ONLY**

### INSPECTION

Tuesday, June 24 from 9 AM to 4 PM or by appointment. Please email [info@corpassets.com](mailto:info@corpassets.com) to arrange.

### REMOVAL

All assets must be removed no later than Thursday, July 31 BY APPOINTMENT ONLY. Please email [info@corpassets.com](mailto:info@corpassets.com) to arrange.

### TERMS

Corporate Assets Inc. assumes no liability for errors or omissions in this brochure. Corporate Assets Inc. expressly reserves the right to determine the manner of conducting the auction as it may deem appropriate. All subject to prior sale.

### PAYMENT

A Buyer's Premium will apply at this sale. International & online bidders may need a refundable deposit to bid. **SALE WILL BE CONDUCTED IN USD.**

Please refer to our website at [www.corpassets.com](http://www.corpassets.com) or call 416.962.9600 for further information. Pour les services en français, composez le 1.855.583.5551

We Accept



Please visit our website as specific terms and conditions may apply.

**BID ONLINE AT: BidSpotter**

### AFFILIATIONS



©2025 CORPORATE ASSETS INC. ALL RIGHTS RESERVED.

## SURPLUS EQUIPMENT?

TURN IDLE ASSETS INTO CASH!

## WE BUY & SELL YOUR SURPLUS MACHINERY

ONE MACHINE OR ENTIRE PLANTS, WE HAVE OVER 60 YEARS EXPERIENCE TO SELL YOUR EQUIPMENT AT FAIR MARKET VALUE.

**CONTACT US TODAY TO LEARN MORE! 416.962.9600**

**SUBSCRIBE TO OUR NEWSLETTER AND GET THE LATEST AUCTION UPDATES**

**CORPORATE ASSETS INC**

[corpassets.com/newsletter-signup](http://corpassets.com/newsletter-signup)