



**CORPORATE
ASSETS INC**

WELCOME TO THE AUCTION SALE OF:

MATERIAL HANDLING AND FABRICATING EQUIPMENT

**THURSDAY, JULY 9 • 10:30 AM EDT
380 DEWITT RD,
STONEY CREEK, ONTARIO, CANADA, L8E 2T2**

WE ACCEPT:



Visit www.corpassets.com for specific terms and conditions.

AUCTION CONDUCTED BY:

CORPORATE ASSETS INC

"Let Our Experience Be Your #1 Asset"™

373 Munster Avenue, Toronto, ON, Canada M8Z 3C8

Tel: 416.962.9600 • Fax: 416.962.9601

www.corpassets.com • info@corpassets.com

TERMS & CONDITIONS FOR THIS SALE

- Final payment in full immediately after the auction
- A buyer's premium of 20.0% for all bidders will apply at this sale
- No payments will be accepted by our site supervisor
- This sale will be conducted in CAD.

REMOVAL DETAILS:

- All assets must be removed no later than Friday, July 24 BY APPOINTMENT ONLY. Please email info@corpassets.com to arrange.
- No items may be removed while the auction is in progress.
- All buyers must comply with all posted terms and conditions of sale.

***RIGGING DETAILS COMING SOON.**

NO EXCEPTIONS!

THANK YOU

***S'IL VOUS PLAÎT VÉRIFIER LES POINTS AVANT L'OFFRE ET LIRE ATTENTIVEMENT LES TERMES ET CONDITIONS DE CETTE VENTE.**

For a copy of the terms & conditions of this sale in French, please ask the staff and they will provide.



TERMS AND CONDITIONS OF SALE

Subject to amendments and modifications announced by the Auctioneer at the time of the auction, all persons participating in the auction shall be bound by the following terms and conditions and as stated or otherwise set forth in the brochure and/or on the Auctioneer's website www.corpassets.com.

1. In order to register and participate as a bidder, Bidders are required to provide a minimum 25% deposit to establish their requested credit limit together with identification of either a valid Driver's License or Passport.
2. The Auctioneer reserves the right to refuse any applicant the privilege of bidding or attending the auction and may revoke such privilege at any time.
3. Payment in full must be made immediately after the conclusion of the auction. Deposit payments or payments on account may be made in advance of the auction by way of bank wire transfer and any balance in excess of the balance owing will be refunded to the Bidder or Purchaser (as the case may be) after the auction. For International (Non-Canadian and U.S. Residents) Purchasers, Webcast Remote Purchasers & Online Purchasers, payments shall be by way of bank wire transfer. For Canadian and U.S. On-site Purchasers, all payments shall be by way of wire transfer, certified cheque, bank draft, Interac, cash or company cheque accompanied with a valid bank letter of authorization guaranteeing irrevocable payment to Corporate Assets Inc. in the following format: "**Name of Bank hereby guarantees irrevocable payment of cheques payable to Corporate Assets Inc. up to Amount in Words & Currency for purchases made by our client Name of Client. This letter is valid for purchases made at the auction of Name of Auction being held in City, State/Province on Date.**"
4. Payments by way of Visa or Mastercard will be accepted for purchases from Purchasers whose total invoice does not exceed \$2,500. An Administration Fee may apply subject to the Auctioneer's discretion.
5. A Buyer's Premium as posted on our website or announced, will apply at this sale.
6. All applicable sales taxes arising on a sale shall be paid to the Auctioneer at the time of sale.
7. All Articles will be sold to the highest bidder conforming to the bid process, provided that the Auctioneer reserves the right to sell articles by individual, grouped lots and "in bulk", as the Auctioneer deems appropriate. The Auctioneer reserves the right to sell on behalf of third parties, on its own account or on the account of others. Should any dispute arise between two or more bidders or as to any bid, the lot in question may, at the Auctioneer's discretion, be immediately put up again and resold. The Auctioneer shall regulate all matters relating to the conduct of the auction and the Auctioneer's decision shall be final and binding on all bidders. The records kept by the clerk of the sale, shall in all cases be accepted by the bidder as final.
8. The Auctioneer reserves the right to sell subject to reserve and to bid for its own account and for the account of others, whether by verbal or written proxy, and may sell or remove articles without notice before the auction and shall have no further liability to any person whatsoever, including without limitation, any damages for loss of profits.
9. All sales shall be concluded as indicated by the Auctioneer and no Bidder/Purchaser may thereafter revoke their bid. Title to the articles purchased shall not pass until payment in full of the purchase price is received.
10. ALL SALES ARE FINAL, ON AN "AS IS WHERE IS", "IN PLACE" "WITH ALL FAULTS" BASIS WITH NO CONDITIONS OR WARRANTIES WHETHER EXPRESSED, IMPLIED, STATUTORY OR OTHERWISE, INCLUDING WITHOUT LIMITATION, WARRANTIES OR CONDITIONS AS TO TITLE, DESCRIPTION, FITNESS FOR PURPOSE, QUANTITY, QUALITY, MERCHANTABILITY, STATE, CONDITION, LOCATION OR OTHERWISE. NO SALE SHALL BE INVALIDATED AND THE AUCTIONEER SHALL HAVE NO

LIABILITY FOR A MISDESCRIPTION OF ANY ARTICLE OR LOT WHETHER CONTAINED IN A CATALOGUE, ADVERTISEMENT, ORAL ANNOUNCEMENT OR OTHERWISE. DESCRIPTIONS HAVE BEEN PREPARED FOR GUIDE PURPOSES ONLY AND SHALL NOT BE RELIED UPON BY THE PURCHASER FOR ACCURACY OR COMPLETENESS. PLEASE INSPECT ALL ITEMS BEFORE BIDDING. PURCHASERS SHALL BE DEEMED TO HAVE RELIED ENTIRELY UPON THEIR OWN INSPECTIONS AND INVESTIGATIONS.

11. No article shall be removed unless paid for in full and all articles purchased shall be removed within the guidelines and terms stipulated. The Purchaser shall be responsible for all costs of removal and shall be liable for any damages, including without limitation, any environmental damage, caused during or as a result of the removal. Purchasers shall comply with all environmental laws and regulations and all requirements established by the Auctioneer for the removal of articles, including providing proper insurance and which Riggers may operate on site; please refer to the "REMOVAL REQUIREMENTS" on the inside back cover.
12. No Purchasers may assign, transfer or dispose of their rights in any article purchased before they have paid the purchase price in full. Notwithstanding, these terms and conditions shall continue to be in effect and automatically transferred to any assignee or transferee.
13. Where available, documents of transfer, including motor vehicle ownership documents, which are in possession of the Auctioneer, will be provided to the Purchaser following the auction or as soon thereafter as such documents become available.
14. The Auctioneer assumes no responsibility or any liability once title passes, which occurs at time of payment in full. Purchasers are advised to prearrange for insurance coverage of their purchase(s). Without limiting the generality of the foregoing, the Auctioneer shall not be liable for any insurable risk, including but not limited to fire or theft (an "insurable risk").
15. If the Purchaser is unable to retrieve an article sold to the Purchaser due to any default of the Auctioneer other than loss due to an insurable risk, the Auctioneer's liability shall be limited to the reimbursement of the Purchaser for all monies paid to the Auctioneer by the Purchaser in respect of an article purchased, and the Auctioneer shall have no further liability to the Purchaser including without limitation, any damages for loss of profits.
16. Time shall be of the essence. Title may revert to seller in the event Purchaser does not remove their purchase by the time specified. If a Purchaser fails to make payment or remove goods within the time periods hereinabove provided, the Auctioneer may resell the article purchased by auction, private contract or otherwise, as the Auctioneer in his discretion deems advisable. If the Auctioneer makes a good faith attempt to resell the article but cannot, he may dispose or scrap the article.
17. The Purchaser shall be liable for the shortfall and all costs and expenses incurred in such resale or scrapping, as described in paragraph 16. These costs and expenses include, but are not limited to, attorney fees, court costs, law enforcement costs, moving and storage costs, and any other commissions incurred or fees assessed by the Auctioneer. Attorney fees and costs include, but are not limited to, such fees and costs incurred in the pursuit of a claim, judgment or a citation against the Purchaser(s) and/or any Guarantor(s).

REMOVAL REQUIREMENTS

The following are terms & conditions to abide by for all Purchasers, their employees, riggers, machinery movers, contractors and agents; (who will be further referred to as "Purchasers/Movers/Riggers"), who participate in the disconnection and/or removal of items purchased at auction.

1. Purchasers/Movers/Riggers are responsible to remove all articles purchased. "CI" on the purchaser's invoice designates that a proper certificate of insurance is required before any item marked "CI" can be mechanically removed. Furthermore, properly authorized rigger release instructions, in writing, are required by Corporate Assets Inc.'s office before a Purchaser/Mover/Rigger can commence removal of these items. This form can be downloaded from www.corpassets.com.
2. PURCHASERS/MOVERS/RIGGERS SHALL BE RESPONSIBLE FOR PROPER DISCONNECTION AND TERMINATION OF ALL ELECTRICAL, WATER AND/OR AIR LINES TO YOUR EQUIPMENT/ARTICLE AS STIPULATED BY CORPORATE ASSETS INC'S ON-SITE REPRESENTATIVE OR AS ANNOUNCED BY THE AUCTIONEER; THE SHEARING OF ANCHOR BOLTS FLUSH WITH THE FLOOR; LEAVING YOUR WORK AREA IN A BROOM SWEEP MANNER; THE ERECTING OF SAFETY BARRIERS ARE REQUIRED WHERE PITS OR HOLES HAVE BEEN CREATED AS A RESULT OF EQUIPMENT/ARTICLE REMOVAL; THE REMOVAL, OFF THE PREMISES, OF ALL HAZARDOUS WASTE OR OIL CONTAMINANTS CONTAINED WITHIN OR ON THE PURCHASED ASSETS AND IN CONJUNCTION WITH ALL ENVIRONMENTAL LAWS; ANY SPECIFIC TERMS OR CONDITIONS INDICATED BY THE AUCTIONEER AT THE TIME OF SALE.
3. All GAS line terminations are to be disconnected by a licensed gas fitter and done in accordance with any federal, state/provincial or local codes.
4. All ELECTRICAL disconnects at entry point of machine/equipment, are to be done in accordance with any federal, state/provincial or local codes.
5. Riggers must quote their customers in writing and shall be liable for all costs in order to comply with the above.
6. Purchasers/Movers/Riggers must provide to Corporate Assets Inc., a certificate of insurance, adding Corporate Assets Inc. as an Additional insured, but only with respect to the operations of the Named Insured (i.e., Purchasers/Movers/Riggers) at the Named Auction and Named Location, of not less than \$2,000,000.00 evidencing statutory workers' compensation (or state/provincial clearance certificate if applicable), employer's liability insurance, automotive and comprehensive liability insurance coverage (bodily injury and property damage) per person and occurrence.
7. Where available, bridge cranes and/or other lifting device hoists may only be used by certified crane operators with insurance in place and only with the expressed written permission of the crane owner and/or Corporate Assets Inc. The amount of the Rigger's insurance deductible may be required by Corporate Assets Inc. as a security deposit.
8. Corporate Assets Inc.'s on-site representative must examine all articles being loaded out of the premises.
9. Purchasers/Movers/Riggers shall be held liable for all costs relating to damages and repairs to personal property and/or premises as a result of their negligence and/or their activities.
10. General hours of removal at the premises are Monday to Friday from 8:00 A.M. to 5:00 P.M., unless otherwise specified. Anyone requiring access outside of these hours or beyond our published deadlines is subject to a non-negotiable per diem rate at Corporate Assets Inc.'s sole discretion.
11. No articles shall be removed while the auction is in progress
12. NO EQUIPMENT/ARTICLE(S) SHALL LEAVE THE PREMISES UNTIL ALL THE FOREMENTIONED HAVE BEEN COMPLETED TO THE SATISFACTION OF CORPORATE ASSETS INC.'S ON-SITE REPRESENTATIVE.

These terms and conditions together with any amendments or modifications expressly made by the Auctioneer at the time of the auction constitute all the terms and conditions with respect to the sale of articles at this auction. There are no representations, warranties, terms, conditions, undertakings or collateral agreements except as hereinabove provided.

All invoices must be paid in full before commencement of removal. Check with Corporate Assets Inc.'s site representative and Accounting Department if you have any questions.

| Lot | Description |
|-----|---|
| 1 | MILLER (2015) DYNASTY 350 PORTABLE DIGITAL WELDING POWER SOURCE, S/N: MF220192L |
| 2 | MILLER (2015) DYNASTY 350 PORTABLE DIGITAL WELDING POWER SOURCES, S/N: MF220194L |
| 3 | THEO MA1-65 HANDHELD LASER WELDER WITH THEO MODEL T1 WIRE FEEDER, CABLES & GUN, S/N: IHASFUNC0803 |
| 4 | EMPIRE EF-2436 ABRASIVE BLASTING CABINET WITH DUST COLLECTION UNIT, S/N: C-7686 |
| 5 | RAYMOND (2014) 8410-80-96 8,000 LB. CAPACITY 24V RIDE-ON ELECTRIC PALLET TRUCK WITH 5,422 HOURS (RECORDED ON METER AT TIME OF LISTING), S/N: 841-14-21632 [UNIT 4024] |
| 6 | RAYMOND (2014) 8400-96-80 8,000 LB. CAPACITY 24V RIDE-ON ELECTRIC PALLET TRUCK WITH 9,223 HOURS (RECORDED ON METER AT TIME OF LISTING), S/N: 841-14-20574 [UNIT 4160] |
| 7 | RAYMOND (2011) 8400-96-80 8,000 LB. CAPACITY 24V RIDE-ON ELECTRIC PALLET TRUCK WITH 4,532 HOURS (RECORDED ON METER AT TIME OF LISTING), S/N: 840-11-90714 [UNIT 4158] |
| 8 | RAYMOND (2011) 8400-96-80 8,000 LB. CAPACITY 24V RIDE-ON ELECTRIC PALLET TRUCK WITH 4,599 HOURS (RECORDED ON METER AT TIME OF LISTING), S/N: 840-11-90715 [UNIT 4157] |
| 9 | RAYMOND (2011) 8400-96-80 8,000 LB. CAPACITY 24V RIDE-ON ELECTRIC PALLET TRUCK WITH 4,545 HOURS (RECORDED ON METER AT TIME OF LISTING), S/N: 840-11-90705 [UNIT 4156] |
| 10 | RAYMOND (2010) 8400-96-80 8,000 LB. CAPACITY 24V RIDE-ON ELECTRIC PALLET TRUCK WITH 8,532 HOURS (RECORDED ON METER AT TIME OF LISTING), S/N: 840-10-86216 [UNIT 4162] |

| Lot | Description |
|-----|---|
| 11 | RAYMOND (2010) 8400-96-80 8,000 LB. CAPACITY 24V RIDE-ON ELECTRIC PALLET TRUCK WITH 9,810 HOURS (RECORDED ON METER AT TIME OF LISTING), S/N: 840-10-85179 [UNIT 4161] |
| 12 | RAYMOND (2008) 8400-96-80 8,000 LB. CAPACITY 24V RIDE-ON ELECTRIC PALLET TRUCK WITH 4,832 HOURS (RECORDED ON METER AT TIME OF LISTING), S/N: 840-08-77774 [UNIT 4155] |
| 13 | RAYMOND (2019) 8410-48-60 6,000 LB. CAPACITY 24V RIDE-ON ELECTRIC PALLET TRUCK WITH 4,129 HOURS (RECORDED ON METER AT TIME OF LISTING), S/N: 841-19-49364 [UNIT 4188] |
| 14 | RAYMOND (2018) 8410-48-60 6,000 LB. CAPACITY 24V RIDE-ON ELECTRIC PALLET TRUCK WITH 4,371 HOURS (RECORDED ON METER AT TIME OF LISTING), S/N: 841-18-44861 [UNIT 4186] |
| 15 | RAYMOND (2018) 8410-48-60 6,000 LB. CAPACITY 24V RIDE-ON ELECTRIC PALLET TRUCK, S/N: 841-18-44862 [UNIT 4187] |
| 16 | RAYMOND (2017) 8410-48-60 6,000 LB. CAPACITY 24V RIDE-ON ELECTRIC PALLET TRUCK WITH 3,991 HOURS (RECORDED ON METER AT TIME OF LISTING), S/N: 841-17-36589 [UNIT 4183] |
| 17 | RAYMOND (2015) 8410-48-60 6,000 LB. CAPACITY 24V RIDE-ON ELECTRIC PALLET TRUCK WITH 5,272 HOURS (RECORDED ON METER AT TIME OF LISTING), S/N: 841-15-24645 [UNIT 4185] |
| 18 | RAYMOND (2014) 8410-60-96 6,000 LB. CAPACITY 24V RIDE-ON ELECTRIC PALLET TRUCK WITH 8,896 HOURS (RECORDED ON METER AT TIME OF LISTING), S/N: 841-14-20572 [UNIT 2906] |
| 19 | RAYMOND (2013) 8410-60-48 6,000 LB. CAPACITY 24V RIDE-ON ELECTRIC PALLET TRUCK WITH 3,789 HOURS (RECORDED ON METER AT TIME OF LISTING), S/N: 841-13-13202 [UNIT 4004] |

| Lot | Description |
|-----|--|
| 20 | RAYMOND (2013) 8410-60-48 6,000 LB. CAPACITY 24V RIDE-ON ELECTRIC PALLET TRUCK WITH 4,258 HOURS (RECORDED ON METER AT TIME OF LISTING), S/N: 841-13-12473 [UNIT 4090] |
| 21 | CROWN (2018) WP3045-45 4,500 LB. CAPACITY 24V WALK-BEHIND ELECTRIC PALLET TRUCK WITH BUILT-IN CHARGER, 5,759 HOURS (RECORDED ON METER AT TIME OF LISTING), S/N: 10092574 [UNIT 4190] |
| 22 | RAYMOND (2013) 102T-F45L 4,500 LB. CAPACITY 24V WALK-BEHIND ELECTRIC PALLET TRUCK WITH BUILT-IN CHARGER, 197 HOURS (RECORDED ON METER AT TIME OF LISTING), S/N: 102-13-27768 [UNIT 4168] |
| 23 | RAYMOND (2012) 102T-F45L 4,500 LB. CAPACITY 24V WALK-BEHIND ELECTRIC PALLET TRUCK WITH BUILT-IN CHARGER, 1,535 HOURS (RECORDED ON METER AT TIME OF LISTING), S/N: 102-12-24751 [UNIT 4167] |
| 24 | HYSTER (2012) W40Z 4,000 LB. CAPACITY 24V WALK-BEHIND ELECTRIC PALLET TRUCK WITH BUILT-IN CHARGER, 2,550 HOURS (RECORDED ON METER AT TIME OF LISTING), S/N: B218N4474K [UNIT 4191] |
| 25 | RAYMOND (2017) RSS40 4,000 LB. 24V WALK-BEHIND ELECTRIC STACKER WITH 128" MAX. LIFT HEIGHT, 2,322 HOURS (RECORDED ON METER AT TIME OF LISTING), S/N: RSS-17-06285 [UNIT 4153] |
| 26 | JLG (2006) 15SP 800 LB. CAPACITY 24V ELECTRIC ORDER PICKER WITH 182" MAX. LIFT HEIGHT, BUILT-IN CHARGER, 85 HOURS (RECORDED ON METER AT TIME OF LISTING), S/N: 900026224 [UNIT 4182] |
| 27 | TOYOTA (2007) 8TB50 24V ELECTRIC RIDE-ON TUGGER WITH 710 LB. CAPACITY, 7,521 KEY ON HOURS (RECORDED ON METER AT TIME OF LISTING), S/N: 36181 [UNIT 3567] |
| 28 | RAYMOND (2016) 4700-C40TT 4,000 LB. CAPACITY 48V ELECTRIC FORKLIFT WITH 189" MAX. LIFT HEIGHT, 3-STAGE MAST, SIDE SHIFT, MULTI-SURFACE TIRES, 8,164 KEY ON HOURS (RECORDED ON METER AT TIME OF LISTING), S/N: 470-16-DM31624 [UNIT 3978] |

| Lot | Description |
|-----|--|
| 29 | CROWN (2011) SC5225-30 3,000 LB. CAPACITY 36V 3-WHEEL ELECTRIC FORKLIFT WITH 190" MAX. LIFT HEIGHT, 3-STAGE MAST, SIDE SHIFT, CUSHION TIRES, 5,525 KEY ON HOURS (RECORDED ON METER AT TIME OF LISTING), S/N: 9A18813 [UNIT 4165] |
| 30 | RAYMOND (2015) DR30TT 3,000 LB. CAPACITY 36V ELECTRIC DEEP REACH TRUCK WITH 279" MAX. LIFT HEIGHT, SIDE SHIFT, 7,563 KEY ON HOURS & 2,205 LIFT HOURS (RECORDED ON METER AT TIME OF LISTING), S/N: EZ-15-CF53516 [UNIT 2900] |
| 31 | RAYMOND (2015) DR30TT 3,000 LB. CAPACITY 36V ELECTRIC DEEP REACH TRUCK WITH 279" MAX. LIFT HEIGHT, SIDE SHIFT, 9,567 KEY ON HOURS & 2,768 LIFT HOURS (RECORDED ON METER AT TIME OF LISTING), S/N: EZ-15-CF53513 [UNIT 2898] |
| 32 | RAYMOND (2014) EZ-R40TT 4,000 LB. CAPACITY 36V ELECTRIC REACH TRUCK WITH 210" MAX. LIFT HEIGHT, SIDE SHIFT, 7,267 KEY ON HOURS & 427 LIFT HOURS (RECORDED ON METER AT TIME OF LISTING), S/N: EZ-14-DF52877 [UNIT 4181] |
| 33 | RAYMOND (2007) 7400-R35TT 3,500 LB. CAPACITY 36V ELECTRIC REACH TRUCK WITH 301" MAX. LIFT HEIGHT, SIDE SHIFT, S/N: 740-07-CA07093 [UNIT 4129] |
| 34 | RAYMOND (2005) EASI-R35TT 3,500 LB. CAPACITY 36V ELECTRIC REACH TRUCK WITH 240" MAX. LIFT HEIGHT, SIDE SHIFT, 1,821 KEY ON HOURS & 1,883 LIFT HOURS (RECORDED ON METER AT TIME OF LISTING), S/N: ES-D-05-13856 [UNIT 4179] |
| 35 | RAYMOND (2015) 5200-OPC30TT 3,000 LB. CAPACITY 24V ELECTRIC ORDER PICKER FORKLIFT WITH 210" MAX. LIFT HEIGHT, 2,585 KEY ON HOURS (RECORDED ON METER AT TIME OF LISTING), S/N: 520-15-04134 [UNIT 4134] |
| 36 | RAYMOND (2008) 5200-OPC30TT 3,000 LB. CAPACITY 24V ELECTRIC ORDER PICKER FORKLIFT WITH 240" MAX. LIFT HEIGHT, 5,817 KEY ON HOURS (RECORDED ON METER AT TIME OF LISTING), S/N: 520-08-02452 [UNIT 3882] |

| Lot | Description |
|-----|--|
| 37 | RAYMOND (2008) 5200-OPC30TT 3,000 LB. CAPACITY 24V ELECTRIC ORDER PICKER FORKLIFT WITH 240" MAX. LIFT HEIGHT, 12,876 DRIVE HOURS & 2,303 LIFT HOURS (RECORDED ON METER AT TIME OF LISTING), S/N: 540-08-C07076 [UNIT 3955] |
| 40 | ENERSYS EH3-18-1200 36V BATTERY CHARGER WITH 480 INPUT VOLTAGE, 3 PH, 200A, 350 GREY CONNECTOR, S/N: OB233990 [UNIT CH36256] |
| 41 | EXIDE 36V BATTERY CHARGER WITH 575 INPUT VOLTAGE, 3 PH, 350 GREY CONNECTOR, S/N: N/A [UNIT CH36342] |
| 42 | DEKA 900EC3-18SPC-C 36V BATTERY CHARGER WITH 480/600 INPUT VOLTAGE, 3 PH, 225A, 350 GREY CONNECTOR, S/N: 120CS91363 [UNIT CH36352] |
| 43 | DEKA 900EC3-18SPC-C 36V BATTERY CHARGER WITH 480/600 INPUT VOLTAGE, 3 PH, 225A, 350 GREY CONNECTOR, S/N: 120CS91364 [UNIT CH36353] |
| 44 | AMATEK 750M1-18C 36V BATTERY CHARGER WITH 480/575 INPUT VOLTAGE, 3 PH, 128A, 350 GREY CONNECTOR, S/N: 114CS18118 [UNIT CH36355] |
| 45 | GNB XPT-12-1050AG 24V BATTERY CHARGER WITH 600 INPUT VOLTAGE, 3 PH, 189A, 350 RED CONNECTOR, S/N: BD70270031 [UNIT CH24239] |
| 46 | GNB FLX2001286551H 24V BATTERY CHARGER WITH 208/240/480 INPUT VOLTAGE, 3 PH, 135A, 350 RED CONNECTOR, S/N: 09D6044M [UNIT CH24272] |
| 47 | GNB EHY24C140 24V BATTERY CHARGER WITH 600 INPUT VOLTAGE, 3 PH, 140A, 350 GREY CONNECTOR, S/N: 467783 [UNIT CH24440] |
| 48 | ENERGIC PLUS TSTD24140 24V BATTERY CHARGER WITH 208/480 INPUT VOLTAGE, 3 PH, 14A, 175 GREY CONNECTOR, S/N: 103762 [UNIT CH24442] |
| 49 | PBM 24V140A 24V BATTERY CHARGER WITH 208/240/480/600 INPUT VOLTAGE, 3 PH, 140A, 175 GREY CONNECTOR, S/N: LJ1929 [UNIT CH24443] |

| Lot | Description |
|-----|---|
| 50 | ENERSYS ES3-12-850 24V BATTERY CHARGER WITH 480/550/600 INPUT VOLTAGE, 3 PH, 136A, 350 GREY CONNECTOR, S/N: MA162928 [UNIT CH24444] |
| 51 | HYSTER S150A 15,000 LB. CAPACITY LPG FORKLIFT WITH 86" MAX. LIFT HEIGHT, 2-STAGE MAST, 60" FORKS, 61.5" CARRIAGE, 3- SPEED MANUAL TRANSMISSION, CUSHION TIRES, S/N: A24A154415 (PROPANE TANK NOT INCLUDED) |
| 52 | TOYOTA (2014) 8FG35U 8,000 LB. CAPACITY LPG FORKLIFT WITH 187" MAX. LIFT HEIGHT, 3-STAGE MAST, SIDE SHIFT, ENCLOSED CAB WITH FAN, MULTI-SURFACE TIRES, 8,441 KEY ON HOURS (RECORDED ON METER AT TIME OF LISTING), S/N: 10318 [UNIT 4131] (PROPANE TANK NOT INCLUDED) |
| 53 | CATERPILLAR (2008) C6000 6,000 LB. CAPACITY LPG FORKLIFT WITH 199" MAX. LIFT HEIGHT, 3-STAGE MAST, SIDE SHIFT, FORK SPREADER, MULTI-SURFACE TIRES, 8,177 KEY ON HOURS (RECORDED ON METER AT TIME OF LISTING), S/N: AT83F20273 [UNIT 4056] (PROPANE TANK NOT INCLUDED) |
| 54 | KOMATSU (2005) FG20ST-14 4,000 LB. CAPACITY LPG FORKLIFT WITH 188" MAX. LIFT HEIGHT, 3-STAGE MAST, SIDE SHIFT, MULTI-SURFACE TIRES, 10,598 KEY ON HOURS (RECORDED ON METER AT TIME OF LISTING), S/N: 586963A [UNIT 4164] (PROPANE TANK NOT INCLUDED) |
| 55 | JCB (2005) 930 RTFL 6,000 LB. CAPACITY 4WD HEAVY DUTY ROUGH TERRAIN DIESEL FORKLIFT WITH 269" MAX. LIFT HEIGHT, 3-STAGE MAST, SIDE SHIFT, ENCLOSED CAB, ROUGH TERRAIN PNEUMATIC TIRES, 5,531 HOURS (RECORDED ON METER AT TIME OF LISTING), S/N: SLP930045E0824370 |
| 56 | CASE 586G 6,000 LB. CAPACITY ROUGH TERRAIN DIESEL FORKLIFT WITH 180" MAX. LIFT HEIGHT, 3-STAGE MAST, SIDE SHIFT, ROUGH TERRAIN PNEUMATIC TIRES, 5,726 HOURS (RECORDED ON METER AT TIME OF LISTING), S/N: JJG0290245 |

| Lot | Description |
|-----|---|
| 57 | CASCADE (2020) 18J-CCS-2A-38178 3,250 LB. CAPACITY CARTON CLAMP ATTACHMENT, S/N: PTL2577907-3R0 [UNIT 4125] |
| 58 | INTERNATIONAL (2015) 7600 SBA 6X4 TANDEM-AXLE FLAT DECK CRANE TRUCK WITH NAVISTAR A390 12.4L 6-CYLINDER DIESEL ENGINE; EATON FULLER 10-SPEED MANUAL TRANSMISSION; HIAB (2021) X-CLX 148B-3 LOADER CRANE WITH 4,300 KG. MAX. CAPACITY, 40' MAX. BOOM REACH, XS DRIVE REMOTE OPERATOR CONTROL, STABILIZERS; 8'X26' DECK; 494,314 KM (RECORDED ON ODOMETER AT TIME OF LISTING); VIN: 1HTGSSNT4FH717053 |
| 59 | PETERBILT (2013) 367 T/A TANDEM-AXLE ROLL-OFF CRANE TRUCK WITH CUMMINS ISX15 450 HP 16 14.9L 6-CYLINDER TURBO DIESEL ENGINE; EATON FULLER 13-SPEED MANUAL TRANSMISSION; 20,000 LBS. FRONT AXLE; 23,000 LBS. REAR AXLES; PTO; 20' STEEL ROLL-OFF DECK; HIAB (2012) 200 C-3 LOADER CRANE WITH 7,000 KG. MAX. CAPACITY, 16M MAX. BOOM REACH, STABILIZERS; WARN 30,000 LB. CAPACITY HYDRAULIC WINCH; 769,678 KM (RECORDED ON ODOMETER AT TIME OF LISTING); VIN: 1NPTL40X8DD201449 |
| 60 | ONAN-CUMMINGS MODEL 230DFAB 230 KW SKID-MOUNTED INDUSTRIAL STANDBY DIESEL GEN-SET WITH 278.5 KVA CAPACITY @ 1800 RPM, 347/600V, 3 PHASE, 60 HZ, 277A, ONAN-CUMMINS POWERCOMMAND DIGITAL CONTROL, 714 RUNTIME HOURS (RECORDED ON METER AT TIME OF LISTING) S/N: J960620650 (CI) |
| 61 | MASTEEL MBHSA 14500 CNC HYDRAULIC PRESS BRAKE WITH SIEMENS SIMATIC TOUCH CNC CONTROL, 500 TON CAPACITY, 14' MAX BENDING LENGTH, SAFETY LIGHT CURTAINS, 600V/3PH/60HZ, S/N 0910991 (CI) |
| 62 | ALLSTEEL 95T-6 CNC HYDRAULIC PRESS BRAKE WITH AUTOMEC CNC 250 CNC CONTROL, 96 TON CAPACITY, 6' MAX BENDING LENGTH, 600V/3PH/60HZ, S/N 95295 (CI) |

| Lot | Description |
|-----|--|
| 63 | ERMAK (2008) CNCHVR14X5/8 CNC HYDRAULIC SHEAR WITH CYBELEC CNC CONTROL, 5/8" MAX CUTTING CAPACITY, 14' MAX CUTTING LENGTH, HYDRAULIC CLAMPING, SQUARING ARMS, 575V/3PH/60HZ, S/N 20080826 (CI) |
| 64 | CINCINNATI SERIES 6208 MECHANICAL SQUARING SHEAR WITH 8' MAX CUTTING LENGTH, 0.75" MAX CUTTING CAPACITY, 575V/3PH/60HZ, S/N 10978 (CI) |
| 65 | HILL ACME MODEL 7 HYDRAULIC IRONWORKER WITH 125 TON CAPACITY, 1 9/16 X 1 MAX PUNCHING CAPACITY, 2.25" MAX ROUNDS SHEARING CAPACITY, 2" SQUARE SHEARING CAPACITY, 6"X5"X5/8" ANGLE SHEARING CAPACITY @ 90 DEGREES, 5"X5"X5/8" ANGLE SHEARING CAPACITY AT 45 DEGREES MITRE, 4"X4"X5/8" T-PROFILE SHEARING CAPACITY, COMPLEMENT OF PUNCHES AND DIES, 575V/3PH/60HZ, S/N 545275 (CI) |
| 66 | BLUE VALLEY FLANGER 6-1100 FLANGING MACHINE WITH 5/8" X 240" MAX DIAMETER CAPACITY, VFD CONTROLS, COMPLEMENT OF TOOLING AND ACCESSORIES, 575V/3PH/60HZ, S/N N/A (CI) |
| 67 | ESF BETA-2 12" OXY-ACETYLENE PIPE CUTTING TABLE WITH TORCH, HOSES AND GUN, ROLLER TABLE WITH MAX 12" PIPE DIAMETER CAPACITY, S/N N/A (CI) |
| 68 | G.B.C. CH.26 AUTOMATIC SELF PROPELLER PLATE BEVELLER WITH 5/16" TO 2" PLATE WORKING RANGE, 15-60 DEGREE ADJUSTABLE CUTTING ANGLE, 575V/3PH/60HZ, S/N 789 (CI) |
| 69 | GULLCO GBM18 AUTOMATIC SELF PROPELLER PLATE BEVELLER WITH 1/4" TO 1.5" PLATE WORKING RANGE, 15-60 DEGREE ADJUSTABLE CUTTING ANGLE, 575V/3PH/60HZ, S/N N/A (CI) |
| 70 | FIRST LC-1 1/2 VS VERTICAL TURRET MILLING MACHINE WITH 9" X 42" TABLE, SPEEDS TO 4500 RPM, HEIDENHAIN 2-AXIS DRO, 575V/3PH/60HZ, S/N 70124612 (CI) |

| Lot | Description |
|-----|---|
| 71 | FIRST LC-185 VSX VERTICAL TURRET MILLING MACHINE WITH 10" X 50" TABLE, SPEEDS TO 4500 RPM, 575V/3PH/60HZ, S/N 70303902 (CI) |
| 72 | FIRST LC-20 VSG VERTICAL TURRET MILLING MACHINE WITH 10" X 56" TABLE, SPEEDS TO 4500 RPM, POWER TABLE FEED, 575V/3PH/60HZ, S/N 83120759 (CI) |
| 73 | CHEVALIER FSG-1640AD HYDRAULIC SURFACE GRINDER WITH 16" X 40" ELECTRO-MAGNETIC CHUCK, INCREMENTAL DOWN FEED, COOLANT WITH PAPER FILTRATION, 575V/3PH/60HZ, S/N G4885003 (CI) |
| 74 | CHEVALIER FSG-618M CONVENTIONAL SURFACE GRINDER WITH 6" X 18" MAGNETIC CHUCK, 6" WHEEL, INCREMENTAL DOWN-FEED, 575V/3PH/60HZ, S/N A3871003 (CI) |
| 75 | COLCHESTER TRIUMPH 2000 ENGINE LATHE WITH 14" SWING, 50" BETWEEN CENTERS, 10" 3-JAW CHUCK, 2" SPINDLE BORE, SPEEDS TO 2000 RPM, IN/MM THREADING, 575V/3PH/60HZ, S/N 6/0044/33152 (CI) |
| 76 | BERGONZI TM50 5' RADIAL ARM DRILL WITH 12" COLUMN, SPEEDS TO 1520 RPM, 21.5" X 58.5" X 17.5" BOX TABLE, 575V/3PH/60HZ, S/N 180500 (CI) |
| 77 | STARTRITE 316H VARIABLE SPEED VERTICAL BAND SAW WITH 36" THROAT, 14" MAX WORKPIECE HEIGHT, BLADE WELDER AND GRINDER, 575V/3PH/60HZ, S/N 67974 (CI) |
| 78 | BAXTER MODEL 1153 VERTICUT 10" ROLL IN VERTICAL BAND SAW, 110V/3PH/60HZ, S/N 6109 (CI) |
| 80 | SWEED 517AE STEEL BANDING SCRAP CHOPPER WITH 3 HP MOTOR, ANTI KICK BACK PLATE, FLOOR STAND AND SCRAP BIN; S/N 40343 (CI) |
| 81 | BALDOR DOUBLE END BENCH GRINDER, 110V/3PH/60HZ, S/N N/A (CI) |
| 82 | BLUE GIANT XP522-63 CONVENTIONAL PUSH DIE LIFTER WITH 2,000 LBS. CAPACITY, S/N N/A |

| Lot | Description | Lot | Description | Lot | Description |
|-----|---|-----|--|-----|---|
| 83 | GORBEL 2,000 LB. CAPACITY FREE-STANDING GANTRY CRANE SYSTEM WITH APPROX. 23' SPAN, 30' RUNWAY LENGTH, UPRIGHTS AND BEAMS, S/N N/A (HOIST NOT INCLUDED) (CI) | 99D | LOT/ COLLETS | 109 | LOT/ APPROX. (100) CHECKERS CABLE PROTECTORS |
| 84 | BUDGIT (2022) 3 TON CAPACITY ELECTRIC CHAIN HOIST WITH 15 FT LIFT, SPEEDS TO 5 FPM, PENDANT CONTROL, 110V/1PH/60HZ, S/N AH1777AD | 99E | MITUTOYO 18" DIGITAL HEIGHT GAUGE, S/N N/A | 110 | LOT/ APPROX. (54) CHECKERS CABLE PROTECTORS |
| 85 | DRAKE (2020) PACT60S3-T5-ZMM SINGLE CIRCUIT TYPE PACKAGED AIR COOLED CHILLER WITH MICROMAG DIGITAL MICROPROCESSOR CONTROLLER, 5.3 TON AND 60,000 BTU CAPACITY, 575V/3PH/60HZ, S/N 020C0079 (CI) | 99F | LOT/ BUTCHER BLOCK INSPECTION BENCH WITH 24"X36"X4" GRANITE SURFACE PLATE, S/N N/A | 111 | LOT/ (4) 60' X 50' JACKSON WELDING BLANKET ROLLS |
| 86 | HILLMAN ROLLERS DELUXE KIT 40 TON CAPACITY MACHINERY MOVING DOLLY SET | 99G | MITUTOYO HEIGHT MASTER 13" CONVENTIONAL HEIGHT GAUGE, S/N N/A | 112 | LOT/ CONTENTS OF CRATE CONSISTING VEVOR VFD CONTROLLERS, RELAYS, GE MILTILLN SWITCH, COMMUNICATION CABLE, CIRCUIT BOARDS AND VARIOUS MRO SPARES |
| 87 | LOT/ WIRE ROPE LIFTING SLINGS | 99H | MITUTOYO 6"-12" OUTSIDE MICROMETER, S/N N/A | 113 | LOT/ BRICKLE 8" METAL CASTER WITH URATHANE ANTI-SCUFF WHEELS |
| 88 | LOT/ BANDING TOOLS AND SUPPLIES | 99J | YAMATOKOKI APPROX. 13.7" DIAMETER INDEXING ROTARY TABLE, S/N N/A | 114 | LOT/ BRICKLE 8" METAL CASTER WITH URATHANE ANTI-SCUFF WHEELS |
| 89 | LOT/ LIFTING EYE BOLTS | 99K | TOS M1-1 8" DIAMETER 3-JAW CHUCK, S/N N/A | 115 | LOT/ BRICKLE 8" METAL CASTER WITH URATHANE ANTI-SCUFF WHEELS |
| 90 | LINCOLN ELECTRIC INVERTEC STT II DIGITAL MIG WELDER WITH CABLES WIRE FEEDER AND CART, HAMMOND 15KVA TRANSFORMER, S/N U198040033 | 99L | 8" MACHINE VISE | 116 | LOT/ BRICKLE 8" METAL SWIVEL CASTER WITH URATHANE ANTI-SCUFF WHEELS |
| 91 | HOBART ULTRAFLEX 350 CC/CV DIGITAL WELDING POWER SOURCE, S/N 495WS22121 | 99M | KURT 6" MACHINE VISE | 117 | LOT/ BRICKLE 8" METAL SWIVEL CASTER WITH URATHANE ANTI-SCUFF WHEELS |
| 92 | RED-D-ARC E500 WELDING POWER SOURCE S/N: L11073-1 | 99N | GS 6" MACHINE VISE | 118 | LOT/ CASTERS, CARBON FIBRE WELDING BLANKETS, ELECTRICAL CONNECTORS, PNEUMATIC ACTUATORS AND BRASS FEET |
| 93 | HEWLETT PACKARD DESIGNJET 500 LARGE FORMAT PRINTER/PLOTTER, S/N ESA0701171 | 99P | GS 6" MACHINE VISE | 119 | LOT/ HYDRAULIC FITTINGS, PNEUMATIC ACTUATORS, BRACKETS, HYDRAULIC PUMP AND HARDWARE |
| 94 | ROCK OF AGES 24"X36"X6" GRANITE SURFACE PLATE WITH STAND (CI) | 99R | 6" MACHINE VISE | 120 | SEW EURO-DRIVE R97 DRN90S4/BE2HF GEARMOTOR ASSEMBLY WITH 1.5HP, 230/460V, 60HZ, 1762/10 RPM, 26660 LBS/IN, S/N N/A |
| 95 | MFG UNKNOWN FREESTANDING GANTRY CRANE SYSTEM WITH 3 TON ELECTRIC CHAIN HOIST, APPROX. 261" SPAN, 138" HEIGHT UNDER THE HOOK, S/N N/A (CI) | 100 | LOT/ (12) CASES OF D.I.D 100 CHAIN, (8) CASES OF D.I.D 120CP CHAIN | 121 | SEW EURO-DRIVE R97 DRN90S4/BE2HF GEARMOTOR ASSEMBLY WITH 1.5HP, 230/460V, 60HZ, 1762/10 RPM, 26660 LBS/IN, S/N N/A |
| 96 | LOT/ (8) DIE SAW HORSES | 101 | LOT/ SMC PNEUMATIC CYLINDERS, PIAB LEVEL COMPENSATOR, BRASS FITTINGS AND FASTENING HARDWARE, THOMAS AND BETTS SSA100 1/4" SPRING NUTS, (10) CASES OF KILLARK FS-1M 1/2 DEAD END DEEP BOXES | 122 | SEW EURO-DRIVE R97 DRN90S4/BE2HF GEARMOTOR ASSEMBLY WITH 1.5HP, 230/460V, 60HZ, 1762/10 RPM, 26660 LBS/IN, S/N N/A |
| 97 | LOT/ STRAPPING CADDY WITH TOOLS | 102 | LOT/ BRASS FITTINGS, BRADY THERMATAB LABELS, 3/8HP DRIVE WITH GEARBOX, CABLE CLAMPS, PNEUMATIC FITTINGS, SIEMENS TERMINAL COVERS, 220V TERMINAL COVERS | 123 | LOT/ BLACK IRON PLUMBING FITTINGS INCLUDING BUT NOT LIMITED TO STRAIGHT NIPPLES, TEES, ELBOWS, REDUCTIONS AND HARDWARE |
| 98 | LOT/ ALPHANUMERIC PUNCHES | 103 | LOT/ (70) BOXES OF EATON FTS22K BLINE SERIES FLEX TRAY TAB-LOCK SPLICERS | | |
| 99 | LOT/ (2) 7"X7" PRECISION ANGLE PLATES | 104 | LOT/ APPROX (8) ROLLS OF DIVISIBLE CONDUIT, 50M PER ROLL | | |
| 99A | #40 TAPER COLLET CHUCK SET | 105 | LOT/ FESTO NECU-G78G5-C2 ELECTRICAL CONNECTORS, HARDWARE, SCHMERSAL CONNECTORS, RAMS ROD ALIGNMENT COUPLERS, 1" WATER HOSE | | |
| 99B | GEM POWER RIGHT ANGLE MILLING HEAD WITH SPEEDS TO 2000 RPM, S/N N/A | 106 | LOT/ FLEX TRAY | | |
| 99C | HARIG UNI-DEX PUNCH FORMER, S/N N/A | 107 | LOT/ DISCONNECT SWITCHES | | |
| | | 108 | LOT/ (33) CHECKERS FAST LANE CABLE PROTECTORS | | |

| Lot | Description |
|-----|--|
| 124 | EMERSON HEAVY-DUTY HT1F15AS SHIELDED GENERAL PURPOSE TRANSFORMER WITH 15KVA/480-208-120V/60HZ |
| 125 | EMERSON HEAVY-DUTY HS5F7.5AS SHIELDED GENERAL PURPOSE TRANSFORMER WITH 7.5KVA/480-240-208-120V/60HZ, S/N N/A |
| 126 | EMERSON HEAVY-DUTY HS5F7.5AS SHIELDED GENERAL PURPOSE TRANSFORMER WITH 7.5KVA/480-240-208-120V/60HZ, S/N N/A |
| 127 | EMERSON HEAVY-DUTY HS5F7.5AS SHIELDED GENERAL PURPOSE TRANSFORMER WITH 7.5KVA/480-240-208-120V/60HZ, S/N N/A |
| 128 | EMERSON HEAVY-DUTY HS5F7.5AS SHIELDED GENERAL PURPOSE TRANSFORMER WITH 7.5KVA/480-240-208-120V/60HZ, S/N N/A |
| 129 | EMERSON HEAVY-DUTY HS5F7.5AS SHIELDED GENERAL PURPOSE TRANSFORMER WITH 7.5KVA/480-240-208-120V/60HZ, S/N N/A |
| 130 | LOT/ (2) EMERSON HEAVY-DUTY HS14F3BS SHIELDED GENERAL PURPOSE TRANSFORMER WITH 3KVA/190-220-380-440 TO 110-220V/60HZ, S/N N/A |
| 131 | LOT/ (2) EMERSON HEAVY-DUTY HS14F3BS SHIELDED GENERAL PURPOSE TRANSFORMER WITH 3KVA/190-220-380-440 TO 110-220V/60HZ, S/N N/A |
| 132 | LOT/ (4) SIEMENS 1D1N005 ENCAPSULATED DRY TYPE TRANSFORMER WITH 5KVA/240-480 TO 120-240V/60HZ, S/N N/A |
| 133 | LOT/ PARTS, ELECTRICAL BOXES, ELECTRICAL AND ELECTRONIC COMPONENTS, MODULES, BOARDS, ATLAS COPCO CABLES AND HARDWARE |
| 134 | LOT/ ELECTRICAL BOXES, SWITCHES AND ELECTRICAL COMPONENTS |
| 135 | SCE (2022) SCE-NG2320B230V SELF-CONTAINED SPECIAL PURPOSE ELECTRICAL CABINET AIR CONDITIONER WITH 2320 BTU CAPACITY, 230V/50-60HZ, S/N M8506060005 |

| Lot | Description |
|-----|--|
| 136 | LOT/ ELECTRICAL/PLC COMPONENTS, ALLEN BRADLEY SWITCHES, BRACKETS AND SENSORS |
| 137 | LOT/ KEYENCE OPTICAL SENSORS, BUELL DISCONNECT SWITCHES, PNEUMATIC CONTROL MANIFOLDS, HARDWARE, ELECTRICAL TYPE I OUTLETS, CONNECTOR CABLES, CABINET WEATHER STRIPPING, 300 PSI PARKER HOSE, SIEMENS AND MITSUI HARDWARE |
| 138 | LOT/ HARDWARE AND PIPE ELBOWS |
| 139 | LOT/ HYDRAULIC AND PNEUMATIC FITTINGS, BLACK IRON PLUMBING FITTINGS, FASTENING HARD WORK, ELECTRICAL HARDWARE, CLAMPS AND FASTENING HARDWARE |
| 140 | LOT/ ELECTRICAL CONNECTORS, FASTENING HARDWARE, CONNECTING CABLES, SPRINGS, MOUNTING PLATES AND END CAPS |
| 141 | LOT/ MOUNTING KITS, STAINLESS STEEL HARDWARE, FASTENING HARDWARE, THK GUIDES, GRAINGER WIRE PROTECTORS, CABLE GUIDES |
| 142 | LOT/ FESTO AND SMC PNEUMATIC TUBING |
| 143 | LOT/ IGUS AND FLEXTech CABLE SUPPORTS, E-CHAIN AND CHAINFLEX MOTION CABLES CABLE TRAYS |
| 144 | LOT/ HARDWARE, FASTENING HARDWARE, CONCRETE ANCHORS, SPROCKETS, U-BOLT CONNECTORS, PNEUMATIC CYLINDERS, I TYPE AND F TYPE RECEPTACLES, DISCONNECT SWITCHES, WIRE CABLE GUIDES. |
| 145 | LOT/ CABINET WEATHER STRIPPING, PRE PICKED ASSEMBLY KITS, CONNECTORS, MODULES AND ELECTRONIC COMPONENTS |
| 146 | LOT/ BRASS FITTINGS, PNEUMATIC FITTINGS, STAINLESS STEEL FITTINGS, PRE PICKED ASSEMBLY KITS, BRASS VALVES AND CONNECTORS |
| 147 | LOT/ INTERLOCK SWITCHES, FASTENING HARDWARE, PNEUMATIC AND HYDRAULIC FITTINGS, SPRING NUTS, RECEPTACLES, GEAR MOTOR, HARDWARE AND ACCESSORIES |

| Lot | Description |
|-----|--|
| 148 | LOT/ SMC AND FESTO PNEUMATIC TUBING |
| 149 | LOT/ PNEUMATIC AND HYDRAULIC FITTINGS ASSEMBLY KITS, PREPACK HARDWARE KITS, PARKER FITTINGS, SHAFT SLEEVES AND HARDWARE |
| 150 | LOT/ IGUS AND FLEXTech CABLE SUPPORTS, E-CHAIN AND CHAINFLEX MOTION CABLES CABLE TRAYS |
| 151 | LOT/ FASTENING HARDWARE, ELECTRICAL CONNECTORS, BREAKERS, FUSE HOLDERS AND U-BOLT CONNECTORS |
| 152 | LOT/ HYDRAULIC FITTINGS, ELECTRICAL MOUNTING HARDWARE, PRE-PACKED ASSEMBLY KITS, PNEUMATIC FITTINGS, ANTI-SKID TAPE |
| 153 | LOT/ ELECTRICAL MOUNTING HARDWARE |
| 154 | LOT/ BUTTONS AND SWITCHES, ELECTRICAL HARDWARE, PNEUMATIC CYLINDERS, PREPACK ASSEMBLY KITS |
| 155 | LOT/ PNEUMATIC CYLINDERS DESTACO DOVER PNEUMATIC CYLINDERS, PREPACK ASSEMBLY KITS, PLUG COVERS AND PNEUMATIC FITTINGS |
| 156 | LOT/ PREPACK ASSEMBLY KITS, BRASS BEARINGS, HARDWARE, ELECTRICAL CONNECTORS, FASTENING HARDWARE AND PLATES, WIRE ROPE HANGERS |
| 157 | LOT/ PNEUMATIC FITTINGS, CABLE CONNECTORS, HARDWARE INSTALLATION KITS, PNEUMATIC FITTINGS, PLATES AND HARDWARE, FASTENING HARDWARE |
| 158 | LOT/ STAINLESS STEEL PLUMBING FITTINGS, STAINLESS STEEL VALVES, MOUNTING HARDWARE |
| 159 | LOT/ FASTENING HARDWARE FLEX COUPLER MOUNTS, MOUNTING HARDWARE, PREPACK ASSEMBLY KITS, HARDWARE AND COMPONENTS |
| 160 | LOT/ IGUS AND FLEXTech CABLE SUPPORTS, E-CHAIN AND CHAINFLEX MOTION CABLES CABLE TRAYS |
| 161 | LOT/ SPRINGS, HARDWARE, STAINLESS STEEL PINS, RECEPTACLE COVERS, PREPACK ASSEMBLY KITS, HANDLES AND HARDWARE |

| Lot | Description | |
|-----|---|--|
| 162 | SIEMENS 1D1N003 ENCAPSULATED DRY TYPE TRANSFORMER WITH 3KVA/240-480 TO 120-240V/60HZ, S/N N/A | |
| 163 | SIEMENS 1D1N005 ENCAPSULATED DRY TYPE TRANSFORMER WITH 5KVA/240-480 TO 120-240V/60HZ, S/N N/A | |
| 164 | SIEMENS 1D1N003 ENCAPSULATED DRY TYPE TRANSFORMER WITH 3KVA/240-480 TO 120-240V/60HZ, S/N N/A | |
| 165 | SIEMENS 1D1N005 ENCAPSULATED DRY TYPE TRANSFORMER WITH 5KVA/240-480 TO 120-240V/60HZ, S/N N/A | |
| 166 | SIEMENS 1D1N005 ENCAPSULATED DRY TYPE TRANSFORMER WITH 5KVA/240-480 TO 120-240V/60HZ, S/N N/A | |
| 167 | SIEMENS 1D1N005 ENCAPSULATED DRY TYPE TRANSFORMER WITH 5KVA/240-480 TO 120-240V/60HZ, S/N N/A | |
| 168 | SIEMENS 1D1N005 ENCAPSULATED DRY TYPE TRANSFORMER WITH 5KVA/240-480 TO 120-240V/60HZ, S/N N/A | |
| 169 | SIEMENS 1D1N003 ENCAPSULATED DRY TYPE TRANSFORMER WITH 3KVA/240-480 TO 120-240V/60HZ, S/N N/A | |
| 170 | LOT/ ELECTRICAL CABLE | |
| 171 | LOT/ ELECTRICAL CABLE | |
| 172 | 5,500 LBS CAPACITY HYDRAULIC PALLET TRUCK | |